# Texas School Survey of Drug and Alcohol Use: 2014

State Report Grades 6-12 State Report

Spring 2014

#### State Report Spring 2014

# Table of Contents

1	General Substance Use Tables	4
	Tobacco	5
		9
	Drugs	18
	Inhalants	33
	Miscellaneous	38
<b>2</b>	Prevalence Tables	45
	Table B-1: All Students	46
	Table B-2: Male Students	
	Table B-3: Female Students	
	Table B-4: White Students	
	Table B-5: African/American Students	62
	Table B-6: Mexican/American Students	-
	Table B-7: Students Reporting A Grades	
	Table B-8: Students Reporting Grades Lower Than an A	
	Table B-9: Students Living With 2 Parents	
	Table B-10: Students Not Living With 2 Parents	
	Table B-11: Students who would seek help from adults for substance abuse problems	86
	Table B-12: Students who would not seek help from adults for substance abuse problems	90
3	Margin Tables	94

State Report Spring 2014

1 General Substance Use Tables

### Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	7.4%	10.4%	19.9%	80.1%
Grade 6	1.6%	2.1%	5.8%	94.2%
Grade 7	2.6%	3.7%	10.1%	90.0%
Grade 8	5.1%	7.5%	15.0%	85.0%
Grade 9	6.7%	10.1%	21.0%	79.0%
Grade 10	9.6%	13.9%	25.8%	74.2%
Grade 11	13.1%	18.2%	32.1%	67.8%
Grade 12	15.8%	20.9%	34.0%	66.0%
Cigarettes?				
All	5.8%	8.5%	17.6%	82.3%
Grade 6	1.3%	1.7%	4.8%	95.3%
Grade 7	1.9%	2.8%	8.9%	91.2%
Grade 8	4.0%	6.2%	13.5%	86.5%
Grade 9	4.9%	7.9%	18.6%	81.3%
Grade 10	7.1%	11.1%	22.9%	77.1%
Grade 11	10.6%	15.2%	28.6%	71.3%
Grade 12	13.0%	17.5%	30.3%	69.7%
Smokeless Tobacco?				
All	3.3%	4.7%	8.0%	92.0%
Grade 6	0.6%	0.8%	1.9%	98.2%
Grade 7	1.0%	1.6%	3.2%	96.8%
Grade 8	2.0%	3.1%	5.6%	94.4%
Grade 9	3.1%	4.5%	8.3%	91.7%
Grade 10	4.5%	6.4%	10.6%	89.4%
Grade 11	5.4%	8.0%	13.2%	86.9%
Grade 12	7.4%	10.0%	15.1%	84.8%

Table T-2: How often do you normally use tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	85.7%	1.5%	1.4%	1.8%	2.7%	2.5%	4.4%
Grade 6	97.6%	0.0%	0.2%	0.1%	0.5%	0.7%	0.8%
Grade 7	95.0%	0.2%	0.3%	0.4%	1.0%	1.2%	1.8%
Grade 8	90.1%	0.3%	0.7%	1.2%	1.8%	2.4%	3.4%
Grade 9	85.7%	1.1%	0.9%	2.0%	2.6%	2.3%	5.4%
Grade 10	80.9%	1.9%	1.7%	2.3%	3.4%	4.0%	5.9%
Grade 11	75.4%	2.6%	2.7%	3.6% $3.5%$	5.4%	3.8%	6.6%
Grade 12	71.1%	5.6%	3.4%		5.1%	3.7%	7.6%

Table T-3: Average age of first use of tobacco:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	10.2	11.0	11.5	12.3	13.2	14.0	14.8

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	27.1%	23.5%	7.7%	9.3%	12.8%	19.6%
Grade 6	41.8%	38.5%	7.6%	4.9%	3.6%	3.6%
Grade 7	34.4%	36.2%	9.2%	7.7%	6.9%	5.6%
Grade 8	27.9%	28.0%	11.4%	10.4%	11.7%	10.6%
Grade 9	24.9%	21.4%	8.1%	12.2%	14.9%	18.4%
Grade 10	20.5%	16.5%	6.5%	12.4%	20.0%	24.0%
Grade 11	18.9%	11.8%	6.4%	10.4%	18.9%	33.6%
Grade 12	18.8%	7.9%	3.8%	6.7%	14.5%	48.3%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
	0.4				
All	68.0%	18.8%	8.3%	4.0%	0.9%
Grade 6	91.3%	6.6%	1.4%	0.5%	0.3%
Grade 7	85.4%	10.1%	3.3%	0.8%	0.4%
Grade 8	77.3%	15.2%	5.0%	2.1%	0.4%
Grade 9	64.3%	21.5%	9.3%	4.1%	0.8%
Grade 10	56.6%	25.7%	11.6%	5.3%	0.8%
Grade 11	49.6%	28.1%	13.4%	7.4%	1.5%
Grade 12	44.8%	27.1%	16.2%	9.5%	2.4%

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprov	Mildly e Disapprov	Neither e	Mildly Approve	Strongly Approve	Do not know
All Grade 6	78.5% $83.0%$	$6.4\% \ 2.2\%$	5.2% $1.1%$	$1.0\% \\ 0.4\%$	$0.9\% \\ 0.9\%$	8.1% $12.3%$
Grade 7	84.6%	2.5%	2.0%	0.3%	1.1%	9.6%
Grade 8 Grade 9	83.5% $80.1%$	$4.4\% \ 6.2\%$	$3.4\% \\ 5.0\%$	$0.6\% \\ 0.8\%$	$0.4\% \ 1.2\%$	$7.7\% \ 6.6\%$
Grade 10 Grade 11	$78.0\% \ 72.2\%$	$8.2\% \ 10.2\%$	6.4% $8.4%$	$1.2\% \\ 1.9\%$	$0.4\% \\ 0.7\%$	$5.9\% \\ 6.6\%$
Grade 12	64.2%	10.2% $12.7%$	11.9%	1.9% $1.9%$	1.5%	7.8%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	64.8%	21.1%	7.2%	2.0%	4.9%
Grade 6	83.1%	9.9%	2.2%	0.6%	4.2%
Grade 7	77.0%	14.5%	3.1%	0.7%	4.7%
Grade 8	67.3%	21.3%	5.4%	1.2%	4.8%
Grade 9	63.6%	22.4%	7.2%	2.0%	4.9%
Grade 10	55.7%	26.6%	10.1%	2.7%	4.9%
Grade 11	52.0%	27.8%	11.7%	2.6%	5.9%
Grade 12	50.3%	27.1%	12.6%	4.6%	5.4%

### Alcohol

Table A-1: How recently, if ever, have you used  $\dots$ 

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	19.1%	26.7%	46.5%	53.5%
Grade 6	6.7%	8.9%	23.2%	76.9%
Grade 7	9.7%	12.4%	30.9%	69.1%
Grade 8	13.2%	19.8%	40.4%	59.7%
Grade 9	19.9%	28.2%	50.2%	49.8%
Grade 10	25.5%	36.3%	58.4%	41.5%
Grade 11	30.1%	41.7%	64.1%	36.0%
Grade 12	32.7%	45.8%	64.3%	35.7%
Beer?				
All	12.1%	18.2%	35.0%	64.9%
Grade 6	2.9%	4.7%	15.4%	84.6%
Grade 7	5.4%	7.2%	21.7%	78.3%
Grade 8	7.7%	12.2%	29.3%	70.7%
Grade 9	11.9%	18.5%	37.6%	62.4%
Grade 10	15.9%	24.8%	45.1%	54.9%
Grade 11	21.1%	31.0%	50.5%	49.5%
Grade 12	23.7%	34.4%	51.4%	48.6%
Wine Coolers?				
All	10.8%	16.3%	28.6%	71.4%
Grade 6	3.3%	4.3%	9.7%	90.3%
Grade 7	4.6%	5.9%	14.4%	85.6%
Grade 8	6.2%	10.4%	21.0%	79.0%
Grade 9	11.0%	16.9%	30.9%	69.1%
Grade 10	15.4%	23.4%	39.6%	60.5%
Grade 11	18.7%	27.6%	44.8%	55.2%
Grade 12	19.3%	29.8%	45.5%	54.5%
Wine?				
All	8.2%	13.3%	28.9%	71.1%
Grade 6	3.0%	4.5%	13.5%	86.5%
Grade 7	4.5%	6.4%	18.1%	82.0%
Grade 8	4.9%	8.8%	23.1%	76.9%
Grade 9	8.9%	14.6%	32.0%	68.0%
Grade 10	10.9%	18.2%	37.0%	62.9%
Grade 11	12.7%	20.4%	40.0%	60.0%
Grade 12	13.9%	23.0%	42.9%	57.1%
Liquor?				
All	11.8%	18.0%	30.8%	69.3%
Grade 6	1.7%	2.9%	7.3%	92.8%
Grade 7	3.5%	5.0%	12.1%	88.0%
Grade 8	6.8%	11.1%	22.0%	78.0%
Grade 9	12.3%	19.2%	33.5%	66.5%
Grade 10	16.6%	25.6%	43.7%	56.2%
Grade 11	21.3%	31.5%	50.6%	49.4%
Grade 12	23.9%	35.9%	53.3%	46.7%

Table A-2: How often do you normally use alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All Grade 6 Grade 7 Grade 8	63.0% 88.4% 81.7% 70.7%	0.3% $0.1%$ $0.2%$ $0.2%$	1.9% 0.5% 0.8% 1.4%	6.4% 0.8% 1.6% 3.6%	10.2% 1.9% 3.7% 6.6%	10.0% 3.3% 5.8% 9.1%	8.2% 5.0% 6.2% 8.3%
Grade 9 Grade 10 Grade 11 Grade 12	60.1% 49.6% 43.2% 40.9%	0.4% $0.3%$ $0.3%$ $0.5%$	1.8% $2.1%$ $3.5%$ $3.6%$	6.5% 9.2% 11.5% 13.3%	11.1% 15.1% 16.9% 18.6%	11.1% 13.4% 14.2% 14.4%	9.0% 10.4% 10.3% 8.7%

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer						
	All	64.8%	35.3%	7.5%	16.8%	11.0%
	$Grade\ 6$	83.4%	16.7%	0.6%	6.7%	9.4%
	Grade 7	78.1%	21.8%	1.9%	9.3%	10.6%
	Grade 8	69.4%	30.7%	3.4%	14.6%	12.7%
	Grade 9	63.1%	37.1%	6.9%	18.2%	12.0%
	Grade 10	55.2%	44.8%	10.8%	22.2%	11.8%
	Grade 11	50.2%	49.8%	14.4%	24.9%	10.5%
	Grade 12	49.2%	50.8%	16.9%	24.0%	9.9%
Wine Coolers						
	All	70.4%	29.7%	5.8%	16.9%	7.0%
	Grade 6	89.8%	10.2%	0.7%	4.8%	4.7%
	Grade 7	85.5%	14.5%	1.6%	6.6%	6.3%
	Grade 8	77.3%	22.5%	2.6%	12.2%	7.7%
	Grade 9	67.7%	32.3%	5.8%	18.4%	8.1%
	Grade 10	59.0%	41.1%	8.5%	24.7%	7.9%
	Grade 11	54.4%	45.7%	11.0%	27.4%	7.3%
	Grade 12	53.2%	46.8%	12.1%	27.8%	6.9%
Wine						
	All	71.4%	28.7%	2.2%	14.4%	12.1%
	$Grade\ 6$	88.1%	12.0%	0.4%	4.0%	7.6%
	Grade 7	82.1%	18.0%	0.9%	6.5%	10.6%
	Grade 8	75.4%	24.6%	1.5%	11.1%	12.0%
	Grade 9	68.9%	31.0%	2.3%	16.0%	12.7%
	Grade 10	62.1%	37.9%	3.6%	20.7%	13.6%
	Grade 11	60.2%	39.9%	3.5%	22.3%	14.1%
	Grade 12	59.0%	40.9%	3.5%	22.8%	14.6%
Liquor						
•	All	68.7%	31.4%	7.4%	16.1%	7.9%
	$Grade\ 6$	93.0%	7.0%	0.6%	2.3%	4.1%
	Grade 7	87.2%	12.7%	1.4%	5.3%	6.0%
	Grade 8	77.4%	22.7%	3.6%	11.0%	8.1%
	Grade 9	66.4%	33.6%	7.3%	17.6%	8.7%
	Grade 10	54.8%	45.3%	11.7%	23.3%	10.3%
	Grade 11	48.9%	51.2%	14.2%	27.2%	9.8%
	Grade 12	46.4%	53.6%	15.6%	29.8%	8.2%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol							
	All	87.7%	4.7%	2.7%	2.4%	0.9%	1.5%
	Grade 6	97.1%	1.7%	0.6%	0.3%	0.1%	0.2%
	Grade 7	95.3%	2.2%	1.1%	0.5%	0.3%	0.5%
	Grade 8	92.1%	3.4%	1.7%	1.2%	0.4%	1.2%
	Grade 9	87.6%	4.9%	2.6%	2.3%	1.1%	1.5%
	Grade 10	83.5%	5.5%	4.3%	3.4%	1.2%	2.2%
	Grade 11	79.1%	7.3%	4.4%	4.9%	1.6%	2.7%
	Grade 12	76.5%	8.6%	5.1%	5.0%	2.0%	2.7%

Table A-5: Average age of first use of alcohol:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	9.7	10.6	11.3	12.2	13.0	13.9	14.6

Table A-6: If you wanted some, how difficult would it be to get alcohol?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	22.4%	16.7%	6.1%	10.5%	17.5%	26.8%
Grade 6	38.4%	32.9%	7.2%	7.1%	7.2%	7.3%
Grade 7	29.9%	27.0%	8.3%	10.3%	11.3%	13.2%
Grade 8	23.4%	18.9%	8.0%	11.1%	17.3%	21.3%
Grade 9	19.8%	13.2%	5.6%	12.4%	19.2%	29.7%
Grade 10	15.2%	9.3%	4.7%	11.1%	22.8%	36.9%
Grade 11 Grade 12	13.4% $14.8%$	$7.4\% \\ 5.1\%$	4.4% $4.1%$	10.5% $10.7%$	22.6% $24.0%$	41.8% $41.4%$

Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol				
Since Sept				
All	96.1%	3.0%	0.5%	0.4%
Grade 6	98.1%	1.5%	0.1%	0.3%
Grade 7	97.0%	2.4%	0.3%	0.2%
Grade 8	96.3%	2.8%	0.5%	0.4%
Grade 9	95.9%	3.2%	0.5%	0.4%
Grade 10	95.3%	3.7%	0.6%	0.4%
Grade 11	95.4%	3.7%	0.6%	0.4%
Grade 12	94.4%	4.3%	0.9%	0.4%

Table A-8: School year use of alcohol by absences and conduct problems:

	Average days absent due to illness or other reasons
Alcohol Users	4.4
Alcohol Non-Users	3.2
	Average days conduct problems reported
Alcohol Users	2.6
Alcohol Non-Users	0.9

Table A-9: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have				
Had A Good Bit To Drink?				
All	94.9%	3.9%	0.7%	0.4%
Grade 9	97.7%	2.0%	0.2%	0.2%
Grade 10	96.6%	2.7%	0.4%	0.3%
Grade 11	94.2%	4.6%	0.8%	0.4%
Grade 12	90.1%	7.2%	1.8%	0.9%
Had Difficulties Of Any Kind				
With Your Friends Because Of				
Your Drinking?				
All	96.4%	3.1%	0.3%	0.1%
Grade 6	99.0%	0.9%	0.0%	0.1%
Grade 7	98.2%	1.6%	0.1%	0.1%
Grade 8	96.9%	2.6%	0.3%	0.2%
Grade 9	96.1%	3.3%	0.5%	0.1%
Grade 10	95.7%	4.0%	0.2%	0.1%
Grade 11	94.6%	4.8%	0.4%	0.2%
Grade 12	93.5%	5.6%	0.8%	0.2%
Been Criticized By Someone				
You Were Dating Because Of				
Drinking?				
All	95.7%	3.8%	0.3%	0.2%
Grade 6	99.3%	0.6%	0.1%	0.0%
Grade 7	98.2%	1.6%	0.1%	0.1%
Grade 8	96.4%	3.3%	0.2%	0.1%
Grade 9	95.4%	3.9%	0.4%	0.2%
Grade 10	94.1%	5.2%	0.4%	0.3%
Grade 11	92.9%	6.1%	0.7%	0.3%
Grade 12	92.7%	6.3%	0.5%	0.5%

Table A-10: About how many of your close friends use alcohol?

	None	A Few	Some	Most	All
All	50.8%	21.7%	13.4%	11.0%	3.1%
Grade 6	85.2%	10.6%	3.0%	0.9%	0.3%
Grade 7	74.5%	16.7%	5.4%	2.7%	0.7%
Grade 8	60.7%	22.1%	10.9%	5.0%	1.4%
Grade 9	43.3%	27.2%	15.9%	11.0%	2.7%
Grade 10	31.4%	27.8%	20.5%	16.3%	4.0%
Grade 11	26.8%	26.0%	19.9%	21.2%	6.0%
Grade 12	26.6%	21.4%	20.6%	23.6%	7.8%

Table A-11: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All Grade 6 Grade 7	51.4% 80.8% 72.3%	6.3% 3.1% 5.5%	5.0% 2.2% 3.5%	8.2% 1.6% 3.2%	10.6% 0.7% 1.8%	1.8% 1.8% 2.1%	16.7% 9.7% 11.8%
Grade 8 Grade 9 Grade 10 Grade 11 Grade 12	61.0% 44.5% 34.3% 30.9% 30.2%	8.4% 7.7% 7.4% 6.9% 4.7%	5.2% 6.9% 6.2% 5.2% 5.7%	5.4% $10.0%$ $12.6%$ $13.0%$ $13.1%$	3.0% $10.3%$ $15.8%$ $20.9%$ $26.0%$	2.1% 1.5% 1.9% 1.8% 1.0%	14.9% 19.1% 21.8% 21.3% 19.3%

Table A-12: How often, if ever, do you get alcohol beverages from  $\dots$ ?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	57.4%	20.6%	15.3%	4.7%	2.0%
	Grade 6	71.3%	20.7%	6.5%	1.3%	0.2%
	Grade 7	68.4%	19.9%	8.4%	2.3%	1.1%
	Grade 8	62.3%	18.8%	13.5%	4.0%	1.3%
	Grade 9	55.5%	19.6%	17.6%	5.4%	1.9%
	Grade 10	50.1%	21.3%	19.1%	6.9%	2.5%
	Grade 11	46.9%	20.9%	22.0%	6.8%	3.3%
	Grade 12	43.4%	23.3%	21.6%	7.2%	4.4%
Friends?						
	All	56.7%	18.8%	11.8%	9.6%	3.2%
	Grade 6	74.6%	22.3%	1.9%	0.9%	0.3%
	Grade 7	70.3%	21.5%	4.7%	2.8%	0.8%
	Grade 8	63.7%	20.6%	8.9%	5.4%	1.4%
	Grade 9	55.4%	18.7%	14.0%	9.2%	2.7%
	Grade 10	46.9%	17.2%	17.5%	13.4%	5.0%
	Grade 11	42.2%	14.9%	18.3%	18.3%	6.2%
	Grade 12	38.6%	14.9%	19.1%	20.1%	7.1%
Store?		/0			/0	,0
	All	59.3%	32.8%	3.9%	2.5%	1.5%
	Grade 6	74.6%	24.5%	0.4%	0.3%	0.2%
	Grade 7	71.5%	26.1%	1.4%	0.7%	0.3%
	Grade 8	65.3%	30.5%	2.3%	1.2%	0.7%
	Grade 9	59.0%	34.4%	3.7%	1.8%	1.1%
	Grade 10	49.9%	39.3%	5.4%	3.3%	2.1%
	Grade 11	47.5%	37.7%	6.7%	4.7%	3.4%
	Grade 12	42.7%	39.2%	8.6%	6.5%	3.1%
Parties?			33.273	0.0,0	0.0,0	3.2,0
	All	55.0%	16.7%	9.4%	10.0%	9.0%
	Grade 6	72.2%	21.1%	3.9%	2.0%	0.8%
	Grade 7	68.6%	19.2%	5.3%	4.8%	2.1%
	Grade 8	61.2%	17.5%	8.9%	7.8%	4.6%
	Grade 9	53.2%	15.0%	11.6%	11.5%	8.7%
	Grade 10	45.5%	14.4%	12.4%	13.9%	13.8%
	Grade 11	41.3%	14.5%	12.2%	15.9%	16.2%
	Grade 12	38.2%	14.4%	12.1%	15.4%	19.9%
Other Source?				, 0		_5.576
	All	59.4%	24.1%	8.3%	4.3%	3.9%
	Grade 6	74.5%	21.0%	3.1%	0.9%	0.5%
	Grade 7	70.4%	21.7%	4.5%	2.1%	1.3%
	Grade 8	64.4%	22.4%	7.0%	3.4%	2.9%
	Grade 9	58.5%	23.9%	9.1%	4.5%	4.0%
	Grade 10	50.6%	26.1%	11.4%	6.6%	5.4%
	Grade 11	47.9%	27.0%	11.9%	6.7%	6.5%
	Grade 12	45.0%	28.2%	12.2%	7.1%	7.5%

Table A-13: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprov	Mildly e Disapprov	Neither e	Mildly Approve	Strongly Approve	Do not know
All	66.8%	11.9%	9.4%	3.1%	1.1%	7.7%
Grade 6 Grade 7	77.8% $77.2%$	$5.0\% \\ 6.6\%$	$3.2\% \\ 4.2\%$	$0.8\% \\ 0.9\%$	0.9% $1.2%$	12.3% $9.8%$
Grade 8	73.2%	10.0%	6.8%	$\frac{0.9\%}{2.0\%}$	0.7%	$\frac{9.8\%}{7.4\%}$
Grade 9	65.8%	13.3%	10.2%	3.2%	1.4%	6.0%
Grade 10	61.7%	15.0%	12.3%	5.1%	0.8%	5.2%
Grade 11 Grade 12	55.9% $51.8%$	16.5% $18.6%$	15.2% $15.8%$	5.3% $5.0%$	1.3% $1.6%$	$5.8\% \\ 7.3\%$

Table A-14: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	55.0%	27.4%	11.5%	2.2%	3.9%
Grade 6 Grade 7	72.4% $65.1%$	16.5% $20.7%$	6.0% 8.5%	0.8% $1.6%$	4.3%
Grade 8 Grade 9	55.2% 51.9%	26.3% 28.9%	12.1% 13.4%	2.2% 2.7%	4.2% 3.1%
Grade 10 Grade 11 Grade 12	47.5% $43.7%$ $46.2%$	32.7% $35.1%$ $33.7%$	13.3% $14.1%$ $13.6%$	2.8% $2.9%$ $2.4%$	3.7% $4.2%$ $4.0%$

# Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	7.9%	11.4%	20.3%	79.6%
Grade 6	0.9%	1.5%	3.6%	96.4%
Grade 7	2.8%	3.6%	7.0%	93.1%
Grade 8	4.6%	7.0%	13.2%	86.8%
Grade 9	8.1%	12.1%	21.5%	78.4%
Grade 10	10.7%	15.8%	28.9%	71.0%
Grade 11	15.2%	21.0%	35.5%	64.5%
Grade 12	15.2%	22.1%	38.2%	61.9%
Cocaine?				
All	0.5%	0.8%	1.8%	98.2%
Grade 6	0.0%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.6%	0.8%	1.5%	98.6%
Grade 10	0.4%	0.6%	2.1%	97.9%
Grade 11	1.2%	1.8%	3.3%	96.7%
Grade 12	1.1%	1.5%	3.7%	96.3%
Crack?	1.1/0	1.070	3.170	30.370
All	0.2%	0.3%	0.6%	99.5%
Grade 6	0.2%	0.4%	0.5%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.4%	99.1%
Grade 9	0.3%	0.4%	0.3%	99.7%
Grade 9 Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.2%	99.7%
Hallucinogens?	0.504	1 107	0.007	05 004
All	0.7%	1.1%	2.2%	97.8%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.1%	98.8%
Grade 9	0.7%	1.2%	2.2%	97.7%
Grade 10	0.8%	1.2%	2.9%	97.1%
Grade 11	1.5%	2.3%	4.5%	95.4%
Grade 12	1.3%	2.3%	4.7%	95.3%
Rohypnol?				
All	0.3%	0.4%	0.8%	99.2%
Grade 6	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.4%	0.6%	1.0%	98.9%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.4%	0.5%	1.0%	99.0%
Grade 12	0.3%	0.4%	1.0%	99.0%

Table D-1: How recently, if ever, have you used  $\dots$  (Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.3%	0.4%	1.0%	99.0%
Grade 6	0.1%	0.2%	0.9%	99.0%
Grade 7	0.2%	0.3%	0.7%	99.4%
Grade 8	0.4%	0.5%	1.2%	98.9%
Grade 9	0.1%	0.2%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.0%	98.9%
Grade 11	0.6%	0.7%	1.2%	98.9%
Grade 12	0.5%	0.7%	1.2%	98.8%
Ecstasy?	0.0,0	011,0		00.0,0
All	0.6%	1.0%	2.3%	97.7%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.3%	0.7%	99.4%
Grade 8	0.4%	0.5%	1.4%	98.5%
Grade 9	0.7%	1.2%	2.4%	97.5%
Grade 10	0.7%	1.3%	3.0%	96.9%
Grade 10 Grade 11	1.6%	2.0%	4.6%	95.5%
Grade 12	1.1%	2.0%	4.8%	95.2%
Heroin?	1.1/0	2.070	4.070	99.270
All	0.2%	0.2%	0.4%	99.6%
Grade 6	0.2%	0.2%	0.4%	99.5%
Grade 7	0.2%	0.2%	$0.4\% \\ 0.7\%$	99.3%
Grade 8			0.4%	
Grade 9	$0.1\% \ 0.0\%$	$0.2\% \ 0.0\%$	$0.4\% \\ 0.2\%$	99.7%
				99.7%
Grade 10	0.1%	0.1%	0.3%	99.6%
Grade 11	0.1%	0.2%	0.3%	99.8%
Grade 12	0.3%	0.3%	0.5%	99.5%
Methamphetamine?	0.004	0.004	0.004	00 107
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.5%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.7%	1.0%	99.1%
Synthetic Marijuana?				
All	1.5%	2.4%	5.7%	94.3%
Grade 6	0.3%	0.5%	1.3%	98.7%
Grade 7	0.8%	1.2%	2.2%	97.8%
Grade 8	1.6%	2.2%	4.4%	95.7%
Grade 9	2.1%	3.2%	6.4%	93.6%
Grade 10	2.2%	3.6%	8.4%	91.6%
Grade 11	1.9%	3.3%	9.4%	90.7%
Grade 12	2.1%	3.2%	9.4%	90.7%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
Ü	All	82.1%	1.7%	2.0%	3.0%	3.4%	3.6%	4.3%
	$Grade\ 6$	97.0%	0.3%	0.4%	0.4%	0.5%	0.6%	0.9%
	Grade 7	93.6%	0.4%	0.9%	0.9%	1.4%	1.1%	1.8%
	Grade 8	88.4%	0.7%	1.4%	2.2%	2.2%	2.0%	3.1%
	Grade 9	81.6%	1.8%	2.0%	3.4%	3.6%	3.4%	4.2%
	Grade 10	73.9%	1.9%	2.8%	3.9%	5.5%	5.5%	6.6%
	Grade 11	68.9%	3.2%	3.7%	5.2%	5.5%	6.5%	7.0%
	Grade 12	66.8%	4.0%	3.2%	5.5%	6.0%	6.8%	7.7%
Cocaine?								
	All	98.9%	0.1%	0.1%	0.1%	0.2%	0.3%	0.4%
	$Grade\ 6$	99.7%	0.0%	0.1%	0.0%	0.2%	0.0%	0.0%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%
	Grade 9	98.9%	0.2%	0.0%	0.1%	0.2%	0.2%	0.3%
	Grade 10	99.1%	0.0%	0.1%	0.0%	0.1%	0.4%	0.3%
	Grade 11	98.1%	0.1%	0.1%	0.2%	0.4%	0.5%	0.6%
	Grade 12	97.2%	0.2%	0.1%	0.3%	0.5%	0.5%	1.2%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 6	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.4%	0.1%	0.0%	0.1%	0.1%	0.1%	0.3%
	Grade 6	99.5%	0.1%	0.0%	0.1%	0.1%	0.0%	0.3%
	Grade 7	99.5%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 8	99.2%	0.1%	0.1%	0.0%	0.1%	0.1%	0.3%
	Grade 9	99.6%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.2%	0.1%	0.0%	0.2%	0.1%	0.1%	0.3%
	Grade 11	99.3%	0.1%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 12	99.2%	0.1%	0.0%	0.1%	0.0%	0.0%	0.4%

Table D-2: How often do you normally use  $\dots$  (Continued)

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?							
All	98.2%	0.0%	0.1%	0.1%	0.4%	0.5%	0.7%
Grade 6	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 7	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
Grade 8	98.7%	0.0%	0.1%	0.1%	0.3%	0.4%	0.3%
Grade 9	98.1%	0.1%	0.1%	0.0%	0.5%	0.5%	0.7%
Grade 10	97.7%	0.0%	0.1%	0.2%	0.4%	0.9%	0.8%
Grade 11	96.6%	0.1%	0.1%	0.2%	0.9%	0.8%	1.3%
Grade 12	96.6%	0.0%	0.0%	0.2%	0.4%	1.0%	1.8%
Heroin?							
All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 6	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 7	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	99.8%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?							
All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 6	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 7	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 10	99.6%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%
Grade 11	99.7%	0.1%	0.0%	0.0%	0.1%	0.0%	0.2%
Grade 12	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
Synthetic Marijuana?							
All	95.3%	0.2%	0.3%	0.4%	0.8%	1.0%	2.1%
Grade 6	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%
Grade 7	98.0%	0.2%	0.1%	0.2%	0.5%	0.4%	0.7%
Grade 8	96.6%	0.2%	0.3%	0.4%	0.8%	0.8%	1.0%
Grade 9	94.3%	0.3%	0.4%	0.7%	0.8%	1.3%	2.2%
Grade 10	93.4%	0.1%	0.3%	0.8%	1.1%	1.5%	2.9%
Grade 11	92.3%	0.1%	0.3%	0.5%	1.2%	1.5%	4.0%
Grade 12	92.8%	0.2%	0.3%	0.2%	1.0%	1.4%	4.1%

Table D-3: Average age of first use of:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.1	11.6	12.3	12.9	13.8	14.4	15.0
Cocaine	10.5	11.5	12.7	13.5	14.3	15.0	16.1
Crack	11.1	12.0	12.6	12.2	12.7	13.8	14.3
Steroids	9.9	10.6	11.9	12.2	12.9	13.1	15.3
Ecstasy	10.5	11.6	12.7	13.8	14.4	15.1	16.1
Heroin	8.1	9.5	10.9	12.7	13.3	12.8	16.6
Methamphetamine	9.2	10.4	13.0	12.6	13.4	14.4	15.5
Synthetic Marijuana	11.6	12.0	12.7	13.2	14.2	15.0	15.7

Table D-4: Age of first use of marijuana by family situation

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
		younger		11	10	10	11	11
Two Parent Family								
All	85.0%	0.3%	0.2%	1.3%	4.0%	5.8%	3.1%	0.2%
Grade 6	97.4%	0.1%	0.1%	1.7%	0.7%	0.0%	0.0%	0.0%
Grade 7	95.3%	0.2%	0.4%	1.4%	2.8%	0.1%	0.0%	0.0%
Grade 8	91.1%	0.3%	0.3%	1.4%	5.2%	1.6%	0.0%	0.0%
Grade 9	84.8%	0.2%	0.2%	1.3%	6.5%	6.9%	0.2%	0.0%
Grade 10	77.8%	0.3%	0.1%	1.5%	5.7%	11.6%	3.1%	0.0%
Grade 11	70.3%	0.5%	0.4%	1.0%	4.9%	13.4%	9.4%	0.2%
Grade 12	69.8%	0.2%	0.2%	0.7%	3.1%	10.5%	13.5%	2.0%
Other Family Situation								
All	71.4%	0.7%	0.6%	2.8%	8.9%	10.1%	4.9%	0.4%
Grade 6	94.2%	0.4%	0.3%	2.8%	2.3%	0.0%	0.0%	0.0%
Grade 7	88.9%	0.4%	0.6%	3.5%	6.1%	0.5%	0.0%	0.0%
Grade 8	79.6%	0.8%	0.8%	3.0%	12.5%	3.2%	0.0%	0.0%
Grade 9	69.7%	0.7%	1.0%	4.2%	12.5%	11.5%	0.3%	0.0%
Grade 10	62.4%	1.2%	0.2%	2.6%	10.0%	19.2%	4.2%	0.1%
Grade 11	57.7%	0.5%	0.3%	2.4%	9.0%	17.8%	12.3%	0.1%
Grade 12	52.1%	0.6%	0.9%	1.4%	8.2%	15.7%	18.4%	2.6%

Table D-5: If you wanted some, how difficult would it be to get ...

		Never	Impossible	Very		Somewhat	Very
		Heard		Difficult	Difficult	Easy	Easy
		Of					
Marijuana							
	All	26.5%	25.2%	7.5%	8.6%	11.9%	20.4%
	$Grade\ 6$	46.2%	39.5%	6.1%	3.0%	2.3%	2.8%
	Grade 7	34.5%	40.8%	7.5%	6.3%	4.7%	6.3%
	Grade 8	27.0%	31.6%	10.0%	9.0%	9.7%	12.7%
	Grade 9	22.3%	21.7%	8.5%	10.8%	14.6%	22.2%
	Grade 10	18.0%	16.3%	7.2%	11.5%	17.4%	29.6%
	Grade 11	16.7%	12.1%	6.4%	9.5%	17.8%	37.5%
	Grade 12	18.6%	10.1%	6.1%	10.0%	18.6%	36.6%
Cocaine							
	All	34.5%	34.8%	12.7%	8.7%	4.4%	5.0%
	Grade 6	49.2%	40.2%	6.4%	1.8%	0.9%	1.5%
	Grade 7	39.5%	44.2%	9.3%	3.6%	1.5%	1.8%
	Grade 8	32.6%	40.7%	12.4%	7.4%	3.6%	3.2%
	Grade 9	31.3%	33.7%	13.6%	10.5%	5.3%	5.7%
	Grade 10	28.4%	30.8%	16.0%	12.6%	6.1%	6.1%
	Grade 11	28.7%	26.1%	16.4%	13.1%	6.9%	8.8%
	Grade 12	30.3%	25.3%	15.5%	13.1%	7.1%	8.8%
Crack							
	All	36.5%	35.2%	13.0%	7.6%	3.6%	4.1%
	Grade 6	52.3%	37.7%	6.4%	1.6%	0.7%	1.3%
	Grade 7	41.3%	43.4%	8.4%	3.7%	1.2%	1.9%
	Grade 8	33.8%	40.9%	12.4%	6.5%	3.1%	3.4%
	Grade 9	33.0%	34.6%	13.8%	8.8%	4.7%	5.0%
	Grade 10	30.0%	32.7%	16.1%	11.1%	5.2%	5.0%
	Grade 11	31.3%	27.8%	17.9%	10.9%	5.4%	6.7%
	Grade 12	33.0%	26.6%	17.5%	11.5%	5.2%	6.1%
Steroids							
	All	37.4%	34.4%	12.6%	7.7%	4.0%	4.0%
	Grade 6	51.8%	36.0%	6.9%	2.5%	1.4%	1.4%
	Grade 7	41.9%	42.0%	8.7%	3.3%	2.1%	2.0%
	Grade 8	35.2%	39.4%	12.5%	6.4%	3.6%	2.9%
	Grade 9	34.0%	34.4%	13.5%	9.2%	4.5%	4.4%
	Grade 10	30.9%	32.5%	14.8%	11.1%	5.7%	5.0%
	Grade 11	32.7%	27.8%	17.2%	10.4%	5.7%	6.2%
	Grade 12	34.4%	26.4%	15.2%	11.8%	5.4%	6.7%

Table D-5: If you wanted some, how difficult would it be to get  $\dots$  (Continued)

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?						
All	45.7%	27.4%	10.0%	7.1%	4.7%	5.0%
Grade 6	69.1%	25.2%	3.6%	1.0%	0.5%	0.7%
Grade 7	59.4%	30.8%	4.8%	2.2%	1.2%	1.6%
Grade 8	48.8%	31.1%	9.6%	5.3%	2.7%	2.4%
Grade 9	39.6%	28.3%	11.2%	9.2%	6.2%	5.6%
Grade 10	33.5%	28.9%	13.0%	11.1%	6.4%	7.0%
Grade 11	32.8%	23.7%	14.6%	10.9%	8.9%	9.1%
Grade 12	33.7%	22.3%	14.7%	11.0%	8.3%	10.1%
Heroin?						
All	43.6%	34.4%	11.4%	5.1%	2.4%	3.1%
Grade 6	62.3%	29.8%	4.6%	1.5%	0.6%	1.2%
Grade 7	52.3%	36.6%	5.9%	2.6%	0.9%	1.8%
Grade 8	42.9%	38.7%	10.0%	4.3%	2.4%	1.8%
Grade 9	39.0%	34.8%	12.6%	6.4%	3.4%	3.8%
Grade 10	34.3%	36.3%	14.8%	7.6%	3.1%	3.9%
Grade 11	36.1%	32.6%	15.8%	7.3%	3.5%	4.7%
Grade 12	36.5%	30.8%	17.9%	6.6%	3.0%	5.2%
Methamphetamine?						
All	45.8%	32.6%	10.9%	5.0%	2.4%	3.4%
Grade 6	64.5%	29.1%	4.2%	0.9%	0.4%	1.0%
Grade 7	55.1%	34.1%	6.2%	2.0%	0.9%	1.7%
Grade 8	47.3%	35.0%	9.4%	4.2%	1.9%	2.3%
Grade 9	41.2%	33.7%	11.9%	6.1%	3.1%	4.1%
Grade 10	36.4%	33.9%	13.8%	7.9%	3.6%	4.3%
Grade 11	36.7%	31.4%	15.4%	7.0%	3.7%	5.7%
Grade 12	37.0%	30.2%	16.6%	7.4%	3.3%	5.5%
Synthetic Marijuana?						
All	44.7%	25.4%	8.0%	6.2%	6.6%	9.0%
Grade 6	65.2%	27.3%	3.7%	1.2%	1.1%	1.5%
Grade 7	55.3%	31.0%	5.9%	2.6%	2.1%	3.0%
Grade 8	47.2%	28.9%	8.1%	5.0%	5.1%	5.7%
Grade 9	39.1%	25.7%	8.2%	7.7%	8.0%	11.3%
Grade 10	34.4%	23.9%	9.8%	9.5%	10.1%	12.3%
Grade 11	34.0%	19.9%	10.2%	9.4%	11.9%	14.6%
Grade 12	35.3%	19.1%	11.0%	9.1%	9.2%	16.3%

Table D-6: Since school began in the fall, on how many days (if any) have you ...

	None	1-3 Days	4-9 Days	10+ Days
Attended Class While High				
From Marijuana Use?				
All	92.9%	4.2%	1.1%	1.8%
Grade 6	98.3%	1.1%	0.1%	0.5%
Grade 7	96.8%	2.3%	0.4%	0.5%
Grade 8	95.1%	3.5%	0.7%	0.8%
Grade 9	91.6%	4.7%	1.5%	2.2%
Grade 10	91.3%	5.1%	1.1%	2.4%
Grade 11	87.8%	6.6%	2.2%	3.4%
Grade 12	88.2%	6.3%	1.7%	3.7%
Attended Class While High				
From Use Of Some Other Drug?				
All	97.2%	1.9%	0.4%	0.5%
Grade 6	98.9%	0.9%	0.1%	0.1%
Grade 7	98.3%	1.2%	0.2%	0.3%
Grade 8	97.4%	1.9%	0.3%	0.5%
Grade 9	97.3%	2.0%	0.3%	0.4%
Grade 10	96.4%	2.1%	0.8%	0.7%
Grade 11	95.9%	2.9%	0.8%	0.5%
Grade 12	96.2%	2.2%	0.5%	1.0%

Table D-7: School year use of marijuana by absences and conduct problems:

	Average days absent due to illness or other reasons
Marijuana Users	4.7
Marijuana Non-Users	3.4
	Average days conduct problems reported
Marijuana Users	3.6
Marijuana Non-Users	1.1

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have				
Felt High From Drugs?				
All	93.8%	3.9%	0.9%	1.3%
Grade 9	97.2%	2.1%	0.3%	0.4%
Grade 10	96.0%	2.7%	0.5%	0.9%
Grade 11	91.7%	5.4%	1.2%	1.6%
Grade 12	89.1%	6.3%	1.9%	2.8%
Had Difficulties Of Any Kind				
With Your Friends Because Of				
Your Drug Use?				
All	96.3%	3.2%	0.3%	0.2%
Grade 6	98.7%	1.2%	0.0%	0.1%
Grade 7	97.6%	2.3%	0.1%	0.0%
Grade 8	96.4%	3.1%	0.4%	0.1%
Grade 9	94.8%	4.5%	0.4%	0.4%
Grade 10	95.6%	3.7%	0.5%	0.1%
Grade 11	95.2%	4.0%	0.4%	0.4%
Grade 12	95.6%	3.5%	0.5%	0.4%
Been Criticized By Someone				
You Were Dating Because Of				
Drug Use?				
All	95.9%	3.2%	0.5%	0.4%
Grade 6	99.2%	0.6%	0.2%	0.1%
Grade 7	98.1%	1.6%	0.2%	0.2%
Grade 8	96.9%	2.4%	0.5%	0.2%
Grade 9	94.2%	4.7%	0.5%	0.7%
Grade 10	94.4%	4.4%	0.7%	0.5%
Grade 11	94.0%	4.6%	1.0%	0.4%
Grade 12	94.5%	4.4%	0.5%	0.6%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	All
		. – –~	~	~	~
All	57.9%	17.7%	11.4%	9.6%	3.4%
Grade 6	88.1%	7.2%	2.6%	1.4%	0.8%
Grade 7	78.3%	11.9%	5.0%	3.6%	1.2%
Grade 8	65.5%	17.0%	8.9%	6.7%	1.8%
Grade 9	51.6%	20.9%	13.6%	10.5%	3.4%
Grade 10	41.9%	23.0%	16.6%	14.1%	4.3%
Grade 11	36.2%	23.5%	16.9%	17.0%	6.4%
Grade 12	37.2%	21.6%	18.5%	15.8%	6.9%

Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	58.2%	5.8%	4.6%	5.8%	6.7%	2.3%	16.7%
Grade 6	84.6%	1.7%	1.2%	0.6%	0.4%	1.6%	9.8%
Grade 7	77.4%	3.5%	2.2%	2.0%	1.3%	1.9%	11.8%
Grade 8	68.1%	5.1%	3.5%	3.4%	2.7%	2.5%	14.7%
Grade 9	52.4%	7.4%	5.2%	6.8%	6.7%	2.3%	19.2%
Grade 10	43.0%	7.3%	7.0%	8.5%	9.4%	3.0%	21.8%
Grade 11	37.9%	8.4%	6.9%	9.1%	13.8%	2.7%	21.3%
Grade 12	37.8%	7.5%	7.1%	11.4%	15.2%	1.9%	19.1%

Table D-11: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly e Disapprov	Neither	Mildly Approve	Strongly Approve	Do not know
All Grade 6 Grade 7 Grade 8	79.4% 83.4% 84.8% 83.4%	5.4% 1.4% 2.0% 3.9%	4.9% 1.6% 2.0% 3.9%	1.3% 0.3% 0.4% 0.9%	1.5% 1.0% 1.4% 1.2%	7.6% 12.4% 9.3% 6.8%
Grade 9 Grade 10 Grade 11 Grade 12	79.5% 77.3% 74.0% 70.9%	6.4% 7.6% 8.1% 9.5%	5.0% 6.2% 7.9% 8.6%	1.2% $2.0%$ $2.3%$ $2.1%$	2.0% $1.5%$ $1.7%$ $1.9%$	5.9% 5.5% 6.0% 7.0%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?						
<b>J</b>	All	61.3%	12.5%	9.9%	12.0%	4.4%
	Grade 6	85.7%	5.4%	1.9%	1.5%	5.4%
	Grade 7	79.5%	8.9%	4.5%	2.9%	4.3%
	Grade 8	68.1%	13.3%	6.8%	7.6%	4.2%
	Grade 9	58.1%	13.5%	11.1%	13.3%	4.0%
	Grade 10	47.2%	16.4%	15.2%	17.6%	3.6%
	Grade 11	41.7%	15.5%	15.2%	22.8%	4.8%
	Grade 12	43.0%	15.0%	16.5%	21.1%	4.5%
Cocaine?						
	All	87.3%	6.1%	1.0%	0.5%	5.1%
	${\rm Grade}\ 6$	89.0%	4.0%	0.6%	0.3%	6.1%
	Grade 7	88.2%	5.1%	1.0%	0.6%	5.2%
	Grade 8	87.0%	6.5%	1.3%	0.5%	4.8%
	Grade 9	87.1%	6.6%	1.0%	0.7%	4.6%
	Grade 10	86.5%	7.9%	0.9%	0.5%	4.2%
	Grade 11	86.1%	6.8%	1.0%	0.6%	5.5%
	Grade 12	86.7%	5.9%	1.2%	0.5%	5.7%
Crack?						
	All	88.0%	5.2%	0.7%	0.6%	5.5%
	Grade 6	88.1%	3.6%	0.6%	0.4%	7.3%
	Grade 7	88.3%	4.7%	0.8%	0.5%	5.6%
	Grade 8	87.0%	6.3%	1.1%	0.5%	5.1%
	Grade 9	88.0%	5.6%	0.8%	0.8%	4.8%
	Grade 10	87.3%	6.8%	0.7%	0.6%	4.6%
	Grade 11	88.1%	5.3%	0.5%	0.6%	5.5%
	Grade 12	89.0%	4.0%	0.5%	0.6%	5.9%
Ecstasy?						
	All	81.4%	7.4%	2.0%	0.8%	8.4%
	Grade 6	84.2%	3.3%	0.5%	0.3%	11.6%
	Grade 7	83.5%	4.6%	0.9%	0.5%	10.5%
	Grade 8	81.8%	6.2%	1.7%	0.8%	9.6%
	Grade 9	80.8%	8.4%	2.8%	1.1%	7.0%
	Grade 10	79.7%	10.3%	2.7%	1.1%	6.1%
	Grade 11	79.0%	10.3%	2.9%	0.9%	6.9%
	Grade 12	80.2%	9.1%	2.9%	1.1%	6.7%

Table D-12: How dangerous do you think it is for kids your age to use  $\dots$  (Continued)

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or					
Lorcet)?					
All	80.3%	6.5%	2.2%	1.1%	9.9%
Grade 6	83.4%	3.4%	0.6%	0.4%	12.2%
Grade 7	83.6%	4.6%	1.1%	0.5%	10.2%
Grade 8	81.2%	5.2%	1.7%	1.0%	10.9%
Grade 9	80.5%	6.6%	2.5%	1.2%	9.2%
Grade 10	77.8%	8.5%	3.3%	1.8%	8.7%
Grade 11	77.3%	9.0%	3.0%	1.5%	9.3%
Grade 12	77.7%	8.7%	3.9%	1.4%	8.3%
Steroids?	,	0.1.70	3.070	1.170	0.070
All	77.1%	11.8%	3.4%	1.1%	6.6%
Grade 6	83.0%	6.3%	1.8%	0.7%	8.2%
Grade 7	79.5%	10.2%	2.7%	0.7%	7.0%
Grade 8	77.2%	11.6%	3.1%	1.2%	6.9%
Grade 9	75.8%	13.5%	3.9%	1.2%	5.6%
Grade 3 Grade 10	74.6%	14.3%	4.3%	1.5%	5.4%
Grade 10 Grade 11	74.3%	14.2%	3.3%	1.5%	6.7%
Grade 11 Grade 12	74.7%	13.1%	4.7%	1.1%	6.4%
Heroin?	14.170	13.170	4.170	1.1/0	0.470
All	87.5%	4.2%	0.7%	0.5%	7.1%
Grade 6	85.0%	3.9%	0.6%	0.3%	10.2%
Grade 6 Grade 7	85.8%	$\frac{3.9\%}{4.2\%}$	0.6%	$0.5\% \\ 0.6\%$	8.8%
Grade 7 Grade 8	86.6%	$\frac{4.2\%}{5.0\%}$	0.0%	0.6%	6.9%
Grade 9	88.0%	4.7%	0.8%	0.8%	5.8%
Grade 10	88.7%	4.9%	0.7%	0.5%	5.2%
Grade 11	89.2%	3.7%	0.6%	0.5%	6.0%
Grade 12	89.9%	2.7%	0.6%	0.5%	6.3%
Methamphetamine?	o= =04	2 207	0 =04	0.707	- 004
All	87.5%	3.9%	0.7%	0.5%	7.3%
Grade 6	85.5%	2.8%	0.8%	0.3%	10.6%
Grade 7	86.3%	3.9%	0.7%	0.4%	8.8%
Grade 8	85.9%	4.8%	1.1%	0.4%	7.9%
Grade 9	88.2%	4.0%	0.9%	0.9%	6.1%
Grade 10	88.8%	4.8%	0.8%	0.5%	5.1%
Grade 11	89.0%	3.9%	0.5%	0.5%	6.1%
Grade 12	89.7%	2.8%	0.5%	0.6%	6.4%
Synthetic Marijuana?					
All	79.0%	7.7%	3.2%	1.5%	8.7%
Grade 6	84.4%	3.5%	0.6%	0.5%	11.0%
Grade 7	83.2%	5.4%	1.7%	0.7%	8.9%
Grade 8	78.8%	7.5%	3.0%	1.7%	9.0%
Grade 9	77.2%	9.2%	4.2%	1.9%	7.5%
Grade 10	75.0%	10.3%	4.8%	2.4%	7.5%
Grade 11	75.7%	10.0%	4.2%	1.8%	8.4%
Grade 12	78.0%	8.0%	4.2%	1.4%	8.5%

Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs  $\dots$ 

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.8%	6.6%	10.1%	90.0%
Grade 6	2.8%	3.5%	5.7%	94.4%
Grade 7	2.7%	3.6%	5.6%	94.4%
Grade 8	3.6%	4.7%	7.4%	92.5%
Grade 9	5.2%	6.8%	10.4%	89.6%
Grade 10	5.9%	8.6%	13.0%	86.9%
Grade 11	7.2%	10.0%	14.8%	85.3%
Grade 12	6.6%	9.7%	14.7%	85.2%
Oxycontin, Percodan, Percocet Or	0.070	3.170	14.1/0	09.270
Oxycodone?				
All	1.2%	1.6%	2.3%	97.8%
	0.2%			99.4%
Grade 6		0.3%	0.7%	
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.2%	98.9%
Grade 9	1.1%	1.3%	1.9%	98.1%
Grade 10	1.9%	2.3%	3.2%	96.7%
Grade 11	2.5%	3.3%	4.8%	95.3%
Grade 12	2.1%	3.1%	4.2%	95.8%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	2.2%	3.2%	4.6%	95.5%
Grade 6	0.2%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	1.1%	1.6%	2.2%	97.9%
Grade 9	1.9%	2.6%	3.8%	96.2%
Grade 10	3.2%	4.5%	6.6%	93.4%
Grade 11	4.2%	6.6%	9.7%	90.4%
Grade 12	5.0%	7.3%	9.7%	90.3%
Valium Or Diazepam?	0.0,0	7.070	0.170	00.070
All	0.5%	0.6%	0.9%	99.1%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.2%	99.7%
Grade 8	0.1%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.6%	0.8%	99.2%
Grade 9 Grade 10	0.7%	0.8%	1.2%	98.8%
Grade 10 Grade 11	0.7%	1.1%	1.2% $1.9%$	98.2%
	0.9% $1.1%$	1.1% $1.4%$	1.9% $1.8%$	98.2% $98.2%$
Grade 12	1.170	1.4%	1.870	98.2%
Xanax Or Alprazolam?	1 407	1.007	0.504	0= 004
All	1.4%	1.9%	2.7%	97.2%
Grade 6	0.1%	0.1%	0.3%	99.6%
Grade 7	0.3%	0.4%	0.6%	99.5%
Grade 8	0.6%	0.9%	1.5%	98.5%
Grade 9	1.5%	2.0%	2.8%	97.1%
Grade 10	1.9%	2.6%	3.7%	96.3%
Grade 11	3.0%	4.2%	6.2%	93.7%
Grade 12	2.9%	4.1%	5.2%	94.8%

Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs  $\dots$ 

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.5%	2.0%	3.3%	96.7%
Grade 6	0.6%	1.0%	1.9%	98.1%
Grade 7	1.3%	1.6%	3.1%	96.8%
Grade 8	1.9%	2.5%	3.7%	96.3%
Grade 9	1.3%	1.7%	3.0%	96.9%
Grade 10	1.7%	2.6%	3.8%	96.1%
Grade 11	1.9%	2.4%	4.1%	95.9%
Grade 12	1.6%	2.2%	3.2%	96.7%

# Inhalants

Table I-1: How recently, if ever, have you used  $\dots$ 

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.7%	0.9%	2.7%	97.3%
Grade 6	1.2%	1.4%	3.0%	97.0%
Grade 7	0.8%	1.2%	2.9%	97.2%
Grade 8	0.7%	1.1%	3.4%	96.6%
Grade 9	0.4%	0.6%	2.2%	97.7%
Grade 10	0.4%	0.5%	2.4%	97.6%
Grade 11	0.7%	0.8%	2.7%	97.3%
Grade 12	0.6%	0.8%	2.6%	97.4%
Whiteout, Correction Fluid, Magic	0.070	0.070	2.070	011170
Markers?				
All	1.7%	2.4%	6.4%	93.7%
Grade 6	2.3%	2.9%	6.4%	93.6%
Grade 7	2.8%	3.8%	8.3%	91.7%
Grade 8	1.8%	2.9%	8.4%	91.7%
Grade 9	1.6%	2.9% $2.4%$	6.8%	93.2%
Grade 9 Grade 10	1.1%	1.5%	5.6%	94.4%
		1.5% $1.3%$		
Grade 11	0.9%		4.4%	95.6%
Grade 12	0.8%	1.1%	3.6%	96.5%
Computer Dusting Sprays?	2 107	0.004	~	00.007
All	0.4%	0.6%	1.5%	98.6%
Grade 6	0.4%	0.5%	1.0%	99.0%
Grade 7	0.5%	0.7%	1.2%	98.8%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.3%	0.5%	1.3%	98.8%
Grade 10	0.2%	0.4%	1.3%	98.6%
Grade 11	0.3%	0.4%	1.6%	98.4%
Grade 12	0.5%	0.8%	2.0%	98.0%
Helium, Butane, Propane, Whippets, Freon?				
All	1.7%	2.4%	6.0%	94.1%
Grade 6	1.3%	1.6%	4.0%	96.0%
Grade 7	2.2%	2.7%	6.5%	93.5%
Grade 8	1.7%	2.5%	6.7%	93.3%
Grade 9	1.8%	2.6%	7.1%	93.0%
Grade 10	1.9%	2.8%	6.8%	93.2%
Grade 10 Grade 11	1.5%	2.3%	5.7%	94.3%
Grade 11 Grade 12	1.5% $1.2%$	$\frac{2.3\%}{1.9\%}$	$\frac{3.7\%}{4.2\%}$	94.5% 95.8%
Glue?	1.2/0	1.9/0	4.4/0	99.070
Giue! All	0.4%	0.607	1 407	00 707
		0.6%	1.4%	98.7%
Grade 6	0.9%	1.4%	2.5%	97.6%
Grade 7	0.6%	0.9%	1.7%	98.3%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	0.2%	0.3%	0.9%	99.0%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.3%	1.1%	99.0%
Grade 12	0.0%	0.1%	0.7%	99.3%

Table I-1: How recently, if ever, have you used  $\dots$  (Continued)

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Sol-				
vents?				
All	0.4%	0.5%	1.1%	98.9%
Grade 6	0.3%	0.3%	0.8%	99.1%
Grade 7	0.4%	0.6%	1.2%	98.7%
Grade 8	0.8%	1.0%	1.8%	98.2%
Grade 9	0.2%	0.3%	1.1%	98.8%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.4%	0.9%	99.1%
Gasoline, Octane Booster, Carbu-				
retor Cleaner?				
All	0.7%	1.0%	2.2%	97.8%
Grade 6	0.9%	1.1%	2.5%	97.5%
Grade 7	0.7%	1.1%	2.5%	97.5%
Grade 8	0.9%	1.4%	3.2%	96.8%
Grade 9	0.6%	0.8%	1.8%	98.2%
Grade 10	0.9%	1.1%	2.1%	97.9%
Grade 11	0.5%	0.6%	1.4%	98.7%
Grade 12	0.5%	0.7%	1.9%	98.2%
Other Aerosols/Sprays?				
All	0.8%	1.1%	2.4%	97.6%
Grade 6	1.5%	2.0%	3.3%	96.7%
Grade 7	1.1%	1.5%	3.5%	96.5%
Grade 8	0.9%	1.4%	2.9%	97.1%
Grade 9	0.7%	0.9%	1.7%	98.3%
Grade 10	0.4%	0.7%	1.8%	98.2%
Grade 11	0.2%	0.3%	1.5%	98.4%
Grade 12	0.5%	0.7%	1.5%	98.5%
Any Inhalant?				
All	4.2%	5.4%	12.3%	87.7%
Grade 6	5.6%	6.5%	12.0%	88.0%
Grade 7	5.6%	6.9%	14.2%	85.8%
Grade 8	4.4%	6.4%	14.8%	85.2%
Grade 9	4.0%	5.2%	13.0%	87.1%
Grade 10	3.5%	4.5%	12.1%	87.9%
Grade 11	3.2%	4.2%	10.1%	90.0%
Grade 12	2.6%	3.7%	9.0%	91.0%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All Grade 6 Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12	96.5% 96.8% 95.2% 94.8% 96.9% 97.5% 97.3% 97.6%	0.1% 0.1% 0.1% 0.1% 0.0% 0.0% 0.0%	0.2% 0.3% 0.4% 0.2% 0.2% 0.0% 0.0% 0.2%	0.3% 0.5% 0.5% 0.6% 0.3% 0.3% 0.1%	0.6% 0.7% 0.9% 0.9% 0.5% 0.4% 0.3% 0.2%	0.7% 0.7% 1.0% 1.2% 0.6% 0.3% 0.6%	1.6% 0.9% 2.0% 2.3% 1.6% 1.5%

Table I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
A 11	07 007	c 007	2.007	1 407
All Grade 6	$87.8\% \ 88.2\%$	$6.9\% \ 6.3\%$	$3.9\% \\ 4.2\%$	1.4% $1.4%$
Grade 7	85.9%	7.8%	4.3%	1.4% $1.9%$
Grade 8	85.3%	7.7%	5.2%	1.9%
Grade 9	87.2%	8.0%	3.6%	1.2%
Grade 10	88.0%	7.1%	3.9%	1.1%
Grade 11	90.1%	6.1%	2.6%	1.2%
Grade 12	91.1%	4.8%	3.3%	0.8%

Table I-4: Average age of first use of inhalants:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.0	10.6	11.1	11.3	12.0	12.6	13.6

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1 to 3 days	4 to 9 days	10+ days
A 11	00.004	0.004	0.107	0.107
All	99.0%	0.8%	0.1%	0.1%
Grade 6	98.9%	0.9%	0.1%	0.1%
Grade 7	98.8%	1.1%	0.0%	0.1%
Grade 8	98.4%	1.2%	0.1%	0.2%
Grade 9	99.0%	0.7%	0.2%	0.2%
Grade 10	99.1%	0.7%	0.0%	0.1%
Grade 11	99.5%	0.3%	0.2%	0.1%
Grade 12	99.3%	0.4%	0.1%	0.1%

Table I-6: School year use of inhalants by absences and conduct problems:

	Average days absent due to illness or other reasons
Inhalants Users	4.8
Inhalants Non-Users	3.5
	Average days conduct problems reported
Inhalants Users	3.9
Inhalants Non-Users	1.3

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	All
All	91.1%	6.2%	1.9%	0.6%	0.2%
Grade 6	93.1%	4.6%	1.4%	0.5%	0.4%
Grade 7	89.7%	7.1%	2.3%	0.7%	0.3%
Grade 8	90.5%	6.7%	2.3%	0.4%	0.2%
Grade 9	90.2%	7.0%	1.8%	0.7%	0.2%
Grade 10	90.3%	6.8%	2.1%	0.6%	0.2%
Grade 11	91.2%	5.9%	2.2%	0.5%	0.1%
Grade 12	93.4%	4.7%	1.2%	0.5%	0.2%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	75.8%	12.4%	3.5%	1.1%	7.1%
Grade 6	79.0%	9.1%	3.1%	0.9%	7.9%
Grade 7	76.4%	12.1%	3.4%	1.4%	6.6%
Grade 8	74.6%	13.6%	4.5%	1.1%	6.2%
Grade 9	76.0%	12.5%	3.5%	1.2%	6.8%
Grade 10	72.8%	14.8%	3.7%	1.4%	7.3%
Grade 11	74.9%	12.6%	3.8%	1.1%	7.6%
Grade 12	77.4%	11.7%	2.5%	0.6%	7.8%

Table I-9: If you wanted some, how difficult would it be to get inhalants?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All Grade 6	37.0% 48.9%	17.8% $25.5%$	4.8% $3.8%$	$6.1\% \\ 3.1\%$	9.9% $5.2%$	24.5% $13.5%$
Grade 7	40.1%	24.2%	4.6%	5.7%	8.6%	16.8%
Grade 8 Grade 9	35.0% $34.0%$	$19.6\% \ 17.9\%$	5.9% $4.9%$	$6.3\% \ 7.0\%$	$11.1\% \\ 9.7\%$	22.1% $26.4%$
Grade 10 Grade 11 Grade 12	32.0% $33.5%$ $35.4%$	13.0% $12.3%$ $9.5%$	4.8% $4.9%$ $4.2%$	7.8% $6.1%$ $6.5%$	11.4% $11.4%$ $12.4%$	30.9% $31.7%$ $32.0%$

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

	Yes
A School Health Class	
All	43.5%
Grade 6	42.3%
Grade 7	41.1%
Grade 8	48.7%
Grade 9	44.6%
Grade 10	44.1%
Grade 11	43.7%
Grade 12	39.0%
An Assembly Program	
All	43.9%
Grade 6	44.0%
Grade 7	50.7%
Grade 8	52.6%
Grade 9	40.6%
Grade 10	38.9%
Grade 11	37.9%
Grade 12	41.8%
Guidance Counselor	
All	26.9%
Grade 6	31.4%
Grade 7	32.2%
Grade 8	36.7%
Grade 9	25.1%
Grade 10	20.7%
Grade 11	20.2%
Grade 12	20.9%
Science Or Social Studies Class	
All	29.4%
Grade 6	26.1%
Grade 7	34.8%
Grade 8	29.5%
Grade 9	31.6%
Grade 10	28.6%
Grade 11	26.0%
Grade 11	

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

(Continued)

14.6%
13.5%
13.8%
16.0%
14.8%
14.3%
14.8%
14.9%
29.9%
28.1%
35.7%
39.5%
27.5%
25.6%
24.5%
27.0%
30.5%
28.4%
31.3%
32.0%
32.4%
30.0%
29.9%
29.0%
67.9%
66.2%
72.6%
75.1%
67.4%
65.9%
64.1%
62.8%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

	Yes
Counselor/Program In-School	
All	40.1%
Grade 6	54.2%
Grade 7	51.3%
Grade 8	43.9%
Grade 9	36.9%
Grade 10	31.2%
Grade 11	29.2%
Grade 12	31.6%
Another Adult In School	
All	43.2%
Grade 6	52.2%
Grade 7	49.6%
Grade 8	46.5%
Grade 9	41.7%
Grade 10	36.2%
Grade 11	35.0%
Grade 12	39.6%
Counselor/Program Outside-School	
All	42.7%
Grade 6	48.8%
Grade 7	48.0%
Grade 8	47.4%
Grade 9	41.0%
Grade 10	37.3%
Grade 11	36.0%
Grade 12	38.9%
Your Parents	
All	68.0%
Grade 6	79.9%
Grade 7	75.3%
Grade 8	68.2%
Grade 9	64.6%
Grade 10	62.5%
Grade 11	62.5%
Grade 12	61.4%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to? (Continued)

		Yes
Medical Doctor		
	All	54.7%
	Grade 6	68.6%
	Grade 7	63.3%
	Grade 8	57.7%
	Grade 9	50.7%
	Grade 10	48.8%
	Grade 11	44.3%
	Grade 12	47.3%
ır Friends		
	All	60.9%
	Grade 6	42.1%
	Grade 7	53.6%
	Grade 8	61.2%
	Grade 9	64.5%
	Grade 10	67.9%
	Grade 11	69.4%
	Grade 12	69.5%
ther Adult		
	All	61.1%
	Grade 6	61.7%
	Grade 7	62.0%
	Grade 8	62.3%
	Grade 9	61.6%
	Grade 10	61.1%
	Grade 11	59.3%
	Grade 12	59.5%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

	Yes
Sought Help For Drug/Alcohol Prob-	
lem	
All	6.7%
Grade 6	5.6%
Grade 7	7.1%
Grade 8	7.4%
Grade 9	7.4%
Grade 10	6.5%
Grade 11	7.1%
Grade 12	5.4%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	5.8%	22.7%	24.3%	34.6%	12.5%
Grade 6	9.8%	18.2%	18.4%	31.2%	22.3%
Grade 7	6.7%	21.7%	20.5%	34.6%	16.5%
Grade 8	5.3%	20.2%	24.1%	37.1%	13.3%
Grade 9	4.8%	24.4%	26.6%	34.8%	9.4%
Grade 10	3.9%	26.2%	26.3%	35.3%	8.3%
Grade 11	4.6%	24.3%	28.5%	34.0%	8.5%
Grade 12	5.7%	24.1%	26.3%	35.6%	8.3%
Sometimes Carry Weapons?					
All	71.4%	17.7%	6.9%	3.0%	1.0%
Grade 6	85.1%	11.2%	2.4%	0.9%	0.4%
Grade 7	82.2%	12.0%	4.0%	1.3%	0.4%
Grade 8	75.6%	16.5%	5.3%	1.5%	1.0%
Grade 9	68.6%	19.5%	7.3%	3.7%	0.9%
Grade 10	64.6%	21.1%	8.7%	4.4%	1.1%
Grade 11	61.8%	21.8%	10.5%	4.3%	1.5%
Grade 12	58.7%	23.3%	11.1%	5.2%	1.6%
Care About Making Good Grades?					
All	2.3%	12.2%	20.7%	42.4%	22.5%
Grade 6	2.6%	12.2%	17.4%	37.4%	30.3%
Grade 7	2.5%	13.2%	19.8%	38.7%	25.7%
Grade 8	2.3%	11.5%	20.2%	41.0%	25.1%
Grade 9	1.9%	13.6%	23.0%	41.9%	19.6%
Grade 10	2.1%	12.8%	23.0%	46.1%	16.0%
Grade 11	1.8%	11.1%	21.8%	45.4%	19.8%
Grade 12	3.0%	10.3%	18.8%	47.5%	20.4%
Belong/Want To Belong To A Gang?					
All	82.5%	11.3%	3.9%	1.5%	0.8%
Grade 6	86.2%	9.1%	2.6%	1.4%	0.7%
Grade 7	83.7%	10.0%	3.9%	1.7%	0.6%
Grade 8	82.8%	11.6%	3.4%	1.1%	1.0%
Grade 9	78.2%	13.5%	5.2%	2.2%	0.9%
Grade 10	81.4%	12.4%	3.8%	1.8%	0.6%
Grade 11	82.1%	11.5%	4.5%	1.2%	0.6%
Grade 12	83.4%	10.3%	3.9%	1.2%	1.2%
Wish They Could Drop Out Of School?					
All	63.3%	23.8%	7.8%	3.1%	2.0%
Grade 6	70.7%	19.4%	5.7%	2.4%	1.8%
Grade 7	69.7%	18.5%	7.3%	2.9%	1.5%
Grade 8	63.2%	25.5%	7.1%	2.6%	1.7%
Grade 9	58.8%	26.8%	8.6%	3.7%	2.1%
Grade 10	57.2%	27.0%	9.8%	3.7%	2.2%
Grade 11	58.1%	27.1%	9.1%	3.1%	2.6%
Grade 12	65.7%	22.5%	6.9%	2.9%	2.1%

Table X-5: How safe to do you feel when you are:

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?					
All	84.8%	13.3%	0.9%	0.2%	0.8%
Grade 6	86.1%	12.4%	1.1%	0.1%	0.4%
Grade 7	84.3%	13.7%	1.0%	0.1%	0.9%
Grade 8	83.3%	14.6%	1.0%	0.2%	0.9%
Grade 9	83.5%	14.5%	0.9%	0.3%	0.8%
Grade 10	84.5%	13.5%	0.9%	0.2%	0.9%
Grade 11	85.7%	12.4%	1.0%	0.1%	0.8%
Grade 12	86.6%	11.5%	0.7%	0.5%	0.7%
Out In Your Neighborhood?					
All	40.4%	47.3%	7.9%	1.8%	2.6%
Grade 6	34.1%	48.4%	11.0%	3.0%	3.4%
Grade 7	35.9%	49.8%	9.5%	1.8%	3.0%
Grade 8	39.9%	47.7%	8.1%	1.4%	2.8%
Grade 9	40.5%	48.6%	7.0%	1.6%	2.3%
Grade 10	41.7%	48.2%	6.3%	1.3%	2.5%
Grade 11	44.7%	44.1%	7.5%	1.7%	1.9%
Grade 12	47.7%	43.4%	5.2%	1.8%	1.8%
At School?					
All	44.3%	42.4%	7.0%	3.1%	3.1%
$\operatorname{Grade} 6$	57.0%	33.3%	5.3%	2.2%	2.1%
Grade 7	46.8%	41.1%	6.4%	2.8%	3.0%
Grade 8	45.9%	40.4%	6.7%	3.3%	3.7%
Grade 9	37.7%	46.5%	8.9%	2.9%	3.9%
Grade 10	37.9%	48.6%	7.3%	2.9%	3.3%
Grade 11	39.7%	45.3%	7.6%	4.1%	3.3%
Grade 12	45.5%	41.9%	6.7%	3.5%	2.4%

State Report Spring 2014

## 2 Prevalence Tables

Table B-1: Prevalence and recency of use of selected substances by grade All Students

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	7.4%	10.4%	19.9%	80.1%
Grade 6	1.6%	2.1%	5.8%	94.2%
Grade 7	2.6%	3.7%	10.1%	90.0%
Grade 8	5.1%	7.5%	15.0%	85.0%
Grade 9	6.7%	10.1%	21.0%	79.0%
Grade 10	9.6%	13.9%	25.8%	74.2%
Grade 11	13.1%	18.2%	32.1%	67.8%
Grade 12	15.8%	20.9%	34.0%	66.0%
Alcohol				
All	19.1%	26.7%	46.5%	53.5%
Grade 6	6.7%	8.9%	23.2%	76.9%
Grade 7	9.7%	12.4%	30.9%	69.1%
Grade 8	13.2%	19.8%	40.4%	59.7%
Grade 9	19.9%	28.2%	50.2%	49.8%
Grade 10	25.5%	36.3%	58.4%	41.5%
Grade 11	30.1%	41.7%	64.1%	36.0%
Grade 12	32.7%	45.8%	64.3%	35.7%
Inhalants	,,		, •	, •
All	4.2%	5.4%	12.3%	87.7%
Grade 6	5.6%	6.5%	12.0%	88.0%
Grade 7	5.6%	6.9%	14.2%	85.8%
Grade 8	4.4%	6.4%	14.8%	85.2%
Grade 9	4.0%	5.2%	13.0%	87.1%
Grade 10	3.5%	4.5%	12.1%	87.9%
Grade 11	3.2%	4.2%	10.1%	90.0%
Grade 12	2.6%	3.7%	9.0%	91.0%
Any Illicit Drug	2.070	0.170	3.070	31.070
All	8.6%	12.1%	21.2%	78.7%
Grade 6	1.4%	1.9%	4.5%	95.5%
Grade 7	3.4%	4.3%	7.9%	92.0%
Grade 8	5.3%	7.8%	14.4%	85.6%
Grade 9	9.1%	13.1%	22.4%	77.7%
Grade 10	11.5%	16.6%	29.8%	70.2%
Grade 11	16.3%	22.1%	36.5%	63.6%
Grade 12	15.9%	$\frac{22.1}{6}$ $22.8\%$	38.7%	61.3%
	13.970	22.070	30.170	01.3/0
Marijuana	7 007	11 407	20. 207	70.697
All Crada 6	7.9%	11.4%	20.3%	79.6%
Grade 6	0.9%	1.5%	3.6%	96.4%
Grade 7	2.8%	3.6%	7.0%	93.1%
Grade 8	4.6%	7.0%	13.2%	86.8%
Grade 9	8.1%	12.1%	21.5%	78.4%
Grade 10	10.7%	15.8%	28.9%	71.0%
Grade 11	15.2%	21.0%	35.5%	64.5%
Grade 12	15.2%	22.1%	38.2%	61.9%

Table B-1: Prevalence and recency of use of selected substances by grade All Students

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.7%	5.8%	12.2%	87.8%
Grade 6	0.4%	0.6%	1.8%	98.1%
Grade 7	1.4%	1.7%	4.0%	96.0%
Grade 8	1.9%	3.3%	7.6%	92.4%
Grade 9	4.0%	6.4%	13.0%	86.9%
Grade 10	5.2%	8.3%	17.9%	82.0%
Grade 11	7.2%	10.8%	20.9%	79.1%
Grade 12	7.1%	11.5%	23.5%	76.5%
Cocaine Or Crack				
All	0.6%	0.9%	2.0%	98.0%
Grade 6	0.3%	0.6%	1.0%	99.0%
Grade 7	0.4%	0.5%	0.9%	99.2%
Grade 8	0.5%	0.7%	1.8%	98.2%
Grade 9	0.6%	0.8%	1.5%	98.5%
Grade 10	0.4%	0.7%	2.3%	97.7%
Grade 11	1.3%	2.0%	3.6%	96.5%
Grade 12	1.2%	1.6%	3.9%	96.1%
Cocaine				
All	0.5%	0.8%	1.8%	98.2%
Grade 6	0.0%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.6%	0.8%	1.5%	98.6%
Grade 10	0.4%	0.6%	2.1%	97.9%
Grade 11	1.2%	1.8%	3.3%	96.7%
Grade 12	1.1%	1.5%	3.7%	96.3%
Crack				
All	0.2%	0.3%	0.6%	99.5%
Grade 6	0.2%	0.4%	0.5%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.2%	99.7%
Hallucinogens	0.2,0	0,0	0.2,0	0017,0
All	0.7%	1.1%	2.2%	97.8%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.1%	98.8%
Grade 9	0.7%	1.2%	2.2%	97.7%
Grade 10	0.8%	1.2%	2.9%	97.1%
Grade 11	1.5%	2.3%	4.5%	95.4%
Grade 12	1.3%	2.3%	4.7%	95.3%

Table B-1: Prevalence and recency of use of selected substances by grade All Students

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.3%	0.4%	0.8%	99.2%
	$Grade\ 6$	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.3%	0.8%	99.2%
	Grade 9	0.4%	0.6%	1.0%	98.9%
	Grade 10	0.5%	0.7%	1.0%	99.0%
	Grade 11	0.4%	0.5%	1.0%	99.0%
	Grade 12	0.3%	0.4%	1.0%	99.0%
Steroids					
	All	0.3%	0.4%	1.0%	99.0%
	Grade 6	0.1%	0.2%	0.9%	99.0%
	Grade 7	0.2%	0.3%	0.7%	99.4%
	Grade 8	0.4%	0.5%	1.2%	98.9%
	Grade 9	0.1%	0.2%	0.8%	99.2%
	Grade 10	0.5%	0.5%	1.0%	98.9%
	Grade 11	0.6%	0.7%	1.2%	98.9%
	Grade 12	0.5%	0.7%	1.2%	98.8%
Ecstasy					
v	All	0.6%	1.0%	2.3%	97.7%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.3%	0.7%	99.4%
	Grade 8	0.4%	0.5%	1.4%	98.5%
	Grade 9	0.7%	1.2%	2.4%	97.5%
	Grade 10	0.7%	1.3%	3.0%	96.9%
	Grade 11	1.6%	2.0%	4.6%	95.5%
	Grade 12	1.1%	2.0%	4.8%	95.2%
Heroin					
	All	0.2%	0.2%	0.4%	99.6%
	Grade 6	0.2%	0.2%	0.4%	99.5%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	0.1%	0.2%	0.4%	99.7%
	Grade 9	0.0%	0.0%	0.2%	99.7%
	Grade 10	0.1%	0.1%	0.3%	99.6%
	Grade 11	0.1%	0.2%	0.3%	99.8%
	Grade 12	0.3%	0.3%	0.5%	99.5%

Table B-1: Prevalence and recency of use of selected substances by grade All Students

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.5%	2.4%	5.7%	94.3%
Grade 6	0.3%	0.5%	1.3%	98.7%
Grade 7	0.8%	1.2%	2.2%	97.8%
Grade 8	1.6%	2.2%	4.4%	95.7%
Grade 9	2.1%	3.2%	6.4%	93.6%
Grade 10	2.2%	3.6%	8.4%	91.6%
Grade 11	1.9%	3.3%	9.4%	90.7%
Grade 12	2.1%	3.2%	9.4%	90.7%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.5%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.7%	1.0%	99.1%

Table B-2: Prevalence and recency of use of selected substances by grade  $$\operatorname{Male}$$  Students

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	8.3%	11.6%	21.3%	78.7%
Grade 6	1.8%	2.4%	7.2%	92.8%
Grade 7	2.6%	3.7%	10.3%	89.7%
Grade 8	5.1%	8.2%	15.7%	84.4%
Grade 9	7.9%	11.7%	22.8%	77.2%
Grade 10	9.7%	14.3%	25.6%	74.3%
Grade 11	15.2%	19.9%	34.0%	66.1%
Grade 12	19.4%	25.4%	39.5%	60.5%
Alcohol				
All	18.2%	25.3%	44.6%	55.4%
Grade 6	7.3%	9.8%	25.4%	74.7%
Grade 7	9.2%	11.5%	29.6%	70.4%
Grade 8	11.8%	18.2%	38.6%	61.4%
Grade 9	18.4%	26.2%	47.6%	52.4%
Grade 10	22.2%	32.3%	54.6%	45.3%
Grade 11	28.9%	39.6%	59.3%	40.6%
Grade 12	35.0%	46.2%	63.8%	36.2%
Inhalants	30.070	40.270	03.070	30.270
All	4.1%	5.1%	11.3%	88.7%
Grade 6	6.0%	7.0%	12.5%	87.5%
Grade 7	5.0%	6.1%	12.1%	87.9%
Grade 8	3.8%	5.2%	12.7%	87.3%
Grade 9	3.6%	4.6%	11.4%	88.7%
Grade 9 Grade 10	3.0%	3.7%	10.7%	89.3%
Grade 10 Grade 11	3.6%	$\frac{3.7}{6}$	9.2%	90.8%
Grade 12	3.4%	4.6%	9.2%	90.1%
Any Illicit Drug	3.470	4.070	9.970	90.170
Any finch Drug All	9.1%	10.607	22.1%	77.007
		12.6%		77.9%
Grade 6	1.3%	2.1%	5.5%	94.5%
Grade 7	3.8%	4.7%	8.4%	91.6%
Grade 8	5.4%	8.1%	14.7%	85.3%
Grade 9	9.0%	13.1%	23.3%	76.7%
Grade 10	11.1%	15.3%	28.7%	71.3%
Grade 11	16.4%	22.3%	38.2%	61.9%
Grade 12	19.9%	27.1%	42.7%	57.3%
Marijuana	0 404	11 =07	01.007	<b>B</b> O 004
All	8.1%	11.7%	21.2%	78.8%
Grade 6	0.7%	1.5%	4.4%	95.5%
Grade 7	3.3%	4.1%	7.8%	92.3%
Grade 8	4.6%	7.3%	13.5%	86.5%
Grade 9	7.9%	12.0%	22.4%	77.5%
Grade 10	9.9%	14.3%	27.6%	72.3%
Grade 11	15.0%	20.8%	37.2%	62.8%
Grade 12	18.6%	25.9%	42.0%	58.1%

Table B-2: Prevalence and recency of use of selected substances by grade  $$\operatorname{Male}$$  Students

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.6%	5.5%	11.9%	88.1%
Grade 6	0.3%	0.5%	2.3%	97.7%
Grade 7	1.7%	2.0%	4.3%	95.7%
Grade 8	2.1%	3.7%	8.1%	92.0%
Grade 9	3.8%	6.1%	12.9%	87.1%
Grade 10	4.6%	6.9%	16.3%	83.7%
Grade 11	5.9%	9.0%	19.7%	80.3%
Grade 12	8.3%	12.4%	23.1%	76.9%
Cocaine Or Crack				
All	0.8%	1.2%	2.4%	97.5%
Grade 6	0.4%	1.0%	1.4%	98.6%
Grade 7	0.3%	0.4%	0.6%	99.3%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.6%	0.8%	1.8%	98.2%
Grade 10	0.6%	1.0%	2.8%	97.2%
Grade 11	1.9%	2.9%	5.1%	94.9%
Grade 12	2.1%	2.7%	5.5%	94.6%
Cocaine				
All	0.7%	1.1%	2.3%	97.8%
Grade 6	0.0%	0.6%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.6%	0.8%	1.7%	98.3%
Grade 10	0.6%	1.0%	2.7%	97.4%
Grade 11	1.8%	2.6%	4.8%	95.1%
Grade 12	1.9%	2.5%	5.2%	94.8%
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 6	0.4%	0.7%	0.8%	99.2%
Grade 7	0.1%	0.2%	0.2%	99.7%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.2%	0.6%	99.3%
Grade 12	0.2%	0.2%	0.5%	99.5%
Hallucinogens				
All	0.9%	1.5%	3.0%	97.0%
Grade 6	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	0.8%	1.6%	3.0%	97.1%
Grade 10	1.0%	1.5%	3.4%	96.6%
Grade 11	2.1%	3.3%	6.7%	93.3%
Grade 12	2.2%	3.7%	7.3%	92.7%

Table B-2: Prevalence and recency of use of selected substances by grade  $$\operatorname{Male}$$  Students

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.3%	0.4%	0.8%	99.2%
	$Grade\ 6$	0.3%	0.3%	0.4%	99.6%
	Grade 7	0.1%	0.2%	0.5%	99.6%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.2%	0.4%	1.0%	98.9%
	Grade 10	0.7%	0.8%	1.0%	99.0%
	Grade 11	0.2%	0.2%	0.8%	99.2%
	Grade 12	0.5%	0.6%	1.0%	99.0%
Steroids					
	All	0.4%	0.5%	1.1%	98.8%
	Grade 6	0.1%	0.2%	1.1%	98.9%
	Grade 7	0.2%	0.3%	0.5%	99.4%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.2%	0.2%	0.8%	99.2%
	Grade 10	0.8%	0.9%	1.7%	98.3%
	Grade 11	0.7%	0.8%	1.6%	98.4%
	Grade 12	0.8%	1.2%	1.7%	98.3%
Ecstasy		, •		.,,	
	All	0.7%	1.1%	2.5%	97.5%
	Grade 6	0.0%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.3%	0.8%	99.3%
	Grade 8	0.7%	0.8%	1.9%	98.1%
	Grade 9	0.7%	1.4%	2.7%	97.4%
	Grade 10	1.0%	1.6%	3.1%	96.9%
	Grade 11	1.3%	1.6%	4.4%	95.5%
	Grade 12	1.7%	2.7%	5.7%	94.3%
Heroin	01000 12	2,0	,0	0,0	0 2.070
	All	0.2%	0.3%	0.5%	99.6%
	Grade 6	0.3%	0.4%	0.5%	99.6%
	Grade 7	0.3%	0.4%	0.5%	99.5%
	Grade 8	0.1%	0.1%	0.2%	99.7%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.2%	0.3%	0.5%	99.5%
	Grade 11	0.1%	0.2%	0.3%	99.6%
	Grade 12	0.5%	0.5%	0.9%	99.1%

Table B-2: Prevalence and recency of use of selected substances by grade  $$\operatorname{Male}$$  Students

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.7%	2.6%	6.4%	93.5%
Grade 6	0.4%	0.6%	1.7%	98.3%
Grade 7	1.0%	1.5%	2.5%	97.5%
Grade 8	1.8%	2.2%	4.5%	95.5%
Grade 9	2.0%	3.3%	7.0%	93.1%
Grade 10	2.2%	3.6%	8.6%	91.4%
Grade 11	2.4%	3.9%	11.2%	88.7%
Grade 12	2.7%	4.2%	11.8%	88.2%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 6	0.0%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.3%	0.7%	99.4%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.4%	0.9%	99.1%

Table B-3: Prevalence and recency of use of selected substances by grade Female Students

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	6.5%	9.3%	18.5%	81.5%
Grade 6	1.4%	1.8%	4.4%	95.6%
Grade 7	2.5%	3.6%	9.9%	90.2%
Grade 8	5.1%	7.0%	14.5%	85.6%
Grade 9	5.4%	8.3%	19.2%	80.8%
Grade 10	9.3%	13.1%	25.7%	74.3%
Grade 11	11.1%	16.7%	30.3%	69.7%
Grade 12	12.1%	16.4%	28.6%	71.4%
Alcohol				
All	19.9%	28.1%	48.4%	51.6%
Grade 6	6.1%	7.9%	20.8%	79.2%
Grade 7	10.2%	13.3%	32.2%	67.8%
Grade 8	14.4%	21.3%	42.3%	57.7%
Grade 9	21.4%	30.2%	52.8%	47.3%
Grade 10	28.6%	40.1%	62.2%	37.9%
Grade 11	31.5%	43.9%	68.9%	31.1%
Grade 12	30.3%	45.2%	64.7%	35.3%
Inhalants	30.370	19.270	0 211 / 0	33.370
All	4.3%	5.7%	13.3%	86.7%
Grade 6	5.2%	5.9%	11.4%	88.6%
Grade 7	6.2%	7.6%	16.3%	83.7%
Grade 8	5.0%	7.6%	17.1%	82.9%
Grade 9	4.3%	5.7%	14.5%	85.5%
Grade 10	4.0%	5.4%	13.6%	86.5%
Grade 11	2.8%	4.1%	11.0%	89.0%
Grade 12	1.6%	2.6%	7.9%	92.1%
Any Illicit Drug	1.070	2.070	1.370	32.170
All	8.1%	11.7%	20.4%	79.6%
Grade 6	1.3%	1.5%	3.3%	96.6%
Grade 7	3.0%	4.0%	7.6%	92.4%
Grade 8	5.2%	7.6%	14.2%	85.8%
Grade 9	8.9%	12.7%	21.0%	78.9%
Grade 9 Grade 10		12.7% $17.9%$		69.2%
Grade 10 Grade 11	12.0% $16.1%$	$\frac{17.9\%}{21.9\%}$	30.8%	65.3%
			34.7%	65.3%
Grade 12	11.8%	18.4%	34.7%	03.570
Marijuana	7.07	11 107	10 507	00 507
All Crada 6	7.6%	11.1%	19.5%	80.5%
Grade 6	1.1%	1.4%	2.6%	97.4%
Grade 7	2.3%	3.1%	6.2%	93.9%
Grade 8	4.6%	6.8%	12.9%	87.2%
Grade 9	8.2%	12.1%	20.5%	79.5%
Grade 10	11.6%	17.4%	30.2%	69.8%
Grade 11	15.3%	21.3%	33.8%	66.2%
Grade 12	11.6%	18.0%	34.2%	65.8%

Table B-3: Prevalence and recency of use of selected substances by grade Female Students

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.8%	6.1%	12.5%	87.4%
Grade 6	0.6%	0.8%	1.4%	98.6%
Grade 7	1.1%	1.4%	3.8%	96.2%
Grade 8	1.6%	2.9%	7.1%	92.8%
Grade 9	4.1%	6.7%	13.2%	86.8%
Grade 10	5.8%	9.7%	19.6%	80.3%
Grade 11	8.4%	12.6%	22.1%	77.9%
Grade 12	5.9%	10.4%	23.8%	76.2%
Cocaine Or Crack				
All	0.4%	0.6%	1.6%	98.4%
Grade 6	0.1%	0.1%	0.5%	99.5%
Grade 7	0.4%	0.5%	1.0%	99.1%
Grade 8	0.6%	0.9%	2.5%	97.5%
Grade 9	0.7%	0.8%	1.2%	98.8%
Grade 10	0.3%	0.5%	1.8%	98.3%
Grade 11	0.7%	1.1%	2.1%	97.9%
Grade 12	0.3%	0.5%	2.3%	97.7%
Cocaine				
All	0.4%	0.6%	1.4%	98.7%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.5%	99.4%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	0.2%	0.3%	1.4%	98.6%
Grade 11	0.7%	1.1%	1.9%	98.2%
Grade 12	0.3%	0.5%	2.3%	97.6%
Crack				
All	0.1%	0.1%	0.4%	99.5%
Grade 6	0.0%	0.0%	0.2%	99.7%
Grade 7	0.1%	0.2%	0.6%	99.5%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.2%	99.7%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.8%	1.5%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.7%	1.0%	1.6%	98.4%
Grade 10	0.6%	1.0%	2.6%	97.5%
Grade 11	1.0%	1.5%	2.5%	97.5%
Grade 12	0.5%	1.1%	2.1%	97.9%

Table B-3: Prevalence and recency of use of selected substances by grade Female Students

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
0.1	All	0.3%	0.4%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.2%	0.8%	99.2%
	Grade 9	0.6%	0.8%	1.1%	98.9%
	Grade 10	0.4%	0.6%	1.1%	99.0%
	Grade 11	0.5%	0.6%	1.1%	98.9%
	Grade 12	0.2%	0.2%	0.9%	99.1%
Steroids					
	All	0.2%	0.2%	0.7%	99.2%
	Grade 6	0.2%	0.3%	0.9%	99.2%
	Grade 7	0.2%	0.2%	0.7%	99.3%
	Grade 8	0.4%	0.4%	1.3%	98.8%
	Grade 9	0.1%	0.2%	0.9%	99.2%
	Grade 10	0.2%	0.2%	0.5%	99.4%
	Grade 11	0.5%	0.5%	0.7%	99.4%
	Grade 12	0.2%	0.2%	0.8%	99.2%
Ecstasy					
v	All	0.6%	1.0%	2.2%	97.9%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.2%	0.4%	99.5%
	Grade 8	0.2%	0.4%	1.1%	98.9%
	Grade 9	0.8%	1.2%	2.3%	97.8%
	Grade 10	0.5%	1.2%	3.1%	96.9%
	Grade 11	1.9%	2.3%	4.6%	95.4%
	Grade 12	0.5%	1.4%	3.8%	96.2%
Heroin					
	All	0.1%	0.1%	0.3%	99.6%
	Grade 6	0.1%	0.1%	0.5%	99.5%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.0%	0.2%	0.4%	99.6%
	Grade 9	0.1%	0.1%	0.3%	99.7%
	Grade 10	0.1%	0.1%	0.4%	99.7%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.1%	99.9%

Table B-3: Prevalence and recency of use of selected substances by grade Female Students

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	2.1%	5.0%	95.0%
Grade 6	0.3%	0.4%	0.8%	99.2%
Grade 7	0.6%	1.0%	1.9%	98.1%
Grade 8	1.4%	2.1%	4.1%	95.9%
Grade 9	2.1%	3.1%	5.8%	94.2%
Grade 10	2.2%	3.6%	8.3%	91.8%
Grade 11	1.3%	2.5%	7.5%	92.6%
Grade 12	1.4%	2.1%	7.0%	93.0%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.1%	99.8%
Grade 7	0.2%	0.3%	0.5%	99.6%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.4%	99.7%
Grade 10	0.4%	0.4%	0.7%	99.2%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.2%	0.8%	0.9%	99.1%

Table B-4: Prevalence and recency of use of selected substances by grade  $\quad$  White Students

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	8.4%	12.0%	20.5%	79.5%
Grade 6	0.5%	1.2%	3.6%	96.4%
Grade 7	1.9%	2.6%	6.5%	93.5%
Grade 8	4.0%	6.7%	12.6%	87.4%
Grade 9	8.4%	13.1%	22.9%	77.1%
Grade 10	12.1%	17.6%	30.0%	70.1%
Grade 11	15.2%	20.8%	34.4%	65.6%
Grade 12	20.3%	26.6%	39.9%	60.1%
Alcohol				
All	17.4%	25.7%	44.3%	55.7%
Grade 6	3.8%	5.3%	18.5%	81.4%
Grade 7	4.8%	7.2%	23.0%	77.0%
Grade 8	9.4%	17.1%	35.5%	64.4%
Grade 9	19.3%	28.4%	48.9%	51.1%
Grade 10	25.4%	37.7%	58.3%	41.7%
Grade 11	29.8%	42.4%	65.3%	34.7%
Grade 12	35.0%	49.4%	68.8%	31.2%
Inhalants		- , ,		- , ,
All	2.9%	4.3%	10.6%	89.5%
Grade 6	4.2%	5.4%	9.6%	90.3%
Grade 7	2.7%	3.5%	8.9%	91.2%
Grade 8	2.3%	4.0%	11.6%	88.5%
Grade 9	3.5%	4.8%	12.8%	87.2%
Grade 10	4.0%	5.9%	13.1%	86.9%
Grade 11	1.8%	3.1%	8.8%	91.2%
Grade 12	1.4%	2.8%	8.6%	91.4%
Any Illicit Drug	1.170	2.070	0.070	01.170
All	6.7%	10.2%	17.3%	82.8%
Grade 6	0.5%	0.8%	2.5%	97.4%
Grade 7	1.4%	2.0%	3.1%	96.9%
Grade 8	2.7%	4.2%	8.7%	91.3%
Grade 9	7.4%	11.2%	17.4%	82.6%
Grade 10	9.5%	15.0%	26.9%	73.2%
Grade 10 Grade 11	13.5%	19.9%	31.6%	68.4%
Grade 12	13.5% $14.1%$	$\frac{19.9\%}{21.8\%}$	36.6%	63.4%
Marijuana Grade 12	14.1/0	21.070	30.070	05.470
Marijuana	6.2%	9.7%	16.6%	83.4%
Grade 6	0.2%	$9.7\% \\ 0.6\%$	15.6% $1.5%$	83.4% $98.5%$
Grade o Grade 7	0.2% $1.1%$	0.6% $1.5%$	$\frac{1.5\%}{2.5\%}$	98.5% $97.5%$
Grade 8	$\frac{1.1\%}{2.4\%}$		$2.5\% \\ 8.0\%$	97.5% 92.0%
		3.8%		
Grade 9	6.7%	10.6%	16.7%	83.2%
Grade 10	9.0%	14.2%	26.1%	73.9%
Grade 11	13.0%	19.2%	30.8%	69.2%
Grade 12	13.4%	21.4%	36.3%	63.7%

Table B-4: Prevalence and recency of use of selected substances by grade White Students

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.7%	4.7%	9.7%	90.3%
Grade 6	0.0%	0.3%	1.0%	99.0%
Grade 7	0.7%	0.9%	1.6%	98.4%
Grade 8	1.3%	2.2%	5.5%	94.5%
Grade 9	3.2%	5.1%	9.1%	90.9%
Grade 10	3.7%	6.6%	15.3%	84.7%
Grade 11	5.2%	9.6%	17.8%	82.3%
Grade 12	5.4%	9.6%	21.0%	78.9%
Cocaine Or Crack				
All	0.4%	0.6%	1.3%	98.8%
Grade 6	0.1%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.5%	99.4%
Grade 9	0.3%	0.5%	0.9%	99.2%
Grade 10	0.2%	0.3%	1.4%	98.6%
Grade 11	0.6%	1.2%	2.4%	97.6%
Grade 12	0.9%	1.0%	3.0%	96.9%
Cocaine	0.070	1.070	3.070	00.070
All	0.3%	0.4%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.8%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.2%	0.3%	1.4%	98.6%
Grade 11	0.6%	1.0%	2.1%	97.9%
Grade 12	0.7%	0.8%	2.8%	97.2%
Crack	0.170	0.070	2.070	31.270
All	0.1%	0.2%	0.3%	99.7%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.1% $0.3%$	0.3%	0.2%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	$0.1\% \\ 0.3\%$	99.6%
Grade 10 Grade 11	0.0%	0.0% $0.2%$	0.5%	99.5%
Grade 12	0.3%	0.3%	0.5%	99.6%
Hallucinogens	0.607	1 207	2 707	07 407
All	0.6%	1.3%	2.7%	97.4%
Grade 6	0.1%	0.2%	0.4%	99.7%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.7%	99.3%
Grade 9	0.7%	1.6%	3.1%	96.9%
Grade 10	1.0%	1.9%	3.7%	96.3%
Grade 11	1.3%	2.5%	5.7%	94.3%
Grade 12	1.2%	2.7%	5.6%	94.4%

Table B-4: Prevalence and recency of use of selected substances by grade White Students

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.1%	0.2%	0.4%	99.6%
	$Grade\ 6$	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.1%	0.4%	0.7%	99.4%
	Grade 10	0.4%	0.4%	0.6%	99.4%
	Grade 11	0.2%	0.2%	0.4%	99.5%
	Grade 12	0.3%	0.3%	0.8%	99.2%
Steroids					
	All	0.3%	0.4%	1.0%	99.0%
	Grade 6	0.1%	0.3%	1.0%	99.0%
	Grade 7	0.1%	0.2%	0.6%	99.3%
	Grade 8	0.3%	0.3%	1.0%	98.9%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.5%	0.5%	1.0%	99.0%
	Grade 11	0.8%	0.8%	1.4%	98.5%
	Grade 12	0.4%	0.7%	1.2%	98.9%
Ecstasy		- , ,		, ,	
J	All	0.5%	1.0%	2.1%	98.0%
	Grade 6	0.0%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.7%	1.4%	2.7%	97.3%
	Grade 10	0.4%	1.5%	2.6%	97.5%
	Grade 11	1.2%	1.7%	4.2%	95.9%
	Grade 12	0.8%	1.9%	4.5%	95.4%
Heroin	0.2000	0.0,0	-10,0	210,0	001-70
11010111	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.2%	0.3%	0.4%	99.7%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.0%	0.1%	0.2%	99.8%
	Grade 10	0.2%	0.2%	0.4%	99.7%
	Grade 11	0.1%	0.1%	0.3%	99.7%
	Grade 12	0.1%	0.1%	0.4%	99.6%

Table B-4: Prevalence and recency of use of selected substances by grade  $\quad$  White Students

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.9%	1.7%	4.9%	95.1%
Grade 6	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.7%	2.0%	98.1%
Grade 9	1.2%	2.5%	5.7%	94.3%
Grade 10	1.8%	3.7%	8.6%	91.4%
Grade 11	1.5%	2.8%	8.8%	91.2%
Grade 12	1.3%	1.9%	10.0%	89.9%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.5%
Grade 6	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.3%	0.4%	99.5%
Grade 11	0.2%	0.2%	0.9%	99.0%
Grade 12	0.3%	0.4%	0.7%	99.3%

Table B-5: Prevalence and recency of use of selected substances by grade  $$\operatorname{African/American}$$  Students

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	4.1%	5.9%	14.5%	85.6%
Grade 6	1.4%	1.9%	8.1%	91.9%
Grade 7	1.5%	2.5%	10.2%	89.8%
Grade 8	1.4%	3.3%	9.6%	90.4%
Grade 9	3.6%	5.0%	14.2%	85.9%
Grade 10	4.6%	6.4%	15.1%	85.0%
Grade 11	7.7%	12.0%	22.0%	77.9%
Grade 12	7.6%	9.2%	20.8%	79.1%
Alcohol				
All	17.1%	23.9%	46.2%	53.8%
Grade 6	8.5%	9.5%	23.7%	76.2%
Grade 7	13.0%	14.7%	38.2%	61.8%
Grade 8	9.2%	16.9%	39.1%	60.9%
Grade 9	17.2%	24.1%	49.6%	50.4%
Grade 10	20.1%	29.0%	56.2%	43.8%
Grade 10 Grade 11	20.1%	32.9%	54.8%	45.1%
Grade 12	28.0%	36.7%	57.3%	42.6%
Inhalants	20.070	50.170	91.970	12.070
All	3.5%	4.2%	10.3%	89.8%
Grade 6	5.9%	6.0%	11.7%	88.3%
Grade 7	5.5%	5.7%	13.5%	86.6%
Grade 8	2.9%	5.9%	11.1%	88.8%
Grade 9	3.9%	4.4%	12.2%	87.8%
Grade 9 Grade 10	2.5%	$\frac{4.4\%}{2.7\%}$	9.8%	90.1%
Grade 10 Grade 11	2.3%	$\frac{2.7\%}{2.9\%}$	6.9%	90.1% $93.1%$
Grade 12			$\frac{6.9\%}{5.9\%}$	95.1% $94.0%$
	1.3%	1.6%	5.9%	94.0%
Any Illicit Drug	0.004	19.007	00 507	<b>5</b> 0 007
All	9.0%	13.2%	23.5%	76.6%
Grade 6	1.7%	2.5%	5.9%	94.1%
Grade 7	5.5%	6.8%	11.1%	88.9%
Grade 8	2.3%	7.1%	11.9%	88.0%
Grade 9	8.5%	12.0%	22.9%	77.1%
Grade 10	10.2%	14.0%	28.3%	71.7%
Grade 11	16.5%	24.1%	37.6%	62.4%
Grade 12	16.5%	24.1%	42.2%	57.8%
Marijuana	~	40 - ~	22 -~	~
All	8.1%	12.3%	22.7%	77.3%
Grade 6	1.6%	2.0%	5.4%	94.6%
Grade 7	4.3%	5.3%	9.0%	91.0%
Grade 8	1.9%	6.0%	10.4%	89.6%
Grade 9	7.6%	11.5%	22.5%	77.5%
Grade 10	9.4%	13.5%	28.1%	71.9%
Grade 11	14.6%	22.4%	36.7%	63.3%
Grade 12	15.9%	23.9%	42.2%	57.8%

Table B-5: Prevalence and recency of use of selected substances by grade African/American Students

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.2%	8.5%	17.1%	82.9%
Grade 6	1.5%	1.9%	3.8%	96.2%
Grade 7	2.6%	3.1%	6.3%	93.7%
Grade 8	1.8%	4.8%	8.6%	91.5%
Grade 9	5.5%	8.4%	17.4%	82.6%
Grade 10	6.1%	9.1%	21.4%	78.6%
Grade 11	10.3%	16.6%	27.5%	72.5%
Grade 12	7.9%	14.5%	31.1%	68.8%
Cocaine Or Crack				
All	0.3%	0.4%	0.8%	99.2%
Grade 6	0.1%	0.5%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.1%	0.1%	1.1%	99.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.8%	0.8%	1.9%	98.1%
Cocaine				
All	0.3%	0.4%	0.8%	99.3%
Grade 6	0.0%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.1%	0.1%	1.1%	99.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.8%	0.8%	1.9%	98.1%
Crack	0.0,0	0.0,0	,,	001270
All	0.1%	0.1%	0.2%	99.8%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	0.070	0.070	0.070	100.070
All	0.5%	0.6%	1.4%	98.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.3%	1.0%	99.0%
Grade 9 Grade 10	0.6%	0.7%	1.9%	98.2%
Grade 11	1.0%	1.6%	2.4%	97.6%
Grade II	1.070	1.070	4.4/0	91.070

Table B-5: Prevalence and recency of use of selected substances by grade African/American Students

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
0.1	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.3%	0.3%	1.0%	99.0%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids					
	All	0.5%	0.6%	1.4%	98.7%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.5%	0.5%	0.7%	99.3%
	Grade 8	0.9%	1.4%	2.9%	97.2%
	Grade 9	0.2%	0.2%	0.9%	99.1%
	Grade 10	0.7%	0.7%	2.2%	97.8%
	Grade 11	0.5%	0.7%	0.8%	99.2%
	Grade 12	0.4%	0.4%	1.8%	98.1%
Ecstasy					
v	All	0.6%	0.7%	1.6%	98.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.3%	0.6%	99.4%
	Grade 8	0.1%	0.3%	0.3%	99.7%
	Grade 9	0.8%	0.8%	1.5%	98.5%
	Grade 10	1.0%	1.0%	2.1%	97.9%
	Grade 11	1.3%	1.5%	3.4%	96.6%
	Grade 12	0.6%	0.8%	2.6%	97.4%
Heroin					
	All	0.2%	0.3%	0.4%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	$\operatorname{Grade} 7$	1.0%	1.0%	1.0%	99.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.1%	99.9%
	Grade 11	0.0%	0.5%	0.5%	99.5%
	Grade 12	0.3%	0.3%	0.3%	99.7%

Table B-5: Prevalence and recency of use of selected substances by grade African/American Students

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.2%	1.8%	4.1%	96.0%
Grade 6	0.0%	0.0%	1.3%	98.7%
Grade 7	1.5%	2.3%	2.6%	97.3%
Grade 8	0.5%	0.5%	2.4%	97.6%
Grade 9	0.5%	0.9%	3.2%	96.7%
Grade 10	1.1%	1.7%	4.7%	95.3%
Grade 11	1.4%	2.8%	6.3%	93.7%
Grade 12	3.0%	3.7%	7.0%	92.9%
Methamphetamine				
All	0.1%	0.5%	1.0%	99.1%
Grade 6	0.0%	0.0%	1.6%	98.4%
Grade 7	0.6%	0.6%	0.9%	99.0%
Grade 8	0.0%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	2.0%	2.4%	97.6%

Table B-6: Prevalence and recency of use of selected substances by grade  ${\it Mexican/American}$  Students

	Past Month	School Year	Ever Used	Never Used
Tobacco				
A	11   7.9%	11.0%	21.8%	78.2%
Grade	6   2.7%	3.1%	7.4%	92.6%
Grade	7   3.4%	4.8%	13.1%	86.9%
Grade	8 6.6%	9.0%	18.5%	81.5%
Grade	9   6.5%	9.7%	22.4%	77.6%
Grade 1	0   10.0%	14.4%	26.8%	73.2%
Grade 1	1   13.5%	18.7%	34.3%	65.7%
Grade 1	2   15.8%	21.5%	35.8%	64.2%
Alcohol				
A	ll 21.3%	28.9%	49.1%	50.8%
Grade	6 8.6%	11.6%	26.8%	73.1%
Grade		15.8%	35.8%	64.2%
Grade		23.0%	45.0%	55.0%
Grade		30.3%	52.6%	47.4%
Grade 1		38.2%	60.1%	39.9%
Grade 1		44.5%	66.6%	33.5%
Grade 1		47.3%	64.6%	35.4%
Inhalants				
A	ll 5.3%	6.6%	14.3%	85.7%
Grade		7.7%	14.4%	85.6%
Grade		9.5%	18.4%	81.6%
Grade		8.2%	18.5%	81.5%
Grade		5.5%	13.4%	86.6%
Grade 1		4.5%	11.8%	88.2%
Grade 1		5.3%	11.7%	88.3%
Grade 1		4.5%	9.8%	90.1%
Any Illicit Drug	2 0.170	1.070	0.070	00.170
A	ll 10.1%	13.7%	24.3%	75.7%
Grade		2.6%	5.8%	94.1%
Grade		5.7%	11.2%	88.8%
Grade		10.6%	19.6%	80.4%
Grade		15.3%	26.5%	73.5%
Grade 1		18.8%	33.0%	67.0%
Grade 1		23.6%	40.3%	59.7%
Grade 1		23.7%	40.3% $41.3%$	58.7%
Marijuana Grade 1	2 10.970	49.170	41.0/0	50.170
Marijuana A	11 9.2%	12.7%	23.2%	76.8%
Grade		$\frac{12.7\%}{2.2\%}$	4.9%	95.1%
Grade Grade		$\frac{2.2\%}{5.0\%}$	$\frac{4.9\%}{10.2\%}$	95.1% $89.9%$
Grade Grade		9.6%		89.9% $82.0%$
Grade Grade		9.6% $14.1%$	$17.9\% \ 25.6\%$	82.0% $74.4%$
Grade 1		17.8%	31.9%	68.0%
Grade 1		22.3%	39.0%	61.0%
Grade 1	2   16.0%	22.2%	40.2%	59.8%

Table B-6: Prevalence and recency of use of selected substances by grade  $\frac{\text{Mexican}}{\text{American Students}}$ 

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.3%	6.3%	13.4%	86.7%
Grade 6	0.5%	0.6%	2.3%	97.8%
Grade 7	1.8%	2.2%	5.7%	94.4%
Grade 8	2.4%	4.0%	9.4%	90.6%
Grade 9	4.5%	7.3%	15.4%	84.7%
Grade 10	6.3%	9.7%	19.6%	80.5%
Grade 11	8.0%	10.4%	21.8%	78.3%
Grade 12	8.0%	12.0%	24.0%	76.0%
Cocaine Or Crack				
All	1.0%	1.5%	3.1%	96.9%
Grade 6	0.5%	1.0%	1.4%	98.6%
Grade 7	0.6%	0.7%	1.4%	98.6%
Grade 8	0.8%	1.1%	3.2%	96.8%
Grade 9	1.0%	1.2%	2.3%	97.6%
Grade 10	0.7%	1.2%	3.5%	96.5%
Grade 11	1.9%	2.8%	5.1%	94.8%
Grade 12	1.6%	2.4%	5.6%	94.4%
Cocaine	-10,0	, 0	0.0,0	0 -1 -7 0
All	0.8%	1.2%	2.6%	97.3%
Grade 6	0.0%	0.6%	0.8%	99.3%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.6%	0.8%	2.4%	97.6%
Grade 9	0.9%	1.2%	2.3%	97.8%
Grade 10	0.6%	1.0%	3.0%	97.0%
Grade 11	1.9%	2.8%	5.1%	94.9%
Grade 12	1.6%	2.4%	5.6%	94.5%
Crack	1.070	2.170	3.070	01.070
All	0.3%	0.4%	0.8%	99.2%
Grade 6	0.4%	0.8%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.3%
Grade 8	0.4%	0.6%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.4%	1.1%	99.0%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.3%	99.8%
Hallucinogens	0.170	0.170	0.370	99.070
All	0.8%	1.2%	2.2%	97.9%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.4%	0.1%	99.3%
Grade 8	0.3% $0.8%$	0.4%	0.8% $1.7%$	99.3% $98.3%$
Grade 9	0.8%	1.2%	$\frac{1.7\%}{2.0\%}$	98.3% $98.0%$
	0.8%			
Grade 10		1.1%	2.7%	97.3%
Grade 11	1.5%	2.2%	4.0%	95.9%
Grade 12	1.3%	2.3%	4.3%	95.7%

Table B-6: Prevalence and recency of use of selected substances by grade Mexican/American Students

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.5%	0.6%	1.2%	98.8%
	Grade 6	0.3%	0.3%	0.4%	99.6%
	Grade 7	0.1%	0.2%	0.7%	99.2%
	Grade 8	0.4%	0.5%	1.3%	98.6%
	Grade 9	0.7%	0.9%	1.4%	98.6%
	Grade 10	0.8%	1.1%	1.6%	98.4%
	Grade 11	0.6%	0.7%	1.6%	98.4%
	Grade 12	0.4%	0.5%	1.4%	98.7%
Steroids					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 6	0.2%	0.3%	1.3%	98.8%
	Grade 7	0.2%	0.3%	0.7%	99.4%
	Grade 8	0.3%	0.3%	0.9%	99.1%
	Grade 9	0.1%	0.2%	0.8%	99.2%
	Grade 10	0.6%	0.6%	0.9%	99.1%
	Grade 11	0.3%	0.4%	0.9%	99.1%
	Grade 12	0.4%	0.6%	1.0%	99.0%
Ecstasy					
·	All	0.8%	1.2%	2.7%	97.2%
	Grade 6	0.0%	0.0%	0.1%	99.8%
	Grade 7	0.1%	0.3%	0.9%	99.1%
	Grade 8	0.6%	0.8%	2.2%	97.8%
	Grade 9	0.7%	1.3%	2.5%	97.5%
	Grade 10	1.0%	1.5%	3.6%	96.4%
	Grade 11	2.0%	2.4%	5.3%	94.7%
	Grade 12	1.6%	2.7%	6.0%	94.0%
Heroin					
	All	0.2%	0.2%	0.4%	99.5%
	Grade 6	0.3%	0.3%	0.6%	99.4%
	Grade 7	0.4%	0.5%	0.9%	99.2%
	Grade 8	0.2%	0.3%	0.5%	99.5%
	Grade 9	0.1%	0.1%	0.3%	99.7%
	Grade 10	0.2%	0.3%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.4%	0.4%	0.6%	99.4%

Table B-6: Prevalence and recency of use of selected substances by grade Mexican/American Students

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.2%	3.2%	6.9%	93.1%
Grade 6	0.6%	0.8%	1.8%	98.2%
Grade 7	1.3%	1.9%	3.4%	96.6%
Grade 8	2.4%	3.3%	6.3%	93.7%
Grade 9	3.2%	4.6%	8.1%	91.8%
Grade 10	3.0%	4.4%	9.3%	90.8%
Grade 11	2.2%	3.5%	10.8%	89.1%
Grade 12	2.4%	3.8%	9.6%	90.3%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.3%
Grade 6	0.1%	0.2%	0.2%	99.8%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.2%	0.2%	0.6%	99.5%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.5%	0.6%	0.8%	99.2%
Grade 12	0.4%	0.4%	0.6%	99.3%

Table B-7: Prevalence and recency of use of selected substances by grade Students Reporting A Grades

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	3.9%	5.6%	12.3%	87.7%
	Grade 6	0.9%	1.1%	2.5%	97.5%
	Grade 7	0.8%	1.3%	4.9%	95.1%
	Grade 8	2.0%	2.6%	7.1%	92.9%
	Grade 9	3.2%	4.7%	12.4%	87.6%
	Grade 10	4.7%	8.0%	16.5%	83.5%
	Grade 11	8.3%	11.4%	22.9%	77.1%
	Grade 12	9.3%	12.7%	25.2%	74.8%
Alcohol					
	All	12.9%	20.1%	37.7%	62.2%
	Grade 6	3.7%	5.7%	18.0%	82.1%
	Grade 7	6.0%	7.6%	22.4%	77.6%
	Grade 8	7.1%	13.6%	30.1%	69.9%
	Grade 9	15.2%	22.6%	42.9%	57.0%
	Grade 10	18.3%	29.5%	49.8%	50.2%
	Grade 11	20.7%	32.3%	53.8%	46.1%
	Grade 12	25.1%	38.2%	58.0%	42.1%
Inhalants		- , ,			, ,
	All	2.1%	3.0%	7.9%	92.1%
	Grade 6	3.6%	4.2%	8.2%	91.9%
	Grade 7	1.5%	2.5%	7.0%	92.9%
	Grade 8	2.2%	3.2%	9.8%	90.2%
	Grade 9	1.7%	2.5%	8.0%	92.0%
	Grade 10	2.1%	3.1%	9.4%	90.6%
	Grade 11	2.1%	2.9%	6.7%	93.2%
	Grade 12	1.6%	2.4%	5.9%	94.1%
Any Illicit Drug	0.10.00	,0	, 0	0.0,0	0 / 0
,	All	4.5%	6.7%	12.5%	87.5%
	Grade 6	0.7%	1.0%	1.9%	98.1%
	Grade 7	1.2%	1.5%	3.6%	96.3%
	Grade 8	1.5%	2.7%	5.4%	94.7%
	Grade 9	4.0%	6.7%	10.9%	89.1%
	Grade 10	5.9%	9.2%	19.6%	80.5%
	Grade 11	9.3%	12.7%	23.4%	76.7%
	Grade 12	11.2%	16.4%	29.2%	70.8%
Marijuana	Grade 12	11.2/0	10.1/0	23.270	10.070
TITALIJ GALLA	All	4.0%	6.2%	11.8%	88.3%
	Grade 6	0.1%	0.3%	0.8%	99.2%
	Grade 7	1.0%	1.3%	3.1%	96.9%
	Grade 8	1.0%	2.3%	4.7%	95.3%
	Grade 9	3.6%	6.3%	10.0%	90.0%
	Grade 10	5.4%	8.9%	18.8%	81.3%
	Grade 11	7.8%	11.3%	22.0%	78.0%
	Grade 11 Grade 12	11.2%	16.3%	29.1%	78.0% $71.0%$

Table B-7: Prevalence and recency of use of selected substances by grade Students Reporting A Grades

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.1%	3.6%	7.9%	92.2%
Grade 6	0.0%	0.2%	0.4%	99.6%
Grade 7	0.6%	0.8%	2.1%	97.9%
Grade 8	0.7%	1.5%	3.6%	96.4%
Grade 9	2.5%	4.3%	7.4%	92.6%
Grade 10	2.4%	4.5%	12.0%	88.1%
Grade 11	3.9%	6.2%	13.9%	86.1%
Grade 12	5.6%	9.2%	19.5%	80.4%
Cocaine Or Crack				
All	0.2%	0.4%	0.8%	99.2%
Grade 6	0.5%	0.6%	0.6%	99.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	0.1%	0.2%	1.0%	98.9%
Grade 11	0.3%	0.8%	1.2%	98.8%
Grade 12	0.4%	0.7%	1.8%	98.2%
Cocaine				
All	0.1%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.2%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.3%	0.4%	0.6%	99.3%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.2%	0.7%	0.8%	99.2%
Grade 12	0.3%	0.6%	1.7%	98.3%
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 6	0.5%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	0.4%	0.7%	1.2%	98.8%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.6%	1.3%	2.4%	97.6%
Grade 11	1.2%	1.9%	2.9%	97.1%
Grade 12	0.8%	1.7%	2.6%	97.4%

Table B-7: Prevalence and recency of use of selected substances by grade Students Reporting A Grades

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
0.1	All	0.1%	0.1%	0.3%	99.6%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.1%	0.3%	99.7%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.1%	0.1%	0.2%	99.8%
	Grade 11	0.1%	0.1%	0.6%	99.4%
	Grade 12	0.3%	0.4%	0.8%	99.2%
Steroids					
	All	0.2%	0.3%	0.8%	99.2%
	$Grade\ 6$	0.1%	0.2%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.5%	99.4%
	Grade 8	0.3%	0.3%	0.7%	99.3%
	Grade 9	0.1%	0.2%	0.5%	99.5%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.9%	0.9%	1.4%	98.6%
	Grade 12	0.2%	0.5%	0.9%	99.1%
Ecstasy					
U	All	0.3%	0.6%	1.1%	99.0%
	Grade 6	0.0%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.2%	0.3%	0.5%	99.5%
	Grade 9	0.2%	0.5%	0.8%	99.2%
	Grade 10	0.3%	0.8%	1.5%	98.4%
	Grade 11	1.1%	1.4%	2.9%	97.2%
	Grade 12	0.4%	1.1%	2.2%	97.9%
Heroin					
	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.5%	99.4%
	Grade 7	0.3%	0.3%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.2%	0.2%	99.7%
	Grade 11	0.0%	0.2%	0.2%	99.7%
	Grade 12	0.0%	0.0%	0.0%	99.9%

Table B-7: Prevalence and recency of use of selected substances by grade Students Reporting A Grades

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.5%	0.9%	2.6%	97.5%
Grade 6	0.1%	0.1%	0.3%	99.8%
Grade 7	0.1%	0.3%	0.9%	99.0%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.2%	0.5%	1.5%	98.4%
Grade 10	0.8%	1.5%	4.6%	95.4%
Grade 11	0.6%	1.1%	4.4%	95.7%
Grade 12	1.4%	2.2%	6.2%	93.9%
Methamphetamine				
All	0.0%	0.1%	0.3%	99.6%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.1%	1.0%	1.2%	98.8%

Table B-8: Prevalence and recency of use of selected substances by grade Students Reporting Grades Lower Than an A

	Past Month	School Year	Ever Used	Never Used
Tobacco				
Al	1 8.8%	12.2%	23.0%	77.0%
Grade 6	3.1%	2.6%	7.8%	92.2%
Grade '	7   3.2%	4.5%	12.5%	87.5%
Grade 8	8 6.7%	10.0%	19.2%	80.8%
Grade 9	7.3%	11.1%	22.8%	77.2%
Grade 10	11.3%	16.1%	28.9%	71.0%
Grade 11	14.1%	19.4%	34.9%	65.2%
Grade 12	19.8%	25.2%	38.9%	61.1%
Alcohol				
Al	1 21.6%	29.0%	49.8%	50.1%
Grade (		10.3%	26.0%	74.0%
Grade '		14.6%	34.9%	65.2%
Grade 8		23.3%	45.3%	54.6%
Grade 9		29.0%	51.7%	48.4%
Grade 10	28.2%	38.6%	60.8%	39.2%
Grade 1		43.5%	66.7%	33.3%
Grade 12		49.1%	67.5%	32.5%
Inhalants	33.070	10.170	01.070	32.070
Al	1 4.9%	6.3%	14.1%	85.8%
Grade 6		7.6%	14.6%	85.4%
Grade		9.0%	17.6%	82.4%
Grade 8		8.2%	17.1%	82.8%
Grade 9		5.7%	14.1%	85.9%
Grade 10		5.0%	13.0%	87.0%
Grade 1		4.2%	10.8%	89.3%
Grade 12		4.0%	10.8%	89.2%
Any Illicit Drug	2.070	4.070	10.070	03.270
Al	10.3%	14.3%	24.9%	75.1%
Grade 6		2.3%	5.9%	94.0%
Grade '		5.2%	9.7%	90.3%
Grade 8		10.7%	19.2%	80.8%
Grade 9		14.6%	25.0%	74.9%
Grade 10		14.0% $19.5%$	33.5%	66.5%
Grade 10 Grade 11			35.5% $40.6%$	
Grade 1: Grade 1:		$24.4\% \ 26.1\%$	40.6% $45.1%$	59.4% $54.9%$
	2 18.370	20.170	43.170	34.9%
Marijuana	1 9.4%	19 407	99 n07	7e 107
Al Crada (		13.4%	23.9%	76.1%
Grade (		2.2%	5.2%	94.8%
Grade '		4.2%	8.3%	91.7%
Grade 8		9.5%	17.6%	82.4%
Grade 9		13.7%	24.3%	75.7%
Grade 10		18.6%	32.7%	67.3%
Grade 1		23.3%	39.5%	60.4%
Grade 12	2   17.9%	25.6%	44.8%	55.3%

Table B-8: Prevalence and recency of use of selected substances by grade Students Reporting Grades Lower Than an A

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.4%	6.8%	14.2%	85.8%
Grade 6	0.5%	0.7%	2.7%	97.2%
Grade 7	1.5%	1.7%	4.6%	95.4%
Grade 8	2.4%	4.2%	9.7%	90.3%
Grade 9	4.5%	6.9%	14.3%	85.7%
Grade 10	6.5%	10.1%	20.4%	79.7%
Grade 11	8.4%	12.4%	23.6%	76.3%
Grade 12	8.3%	13.2%	27.2%	72.8%
Cocaine Or Crack				
All	0.8%	1.1%	2.6%	97.4%
Grade 6	0.1%	0.6%	1.2%	98.7%
Grade 7	0.5%	0.6%	1.0%	98.9%
Grade 8	0.8%	1.1%	2.9%	97.1%
Grade 9	0.7%	0.8%	1.8%	98.1%
Grade 10	0.6%	1.0%	2.9%	97.1%
Grade 11	1.5%	2.0%	4.1%	95.9%
Grade 12	1.4%	1.8%	4.6%	95.3%
Cocaine				
All	0.7%	1.0%	2.3%	97.7%
Grade 6	0.0%	0.5%	1.0%	98.9%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.7%	2.2%	97.9%
Grade 9	0.7%	0.8%	1.8%	98.2%
Grade 10	0.5%	0.8%	2.6%	97.4%
Grade 11	1.5%	2.0%	4.0%	96.0%
Grade 12	1.3%	1.7%	4.5%	95.5%
Crack				
All	0.2%	0.3%	0.7%	99.3%
Grade 6	0.1%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.3%	0.8%	99.1%
Grade 11	0.1%	0.1%	0.6%	99.3%
Grade 12	0.1%	0.1%	0.3%	99.6%
Hallucinogens				
All	0.8%	1.3%	2.7%	97.4%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.3%	0.7%	99.2%
Grade 8	0.6%	0.8%	1.6%	98.4%
Grade 9	0.7%	1.4%	2.6%	97.5%
Grade 10	0.9%	1.3%	3.0%	96.9%
Grade 11	1.7%	2.5%	5.1%	94.9%
Grade 12	1.6%	2.7%	6.1%	93.9%

Table B-8: Prevalence and recency of use of selected substances by grade Students Reporting Grades Lower Than an A

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.4%	0.5%	0.9%	99.0%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.6%	0.9%	1.4%	98.6%
	Grade 10	0.8%	1.1%	1.5%	98.6%
	Grade 11	0.4%	0.4%	1.0%	99.0%
	Grade 12	0.3%	0.3%	0.9%	99.1%
Steroids					
	All	0.4%	0.5%	1.1%	98.9%
	Grade 6	0.2%	0.3%	1.0%	99.0%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.4%	0.5%	1.5%	98.5%
	Grade 9	0.1%	0.2%	0.8%	99.2%
	Grade 10	0.7%	0.8%	1.5%	98.5%
	Grade 11	0.4%	0.5%	1.0%	99.1%
	Grade 12	0.6%	0.7%	1.5%	98.6%
Ecstasy					
-	All	0.8%	1.2%	2.8%	97.2%
	$Grade\ 6$	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.3%	0.8%	99.2%
	Grade 8	0.7%	0.9%	2.0%	98.0%
	Grade 9	1.1%	1.7%	2.8%	97.2%
	Grade 10	0.9%	1.4%	3.5%	96.5%
	Grade 11	1.3%	1.8%	5.0%	95.0%
	Grade 12	1.2%	2.2%	6.2%	93.8%
Heroin					
	All	0.2%	0.3%	0.5%	99.5%
	$Grade\ 6$	0.3%	0.4%	0.5%	99.6%
	Grade 7	0.5%	0.6%	0.8%	99.2%
	Grade 8	0.1%	0.2%	0.4%	99.5%
	Grade 9	0.1%	0.1%	0.4%	99.6%
	Grade 10	0.1%	0.1%	0.4%	99.5%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.5%	0.5%	0.8%	99.2%

Table B-8: Prevalence and recency of use of selected substances by grade Students Reporting Grades Lower Than an A

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.1%	3.1%	7.1%	92.9%
Grade 6	0.5%	0.8%	1.9%	98.1%
Grade 7	1.2%	1.8%	3.0%	97.1%
Grade 8	2.3%	2.9%	6.1%	93.9%
Grade 9	2.8%	4.0%	7.9%	92.2%
Grade 10	2.8%	4.5%	9.9%	90.1%
Grade 11	2.4%	3.9%	10.8%	89.2%
Grade 12	2.6%	3.6%	10.8%	89.2%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 6	0.0%	0.1%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.6%	99.3%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	0.2%	0.3%	0.6%	99.5%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.6%	99.3%
Grade 12	0.4%	0.4%	0.8%	99.1%

Table B-9: Prevalence and recency of use of selected substances by grade Students Living With 2 Parents

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	5.8%	8.2%	15.9%	84.1%
Grade 6	1.1%	1.5%	4.7%	95.3%
Grade 7	1.9%	2.7%	7.6%	92.4%
Grade 8	3.4%	5.3%	11.3%	88.6%
Grade 9	5.3%	7.5%	16.0%	83.9%
Grade 10	7.3%	10.5%	20.8%	79.2%
Grade 11		16.5%	28.2%	71.7%
Grade 12		18.5%	29.9%	70.1%
Alcohol				
All	16.3%	23.3%	41.5%	58.5%
Grade 6		8.0%	21.1%	78.8%
Grade 7		10.8%	27.3%	72.7%
Grade 8		16.7%	35.9%	64.1%
Grade 9		23.7%	44.2%	55.8%
Grade 10		32.1%	52.8%	47.1%
Grade 11		39.2%	60.4%	39.6%
Grade 12		43.3%	60.6%	39.5%
Inhalants	_0.070	20.070	00.070	30.370
All	3.9%	5.0%	10.9%	89.1%
Grade 6		6.3%	11.2%	88.8%
Grade 7		5.6%	12.2%	87.7%
Grade 8		5.8%	13.3%	86.7%
Grade 9		4.8%	11.1%	88.9%
Grade 10		4.2%	10.9%	89.1%
Grade 11		4.0%	9.3%	90.7%
Grade 12		3.0%	6.7%	93.3%
Any Illicit Drug	2.170	3.070	0.770	93.370
All All	6.5%	9.2%	16.3%	83.8%
Grade 6		$\frac{9.2\%}{1.5\%}$	3.7%	96.3%
Grade 6		$\frac{1.5\%}{2.8\%}$	5.6%	90.3% $94.4%$
Grade 8		$\frac{2.8\%}{5.4\%}$	$\frac{5.6\%}{10.1\%}$	94.4% $89.9%$
Grade 9 Grade 10		$9.0\% \\ 13.0\%$	$16.3\% \ 23.6\%$	$83.7\% \\ 76.4\%$
Grade 11		18.8%	31.4%	68.7%
Grade 12	13.1%	19.2%	31.9%	68.2%
Marijuana	E 007	O E 07	15 407	01 607
All Crada 6		8.5%	15.4%	84.6%
Grade 6		1.2%	2.8%	97.2%
Grade 7		2.2%	4.6%	95.4%
Grade 8		4.5%	8.8%	91.2%
Grade 9		8.3%	15.6%	84.4%
Grade 10		12.4%	22.9%	77.0%
Grade 11		17.9%	30.6%	69.4%
Grade 12	12.2%	18.3%	31.2%	68.8%

Table B-9: Prevalence and recency of use of selected substances by grade Students Living With 2 Parents

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.9%	4.6%	9.5%	90.5%
Grade 6	0.3%	0.4%	1.3%	98.6%
Grade 7	1.0%	1.2%	2.8%	97.3%
Grade 8	1.3%	2.1%	5.1%	95.0%
Grade 9	2.9%	4.7%	9.8%	90.2%
Grade 10	4.1%	6.6%	14.6%	85.4%
Grade 11	6.0%	9.9%	18.8%	81.1%
Grade 12	6.7%	10.6%	20.4%	79.7%
Cocaine Or Crack				
All	0.6%	0.8%	1.6%	98.3%
Grade 6	0.3%	0.5%	0.9%	99.0%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.6%	1.4%	98.6%
Grade 9	0.7%	0.8%	1.5%	98.6%
Grade 10	0.5%	0.7%	1.8%	98.2%
Grade 11	1.5%	1.9%	3.3%	96.7%
Grade 12	0.9%	1.2%	2.7%	97.2%
Cocaine Grade 12	0.370	1.2/0	2.170	31.270
All	0.5%	0.7%	1.5%	98.6%
Grade 6	0.0%	0.2%	0.4%	99.5%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.5%	0.7%	1.3%	98.7%
Grade 10	0.0% $0.4%$	0.6%	1.7%	98.3%
Grade 10 Grade 11	1.5%	1.9%	$\frac{1.7}{3.3\%}$	96.7%
Grade 12	0.9%	1.2%	2.7%	97.3%
Crack	0.007	0.207	0.507	00.007
All	0.2%	0.3%	0.5%	99.6%
Grade 6	0.3%	0.4%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.3%	99.8%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.4%	99.5%
Grade 12	0.1%	0.1%	0.2%	99.8%
Hallucinogens	~	~	~	~
All	0.5%	0.8%	1.6%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.3%	0.6%	99.5%
Grade 8	0.4%	0.5%	0.9%	99.2%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.6%	0.9%	2.3%	97.6%
Grade 11	1.1%	1.9%	3.9%	96.1%
Grade 12	1.0%	2.0%	3.3%	96.7%

Table B-9: Prevalence and recency of use of selected substances by grade Students Living With 2 Parents

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.2%	0.3%	0.6%	99.4%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.2%	99.7%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.3%	0.3%	0.6%	99.3%
	Grade 10	0.5%	0.7%	1.0%	99.0%
	Grade 11	0.2%	0.3%	0.9%	99.1%
	Grade 12	0.3%	0.4%	0.8%	99.2%
Steroids					
	All	0.3%	0.4%	1.0%	99.1%
	Grade 6	0.1%	0.2%	1.1%	98.9%
	Grade 7	0.2%	0.2%	0.7%	99.3%
	Grade 8	0.3%	0.3%	1.0%	99.0%
	Grade 9	0.2%	0.2%	0.8%	99.2%
	Grade 10	0.3%	0.4%	0.9%	99.2%
	Grade 11	0.7%	0.7%	1.0%	98.9%
	Grade 12	0.3%	0.5%	1.0%	99.0%
Ecstasy					
J	All	0.5%	0.7%	1.5%	98.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.2%	99.7%
	Grade 8	0.2%	0.3%	1.0%	99.0%
	Grade 9	0.6%	0.9%	1.7%	98.3%
	Grade 10	0.5%	0.8%	1.9%	98.0%
	Grade 11	1.4%	1.7%	3.4%	96.6%
	Grade 12	0.8%	1.5%	3.2%	96.8%
Heroin					
	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.3%	99.6%
	Grade 7	0.4%	0.4%	0.6%	99.4%
	Grade 8	0.1%	0.2%	0.4%	99.7%
	Grade 9	0.0%	0.0%	0.0%	99.9%
	Grade 10	0.1%	0.1%	0.3%	99.8%
	Grade 11	0.1%	0.2%	0.3%	99.7%
	Grade 12	0.2%	0.2%	0.3%	99.6%

Table B-9: Prevalence and recency of use of selected substances by grade Students Living With 2 Parents

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.1%	1.6%	4.0%	96.0%
Grade 6	0.2%	0.3%	1.0%	99.0%
Grade 7	0.4%	0.5%	1.1%	98.8%
Grade 8	1.1%	1.5%	3.1%	96.9%
Grade 9	1.6%	2.1%	4.4%	95.6%
Grade 10	1.8%	2.7%	6.1%	93.8%
Grade 11	1.5%	2.3%	7.2%	92.7%
Grade 12	1.4%	2.0%	6.8%	93.3%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.7%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.7%	99.2%
Grade 12	0.1%	0.6%	0.8%	99.2%

Table B-10: Prevalence and recency of use of selected substances by grade Students Not Living With 2 Parents

	Past Month	School Year	Ever Used	Never Used
Tobacco				
Al	10.4%	14.4%	27.1%	72.8%
Grade 6	2.9%	3.6%	8.7%	91.3%
Grade 7	3.8%	5.3%	14.8%	85.2%
Grade 8	8.4%	11.8%	22.3%	77.7%
Grade 9	8.8%	14.1%	29.0%	71.1%
Grade 10	13.1%	18.8%	33.2%	66.7%
Grade 11	15.9%	20.9%	38.1%	61.9%
Grade 12	19.1%	24.7%	40.4%	59.6%
Alcohol				
Al	24.1%	32.8%	55.5%	44.5%
Grade 6	9.1%	11.1%	28.4%	71.6%
Grade 7		15.2%	38.1%	61.9%
Grade 8		25.8%	49.1%	50.9%
Grade 9		35.4%	60.0%	40.0%
Grade 10		42.6%	67.0%	33.0%
Grade 11		45.5%	69.8%	30.2%
Grade 12		49.8%	70.1%	29.9%
Inhalants		, -		, •
Al	l 4.7%	6.1%	14.7%	85.3%
Grade 6		6.8%	14.0%	86.0%
Grade 7		9.4%	17.7%	82.4%
Grade 8		7.4%	17.8%	82.3%
Grade 9		5.8%	16.0%	84.1%
Grade 10		4.8%	13.8%	86.2%
Grade 11		4.4%	11.2%	88.8%
Grade 12		4.6%	12.3%	87.7%
Any Illicit Drug	0.270	1.070	12.070	01.170
All	12.5%	17.6%	30.2%	69.8%
Grade 6		2.9%	6.7%	93.4%
Grade 7		7.1%	12.4%	87.5%
Grade 8		12.5%	22.9%	77.1%
Grade 9	- , ,	19.5%	31.8%	68.2%
Grade 10	- , -	22.2%	39.2%	60.8%
Grade 11		27.1%	44.2%	55.7%
Grade 12		28.3%	49.2%	50.8%
Marijuana	20.270	20.070	40.470	50.670
Al	11.6%	16.7%	29.2%	70.8%
Grade 6		$\frac{10.7\%}{2.3\%}$	5.5%	94.4%
Grade 7		6.2%	11.4%	88.7%
Grade 8		11.9%	21.8%	78.3%
Grade 9		11.9% $18.3%$	31.0%	69.0%
Grade 10		21.4%	38.1%	61.9%
Grade 10 Grade 11		25.8%		57.0%
			43.0%	
Grade 12	19.7%	27.6%	48.6%	51.4%

Table B-10: Prevalence and recency of use of selected substances by grade Students Not Living With 2 Parents

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.3%	8.2%	17.2%	82.9%
Grade 6	0.9%	1.2%	3.3%	96.8%
Grade 7	2.3%	2.9%	6.6%	93.4%
Grade 8	3.0%	5.7%	12.6%	87.3%
Grade 9	5.9%	9.3%	18.4%	81.6%
Grade 10	7.0%	11.2%	23.3%	76.6%
Grade 11	8.9%	12.1%	24.2%	75.7%
Grade 12	8.0%	13.0%	28.4%	71.6%
Cocaine Or Crack				
All	0.7%	1.1%	2.6%	97.4%
Grade 6	0.1%	0.7%	1.2%	98.9%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.8%	1.0%	2.5%	97.5%
Grade 9	0.6%	0.9%	1.6%	98.3%
Grade 10	0.4%	0.7%	2.9%	97.1%
Grade 11	1.0%	2.0%	3.9%	96.1%
Grade 12	1.5%	2.1%	5.4%	94.6%
Cocaine				
All	0.6%	1.0%	2.4%	97.7%
Grade 6	0.1%	0.7%	1.1%	99.0%
Grade 7	0.3%	0.4%	0.7%	99.2%
Grade 8	0.3%	0.4%	1.8%	98.2%
Grade 9	0.5%	0.8%	1.5%	98.5%
Grade 10	0.3%	0.5%	2.3%	97.7%
Grade 11	0.9%	1.8%	3.5%	96.5%
Grade 12	1.4%	2.0%	5.2%	94.7%
Crack				
All	0.2%	0.3%	0.7%	99.4%
Grade 6	0.0%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.4%	99.7%
Grade 8	0.6%	0.7%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.2%	99.7%
Grade 10	0.1%	0.2%	1.2%	98.8%
Grade 11	0.1%	0.3%	0.8%	99.3%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	1.0%	1.6%	3.4%	96.6%
Grade 6	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	1.2%	2.1%	4.0%	96.0%
Grade 10	1.0%	1.6%	3.7%	96.2%
Grade 11	2.2%	3.1%	5.6%	94.4%
Grade 12	1.9%	2.9%	7.0%	93.0%

Table B-10: Prevalence and recency of use of selected substances by grade Students Not Living With 2 Parents

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.5%	0.7%	1.2%	98.8%
	Grade 6	0.6%	0.6%	0.6%	99.4%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	0.3%	0.3%	1.2%	98.7%
	Grade 9	0.6%	1.1%	1.7%	98.3%
	Grade 10	0.5%	0.6%	1.1%	98.9%
	Grade 11	0.7%	0.7%	1.1%	98.9%
	Grade 12	0.3%	0.4%	1.3%	98.7%
Steroids					
	All	0.4%	0.5%	1.1%	98.9%
	Grade 6	0.2%	0.3%	0.7%	99.3%
	Grade 7	0.2%	0.4%	0.6%	99.4%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.8%	0.8%	1.5%	98.6%
	Grade 11	0.4%	0.5%	1.2%	98.8%
	Grade 12	0.6%	0.8%	1.4%	98.6%
Ecstasy					
v	All	1.0%	1.7%	3.8%	96.2%
	Grade 6	0.0%	0.1%	0.3%	99.6%
	Grade 7	0.2%	0.6%	1.2%	98.8%
	Grade 8	0.9%	1.2%	2.4%	97.6%
	Grade 9	0.9%	1.8%	3.6%	96.3%
	Grade 10	1.1%	2.2%	4.6%	95.5%
	Grade 11	1.9%	2.4%	6.3%	93.7%
	Grade 12	1.6%	2.8%	7.4%	92.6%
Heroin					
	All	0.2%	0.3%	0.6%	99.5%
	Grade 6	0.6%	0.7%	0.7%	99.2%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.1%	0.1%	0.6%	99.4%
	Grade 10	0.1%	0.2%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.1%	99.8%
	Grade 12	0.3%	0.3%	0.7%	99.4%

Table B-10: Prevalence and recency of use of selected substances by grade Students Not Living With 2 Parents

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.3%	3.8%	8.6%	91.3%
Grade 6	0.6%	1.0%	2.0%	98.0%
Grade 7	1.6%	2.6%	4.2%	95.9%
Grade 8	2.5%	3.4%	6.7%	93.3%
Grade 9	2.7%	4.9%	9.4%	90.6%
Grade 10	2.7%	4.8%	11.6%	88.4%
Grade 11	2.3%	4.4%	12.2%	87.8%
Grade 12	3.2%	4.9%	13.1%	86.9%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 6	0.2%	0.3%	0.6%	99.3%
Grade 7	0.2%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.1%	99.0%
Grade 11	0.4%	0.5%	1.1%	99.0%
Grade 12	0.4%	0.6%	1.1%	98.9%

Table B-11: Prevalence and recency of use of selected substances by grade Students who would seek help from adults for substance abuse problems

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	6.4%	8.9%	17.7%	82.3%
Grade 6	1.4%	1.7%	4.8%	95.1%
Grade 7	2.0%	2.8%	8.1%	91.9%
Grade 8	4.2%	6.1%	12.7%	87.3%
Grade 9	6.0%	8.4%	18.5%	81.6%
Grade 10	7.8%	11.6%	23.4%	76.6%
Grade 11	12.2%	16.6%	29.7%	70.3%
Grade 12	13.8%	18.9%	32.3%	67.7%
Alcohol				
All	17.5%	24.7%	44.5%	55.5%
Grade 6	6.3%	8.6%	21.6%	78.4%
Grade 7	8.4%	10.8%	28.0%	72.0%
Grade 8		17.0%	37.8%	62.2%
Grade 9		25.5%	48.5%	51.6%
Grade 10		34.1%	56.7%	43.3%
Grade 11		39.6%	62.9%	37.0%
Grade 12		45.4%	64.8%	35.2%
Inhalants	32.070	10.170	01.070	33.270
All	3.6%	4.6%	11.0%	89.1%
Grade 6		6.0%	10.8%	89.2%
Grade 7		5.8%	12.3%	87.7%
Grade 8		5.0%	12.6%	87.3%
Grade 9		4.4%	11.8%	88.2%
Grade 10		3.7%	10.8%	89.2%
Grade 11		3.4%	9.3%	90.7%
Grade 12		2.9%	7.7%	92.2%
Any Illicit Drug	2.270	2.370	1.170	32.270
All All	7.2%	10.4%	18.8%	81.3%
Grade 6		1.7%	3.6%	96.4%
Grade 7		3.1%	6.3%	93.7%
Grade 8		6.1%	12.0%	93.7% 88.0%
Grade 9		11.2%	12.0% $19.6%$	80.4%
Grade 9 Grade 10		11.2% $14.0%$	26.7%	73.2%
Grade 11		19.5%	33.5%	66.5%
Grade 12	14.0%	21.1%	36.3%	63.7%
Marijuana	C C07	0.707	17.007	00.107
All		9.7%	17.9%	82.1%
Grade 6		1.3%	2.7%	97.3%
Grade 7		2.4%	5.4%	94.6%
Grade 8		5.5%	11.0%	89.1%
Grade 9		10.4%	18.8%	81.2%
Grade 10		13.4%	25.9%	74.0%
Grade 11		18.5%	32.4%	67.5%
Grade 12	13.5%	20.6%	35.9%	64.1%

Table B-11: Prevalence and recency of use of selected substances by grade Students who would seek help from adults for substance abuse problems (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.2%	5.1%	11.1%	88.8%
Grade 6	0.5%	0.6%	1.4%	98.6%
Grade 7	0.9%	1.1%	3.2%	96.8%
Grade 8	1.6%	2.6%	6.5%	93.6%
Grade 9	3.5%	5.7%	12.1%	87.9%
Grade 10	4.9%	7.7%	17.3%	82.7%
Grade 11	6.3%	9.8%	19.7%	80.4%
Grade 12	6.5%	11.2%	22.8%	77.2%
Cocaine Or Crack	0.0,0	, 0		,,,=,,
All	0.5%	0.7%	1.5%	98.4%
Grade 6	0.3%	0.6%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.5%	0.7%	1.1%	98.9%
Grade 10	0.3%	0.5%	1.5%	98.4%
Grade 11	1.0%	1.5%	3.0%	97.0%
Grade 12	0.9%	1.2%	3.3%	96.7%
Cocaine Grade 12	0.370	1.2/0	3.370	30.170
All	0.4%	0.6%	1.4%	98.6%
Grade 6	0.0%	0.3%	0.5%	99.6%
Grade 7	0.0%	0.3%	0.3%	99.6%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.2%	0.5%	1.1%	99.0%
Grade 10	0.3%	$0.7\% \\ 0.5\%$	1.1% $1.5%$	98.6%
Grade 10 Grade 11	1.0%	1.5%	$\frac{1.5\%}{2.9\%}$	98.0% $97.2%$
Grade 12 Crack	0.9%	1.2%	3.3%	96.6%
All	0.1%	0.2%	0.4%	99.6%
Grade 6	0.3%	0.5%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.7%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens	0.704	0.004	~	22.207
All	0.5%	0.8%	1.7%	98.2%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.8%	99.3%
Grade 9	0.4%	0.9%	1.7%	98.4%
Grade 10	0.5%	0.9%	2.2%	97.8%
Grade 11	1.3%	2.0%	3.9%	96.0%
Grade 12	1.1%	2.0%	4.1%	95.9%

Table B-11: Prevalence and recency of use of selected substances by grade Students who would seek help from adults for substance abuse problems (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.2%	0.3%	0.6%	99.4%
	$Grade\ 6$	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.2%	0.4%	0.7%	99.2%
	Grade 10	0.3%	0.4%	0.7%	99.2%
	Grade 11	0.4%	0.4%	0.9%	99.1%
	Grade 12	0.2%	0.3%	0.9%	99.1%
Steroids					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 6	0.1%	0.2%	1.0%	99.0%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.2%	0.3%	0.9%	99.1%
	Grade 9	0.1%	0.2%	0.8%	99.2%
	Grade 10	0.5%	0.5%	1.0%	99.0%
	Grade 11	0.5%	0.6%	1.0%	99.1%
	Grade 12	0.4%	0.5%	1.1%	98.9%
Ecstasy					
v	All	0.5%	0.8%	1.9%	98.1%
	Grade 6	0.0%	0.0%	0.0%	99.9%
	Grade 7	0.0%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.3%	1.0%	98.9%
	Grade 9	0.7%	1.2%	2.1%	97.9%
	Grade 10	0.5%	1.0%	2.5%	97.6%
	Grade 11	1.2%	1.4%	3.5%	96.5%
	Grade 12	0.9%	1.8%	4.5%	95.6%
Heroin					
	All	0.1%	0.1%	0.3%	99.6%
	Grade 6	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.3%	0.4%	0.6%	99.5%
	Grade 8	0.0%	0.0%	0.2%	99.7%
	Grade 9	0.0%	0.0%	0.1%	99.8%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.1%	0.2%	0.3%	99.7%
	Grade 12	0.2%	0.2%	0.4%	99.6%

Table B-11: Prevalence and recency of use of selected substances by grade Students who would seek help from adults for substance abuse problems (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.2%	1.9%	4.9%	95.1%
Grade 6	0.3%	0.5%	1.2%	98.9%
Grade 7	0.6%	0.9%	1.7%	98.3%
Grade 8	1.0%	1.5%	3.4%	96.6%
Grade 9	1.5%	2.5%	5.2%	94.7%
Grade 10	1.6%	2.5%	6.7%	93.3%
Grade 11	1.5%	2.8%	8.7%	91.3%
Grade 12	1.9%	2.7%	8.7%	91.3%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 6	0.1%	0.1%	0.3%	99.6%
Grade 7	0.2%	0.3%	0.5%	99.6%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.6%
Grade 11	0.2%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.6%	0.9%	99.1%

Table B-12: Prevalence and recency of use of selected substances by grade Students who would not seek help from adults for substance abuse problems

	Past Month	School Year	Ever Used	Never Used
Tobacco				
	All 12.5%	17.6%	31.5%	68.5%
Grae	de 6 3.1%	4.5%	12.6%	87.4%
Grae	de 7 6.7%	9.5%	24.2%	75.8%
Grae	de 8 10.1%	14.3%	27.0%	73.0%
Grae	de 9 9.2%	16.8%	32.3%	67.7%
Grade	e 10 17.3%	22.9%	36.2%	63.8%
Grade	e 11 16.6%	23.2%	41.8%	58.1%
Grade	e 12 21.5%	27.0%	39.2%	60.8%
Alcohol				
	All 27.4%	37.9%	58.0%	42.0%
Grae		13.1%	37.4%	62.5%
Grae		23.6%	50.5%	49.5%
Grae		33.1%	51.9%	48.2%
Grae	de 9 28.3%	40.3%	58.0%	42.0%
Grade	e 10 32.7%	47.4%	67.5%	32.5%
Grade		50.1%	69.8%	30.2%
Grade		46.6%	62.7%	37.3%
Inhalants				
	All 7.2%	9.5%	19.4%	80.6%
Grae		9.1%	19.9%	80.0%
Grad		15.8%	29.1%	70.9%
Grae		12.2%	25.9%	74.1%
Grae		8.2%	18.6%	81.4%
Grade		8.1%	17.2%	82.8%
Grade		8.0%	13.9%	86.1%
Grade		6.5%	13.9%	86.2%
Any Illicit Drug		0.0,0		00.2,0
ing interesting	All 16.0%	21.3%	33.9%	66.2%
Grad		3.5%	10.4%	89.6%
Grad		11.6%	18.9%	81.1%
Grad		15.6%	24.8%	75.3%
Grad		21.6%	34.8%	65.2%
Grade		27.0%	41.5%	58.4%
Grade		32.4%	47.9%	52.1%
Grade		29.6%	48.2%	51.7%
Marijuana	22.070	23.070	10.270	01.170
1,1011Juuiiu	All 14.5%	20.1%	32.7%	67.2%
Grae		3.0%	10.2%	89.7%
Grad		10.1%	16.7%	83.3%
Grad		14.6%	23.2%	76.7%
Grad		20.2%	34.0%	66.0%
Grade		25.8%	40.2%	59.8%
Grade		31.5%	47.4%	52.7%
	e 12 21.1%	28.1%	47.0%	53.0%

Table B-12: Prevalence and recency of use of selected substances by grade Students who would not seek help from adults for substance abuse problems (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	6.6%	9.5%	17.9%	82.0%
Grade 6	0.3%	1.2%	5.3%	94.7%
Grade 7	3.8%	4.8%	9.5%	90.6%
Grade 8	3.3%	7.0%	13.2%	86.9%
Grade 9	7.0%	9.6%	17.5%	82.5%
Grade 10	7.2%	10.9%	21.1%	78.9%
Grade 11	11.3%	15.3%	25.9%	74.2%
Grade 12	10.6%	14.5%	27.8%	72.3%
Cocaine Or Crack	_0.0,0		_,,,,,	,_,,,
All	1.3%	1.9%	4.1%	95.8%
Grade 6	0.1%	1.3%	2.0%	97.9%
Grade 7	1.5%	1.6%	2.3%	97.7%
Grade 8	1.0%	1.4%	4.3%	95.7%
Grade 9	1.0%	1.2%	3.3%	96.7%
Grade 10	0.9%	1.3%	4.3%	95.7%
Grade 11	2.3%	3.8%	6.0%	94.1%
Grade 12	2.0%	2.7%	6.2%	93.9%
Cocaine Grade 12	2.070	2.170	0.270	90.970
All	1.2%	1.7%	3.7%	96.4%
Grade 6	0.1%	1.3%	1.7%	98.2%
Grade 7	1.5%	1.6%	1.9%	98.2%
Grade 8	0.6%	0.7%	3.3%	96.7%
Grade 9	0.0%	1.1%	3.1%	96.9%
Grade 10	0.8%	1.1% $1.2%$	3.6%	96.4%
Grade 10 Grade 11	2.3%	$\frac{1.2}{6}$ $3.4\%$	5.4%	94.6%
Grade 11 Grade 12				
Crack	1.7%	2.4%	5.7%	94.3%
All	0.3%	0.4%	1.0%	99.0%
Grade 6	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.7%	1.0%	2.3%	97.6%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.1%	0.1%	1.2%	98.8%
Grade 11	0.1%	0.5%	0.9%	99.1%
Grade 12	0.3%	0.3%	0.7%	99.3%
Hallucinogens	04	0.104	~	o= 104
All	1.5%	2.4%	4.7%	95.4%
Grade 6	0.0%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.6%	1.7%	98.3%
Grade 8	0.8%	1.3%	2.8%	97.2%
Grade 9	2.2%	3.2%	5.3%	94.6%
Grade 10	1.5%	2.3%	5.6%	94.4%
Grade 11	2.4%	3.9%	7.0%	92.9%
Grade 12	2.2%	3.6%	7.4%	92.5%

Table B-12: Prevalence and recency of use of selected substances by grade Students who would not seek help from adults for substance abuse problems (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.7%	0.8%	1.4%	98.6%
	$Grade\ 6$	0.5%	0.5%	1.0%	99.0%
	Grade 7	0.2%	0.2%	1.0%	99.0%
	Grade 8	0.5%	0.5%	1.0%	99.1%
	Grade 9	1.5%	1.8%	2.8%	97.2%
	Grade 10	1.3%	1.4%	1.8%	98.2%
	Grade 11	0.5%	0.6%	1.0%	99.0%
	Grade 12	0.3%	0.6%	1.2%	98.8%
Steroids					
	All	0.6%	0.7%	1.4%	98.6%
	Grade 6	0.2%	0.2%	0.6%	99.4%
	Grade 7	0.4%	0.5%	1.0%	99.1%
	Grade 8	0.9%	0.9%	2.0%	97.9%
	Grade 9	0.3%	0.3%	1.0%	98.9%
	Grade 10	0.7%	0.9%	1.4%	98.6%
	Grade 11	1.2%	1.2%	2.1%	97.9%
	Grade 12	0.4%	0.8%	1.4%	98.5%
Ecstasy					
v	All	1.3%	2.1%	4.5%	95.4%
	Grade 6	0.0%	0.2%	0.5%	99.6%
	Grade 7	0.3%	0.6%	1.8%	98.1%
	Grade 8	1.4%	1.7%	3.3%	96.8%
	Grade 9	1.1%	2.1%	4.8%	95.2%
	Grade 10	1.5%	3.0%	5.3%	94.8%
	Grade 11	3.3%	4.0%	8.6%	91.3%
	Grade 12	1.1%	2.4%	5.7%	94.4%
Heroin					
	All	0.3%	0.4%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	1.1%	1.3%	1.5%	98.5%
	Grade 8	0.1%	0.5%	0.6%	99.3%
	Grade 9	0.1%	0.1%	1.0%	99.0%
	Grade 10	0.4%	0.4%	0.5%	99.5%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.6%	0.6%	0.7%	99.3%

Table B-12: Prevalence and recency of use of selected substances by grade Students who would not seek help from adults for substance abuse problems (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.3%	4.9%	10.3%	89.7%
Grade 6	0.7%	0.9%	3.3%	96.7%
Grade 7	2.2%	3.6%	5.3%	94.7%
Grade 8	4.6%	5.1%	8.0%	92.1%
Grade 9	4.7%	6.5%	12.2%	87.7%
Grade 10	4.6%	8.0%	15.4%	84.6%
Grade 11	2.9%	4.6%	12.9%	87.1%
Grade 12	2.4%	4.0%	11.4%	88.6%
Methamphetamine				
All	0.4%	0.5%	1.0%	98.9%
Grade 6	0.0%	0.0%	0.6%	99.4%
Grade 7	0.6%	0.8%	0.9%	99.2%
Grade 8	0.0%	0.2%	1.0%	98.9%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.8%	0.9%	1.5%	98.5%
Grade 11	0.9%	1.0%	1.3%	98.8%
Grade 12	0.5%	0.6%	1.1%	98.9%

3 Margin Tables

	GENDER			
q1	Frequency	Percent		
Male	1,182,684	50.2%		
Female	$1,\!174,\!130$	49.8%		
Frequency Missing = 16490				

	GRADE	
q2	Frequency	Percent
Grade 6	351,151	14.8%
Grade 7	358,961	15.1%
Grade 8	$350,\!348$	14.8%
Grade 9	$376,\!862$	15.9%
Grade 10	$338,\!587$	14.3%
Grade 11	313,223	13.2%
Grade 12	284,172	12.0%

	LIVE WITH	ВОТН
	PARENTS	
q3	Frequency	Percent
Do not know	0	0.0%
No	851,729	36.2%
Yes	1,503,689	63.8%

Frequency	Missing =	17885
-----------	-----------	-------

	AGE	
q4	Frequency	Percent
10 or below	1,847	0.1%
11	128,676	5.4%
12	319,084	13.5%
13	369,461	15.6%
14	339,409	14.4%
15	362,938	15.3%
16	334,034	14.1%
17	309,013	13.1%
18	177,350	7.5%
19 or older	23,265	1.0%

Frequency Missing = 8227

	ETHNICITY	•
q5	Frequency	Percent
African Am.	295,065	12.8%
Asian Am.	83,560	3.6%
Mexican Am.	1,106,710	47.9%
Native Am.	10,928	0.5%
Other	41,042	1.8%
White	773,060	33.5%

Frequency Missing = 62939

	ON A	AVERAGE
	WHAT GR.	ADES DO
	YOU GET	
q6	Frequency	Percent
Mostly A's	694,916	34.0%
Mostly B's	1,029,786	50.4%
Mostly C's	279,008	13.7%
Mostly D's	28,922	1.4%
Mostly F's	11,325	0.6%

Frequency Missing = 329347

	DO YOU JOB	HAVE A
q7	Frequency	Percent
No	1,735,220	84.3%
Yes	323,312	15.7%

Frequency Missing = 314771

	QUALIFY	FOR
	FREE/REDUCED	
	PRICE LUN	CH
q8	Frequency	Percent
Do not know	490,004	24.0%
No	723,341	35.4%
Yes	828,727	40.6%

Frequency Missing = 331233

	PARTICIPAT	ΓE IN
	SCHOOL	ATHLET-
	ICS (UIL, V	ARSITY,
	JR VARSITY	Y)
q9a	Frequency	Percent
No	1,029,784	52.8%
Yes	922,072	47.2%

Frequency Missing = 421448

	PARTICIPA	PARTICIPATE	
	IN	SCHOOL	
	BAND/ORC	HES-	
	TRA		
q9b	Frequency	Percent	
No	1,433,273	77.1%	
Yes	425,346	22.9%	

Frequency Missing = 514685

	PARTICIPA	$\Gamma E$ IN
	SCHOOL CH	HOIR
q9c	Frequency	Percent
No	1,577,034	87.0%
Yes	235,024	13.0%

	PARTICIPAT	$\Gamma \mathrm{E} = \mathrm{IN}$
	ATHLETIC	TEAMS
	OUTSIDE	OF
	SCHOOL	
q9h	Frequency	Percent
No	1,162,926	62.4%
Yes	701,919	37.6%

Frequency Missing = 508459

	PARTICIPAT	PARTICIPATE	
	IN	DRILL	
	TEAM/CHE	ER-	
	LEADING		
q9d	Frequency	Percent	
No	1,656,263	91.5%	
Yes	154,384	8.5%	

Frequency Missing = 562657

	PARTICIPA'	TE IN
	OTHER CL	
	GROUPS	OUTSIDE
	OF SCHOOL	
q9i	Frequency	Percent
No	1,369,538	74.8%
Yes	461,693	25.2%

Frequency Missing = 542073

	PARTICIPA	PARTICIPATE	
	IN S	TUDENT	
	GOVERNMI	GOVERNMEN-	
	T/SCHOOL	T/SCHOOL NEWS-	
	PAPER/YEA	ARBOOK	
q9e	Frequency	Percent	
No	1,684,291	93.2%	
Yes	122,308	6.8%	

Frequency Missing = 566706

	DO YOU FEEL SAFE	
	IN YOUR HOME	
q10a	Frequency	Percent
Very Safe	1,993,292	84.8%
Somewhat Safe	312,980	13.3%
Not Very Safe	22,017	0.9%
Not Safe At All	4,642	0.2%
Don't Know	18,514	0.8%

Frequency Missing = 21859

	PARTICIPA'	TE IN
	ACADEMIC	CLUB-
	S/SOCIETII	ES/COM-
	PETITION (	GROUPS
q9f	Frequency	Percent
No	1,343,937	73.1%
Yes	494,881	26.9%

Frequency Missing = 534486

	DO YOU FE	EL SAFE	
	IN YOUR	NEIGH-	
	BORHOOD		
q10b	Frequency	Percent	
Very Safe	942,784	40.4%	
Somewhat Safe	$1,\!105,\!488$	47.3%	
Not Very Safe	$184,\!158$	7.9%	
Not Safe At All	42,159	1.8%	
Don't Know	60,128	2.6%	
Frequency Missing = 38586			

Frequency Missing = 38586

	PARTICIPA'	TE IN
	OTHER	SCHOOL
	CLUBS OR	GROUPS
q9g	Frequency	Percent
No	1,341,028	73.2%
Yes	490,083	26.8%

Frequency Missing = 542193

	DO YOU FEEL SAFE	
	AT SCHOOL	
q10c	Frequency	Percent
Very Safe	1,034,985	44.3%
Somewhat Safe	990,801	42.4%
Not Very Safe	$163,\!650$	7.0%
Not Safe At All	71,728	3.1%
Don't Know	$73,\!105$	3.1%

Frequency Missing = 39035

No

Yes

	FRIENDS F	EELING
	CLOSE TO	THEIR
	PARENTS	
q11a	Frequency	Percent
None	136,042	5.8%
A Few	$528,\!196$	22.7%
Some	566,327	24.3%
Most	806,681	34.6%
All	291,742	12.5%

Frequency	Missing	_	44316

	FRIENDS	WISHING
	TO DROP	OUT OF
	SCHOOL	
q11e	Frequency	Percent
None	1,475,831	63.3%
A Few	554,803	23.8%
Some	181,974	7.8%
Most	71,072	3.1%
All	$46,\!507$	2.0%

Frequency Missing = 43116

HOUSES Frequency

1,064,416

Frequency Missing = 607300

701,587

PARENTS ATTEND PTA/SCHOOL OPEN

Percent

60.3%

39.7%

	HOW	MANY
	FRIENDS	CARRY
	WEAPONS	
q11b	Frequency	Percent
None	1,644,627	71.4%
A Few	$408,\!136$	17.7%
Some	158,884	6.9%
Most	68,896	3.0%
All	22,191	1.0%

Frequency Missing = 70570

	HOW	MANY
	FRIENDS	CARE
	ABOUT	GOOD
	GRADES	
q11c	Frequency	Percent
None	52,984	2.3%
A Few	$279,\!215$	12.2%
Some	473,464	20.7%
Most	970,649	42.4%
All	514,959	22.5%

Frequency Missing = 82033

	RECENT IN	HALANT
	USE - SPRA	Y PAINT
q13a	Frequency	Percent
Never	2,279,291	97.3%
Heard/Used		
In Your Life-	42,829	1.8%
time		
Since School	5,478	0.2%
Began		
In the Past	15,780	0.7%
Month		

Frequency Missing = 29926

	HOW	MANY
	FRIENDS	BELONG
	TO A GAN	$^{\mathrm{IG}}$
q11d	Frequency	Percent
None	1,918,939	82.5%
A Few	$262,\!137$	11.3%
Some	91,485	3.9%
Most	35,854	1.5%
All	18,213	0.8%

Frequency Missing = 46676

	RECENT IN	HALANT
	USE -	WHITE-
	OUT, COR	RECTION
	FLUID,	MAGIC
	MARKERS	
q13b	Frequency	Percent
Never	2,187,929	93.7%
Heard/Used		
In Your Life-	93,307	4.0%
time		
Since School	15,735	0.7%
Began		
In the Past	39,141	1.7%
Month		

Frequency Missing = 37192

	RECENT IN	HALANT
	USE - COMPUTER	
	DUSTING S	PRAYS
q13c	Frequency	Percent
Never	2,292,226	98.6%
Heard/Used		
In Your Life-	19,924	0.9%
time		
Since School	4,128	0.2%
Began		
In the Past	8,909	0.4%
Month		

Frequency	Missing =	48116
-----------	-----------	-------

	RECENT	IN-
	HALANT	USE -
	TOLUENE,I	PAINT
	THINNER,	OTHER
	SOLVENTS	
q13f	Frequency	Percent
Never	2,302,040	98.9%
Heard/Used		
In Your Life-	14,646	0.6%
time		
Since School	3,228	0.1%
Began		
In the Past	8,738	0.4%
Month		

Frequency Missing = 44652

RECENT	IN-
HALANT	USE -
HELIUM,	BUTANE,
PROPANE,	WHIP-
PETS, RI	EFRIGER-
ANTS/FRE	ON
Frequency	Percent
2,196,150	94.1%
82,908	3.6%
15,498	0.7%
39,288	1.7%
	HELIUM, PROPANE, PETS, RI ANTS/FRE Frequency 2,196,150 82,908 15,498

Frequency Missing = 39460

	RECENT IN	HALANT
	USE - GASOLINE,	
	OCTANE B	OOSTER,
	CARBURET	OR
	CLEANER	
q13g	Frequency	Percent
Never	2,280,416	97.8%
Heard/Used		
In Your Life-	28,901	1.2%
time		
Since School	5,835	0.3%
Began		
In the Past	16,590	0.7%
Month		

Frequency Missing = 41562

	RECENT IN	HALANT
	USE - GLUE	2
q13e	Frequency	Percent
Never	2,297,506	98.7%
Heard/Used		
In Your Life-	17,840	0.8%
time		
Since School	4,249	0.2%
Began		
In the Past	8,428	0.4%
Month		

Frequency Missing = 45282

	RECENT IN	NHALANT
	USE -	OTHER
	AEROSOLS	S/SPRAYS
q13h	Frequency	Percent
Never	2,279,855	97.6%
Heard/Used		
In Your Life-	29,475	1.3%
time		
Since School	7,353	0.3%
Began		
In the Past	18,247	0.8%
Month		

Frequency Missing = 38373

	RECENT	
	CIGARETT	E USE
q14a	Frequency	Percent
Never	1,921,612	82.3%
Heard/Used		
In Your Life-	$213,\!563$	9.1%
time		
Since School	$63,\!407$	2.7%
Began		
In the Past	135,726	5.8%
Month		

Frequency N	Iissing = 1	38995
-------------	-------------	-------

	RECENT	SMOKE-
	LESS	TOBACCO
	USE	
q14b	Frequency	Percent
Never	2,132,520	92.0%
Heard/Used		
In Your Life-	75,699	3.3%
time		
Since School	32,983	1.4%
Began		
In the Past	75,628	3.3%
Month	,	

Frequency Missing = 56474

	RECENT BEER USE	
q14c	Frequency	Percent
Never	1,485,549	64.9%
Heard/Used		
In Your Life-	$385,\!297$	16.8%
time		
Since School	139,528	6.1%
Began		
In the Past	277,967	12.1%
Month		

Frequency Missing = 84962

	RECENT	WINE
	COOLER US	SE
q14d	Frequency	Percent
Never	1,653,006	71.4%
Heard/Used		
In Your Life-	285,388	12.3%
time		
Since School	126,717	5.5%
Began		
In the Past	250,830	10.8%
Month		

Frequency Missing = 57362

	RECENT WINE USE	
q14e	Frequency	Percent
Never	1,622,911	71.1%
Heard/Used		
In Your Life-	$356,\!860$	15.6%
time		
Since School	117,331	5.1%
Began		
In the Past	186,180	8.2%
Month		

Frequency Missing = 90022

	RECENT	LIQUOR
- 10	USE	
q14f	Frequency	Percent
Never	1,608,972	69.3%
Heard/Used		
In Your Life-	296,876	12.8%
time		
Since School	$143,\!568$	6.2%
Began		
In the Past	$273,\!453$	11.8%
Month		

Frequency Missing = 50435

	RECENT INHALANT	
	USE	
q14g	Frequency	Percent
Never	2,249,606	95.6%
Heard/Used		
In Your Life-	63,717	2.7%
time		
Since School	13,926	0.6%
Began		
In the Past	25,119	1.1%
Month		

Frequency Missing = 20936

	RECENT	MARI-
	JUANA USE	
q15a	Frequency	Percent
Never	1,844,056	79.6%
Heard/Used		
In Your Life-	207,113	8.9%
time		
Since School	81,787	3.5%
Began		
In the Past	182,690	7.9%
Month		

Frequency Missing = 57658

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	2,273,470	98.2%
Heard/Used In Your Life-	22,758	1.0%
time Since School	5,985	0.3%
Began In the Past Month	12,309	0.5%

Frequency	Missing	=	58783
-----------	---------	---	-------

	RECENT	CRACK
	USE	
q15c	Frequency	Percent
Never	2,294,626	99.5%
Heard/Used		
In Your Life-	$6,\!297$	0.3%
time		
Since School	1,720	0.1%
Began		
In the Past	4,049	0.2%
Month		

Frequency Missing = 66611

	RECENT	HALLU-
	CINOGEN	USE
q15e	Frequency	Percent
Never	2,258,947	97.8%
Heard/Used		
In Your Life-	26,114	1.1%
time		
Since School	9,538	0.4%
Began		
In the Past	15,852	0.7%
Month		

Frequency Missing = 62854

	RECENT	ROHYP-
	NOL USE	
q15f	Frequency	Percent
Never	2,292,547	99.2%
Heard/Used		
In Your Life-	8,939	0.4%
time		
Since School	2,299	0.1%
Began		
In the Past	6,882	0.3%
Month		

Frequency Missing = 62637

	RECENT	STEROID
	USE	STEROID
q15g	Frequency	Percent
Never	2,287,632	99.0%
Heard/Used		
In Your Life-	13,240	0.6%
time		
Since School	1,824	0.1%
Began		
In the Past	7,771	0.3%
Month	•	

Frequency Missing = 62837

	RECENT	ECSTASY
	USE	
q15h	Frequency	Percent
Never	2,248,507	97.7%
Heard/Used		
In Your Life-	30,076	1.3%
time		
Since School	8,814	0.4%
Began		
In the Past	14,872	0.6%
Month		
Began In the Past	,	3.2,

Frequency Missing = 71034

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	2,301,415	99.6%
Heard/Used In Your Life- time	4,537	0.2%
Since School Began	1,104	0.0%
In the Past Month	3,935	0.2%

Frequency Missing = 62313

	RECENT N	
17:	PHETAMIN	
q15j	Frequency	Percent
Never	$2,\!296,\!238$	99.4%
Heard/Used		
In Your Life-	7,716	0.3%
time		
Since School	2,461	0.1%
Began		
In the Past	4,649	0.2%
Month		

Frequency Missing = 62239

	RECENT	SYN-
	THETIC	MARI-
	JUANA USE	
q15k	Frequency	Percent
Never	2,177,071	94.3%
Heard/Used		
In Your Life-	76,871	3.3%
time		
Since School	19,836	0.9%
Began		
In the Past	35,740	1.5%
Month		

Frequency Missing = 63785

	RECENT	PRE-
	SCRIPTION	DRUG
	USE - CODEI	INE
q16a	Frequency	Percent
Never	2,093,301	90.0%
Heard/Used		
In Your Life-	$80,\!555$	3.5%
time		
Since School	41,999	1.8%
Began		
In the Past	110,754	4.8%
Month		
	3.51 1 1000	

Frequency Missing = 46695

	RECENT	PRE-
	SCRIPTION	DRUG
	USE - OXY	CONTIN
	ETC	
q16b	Frequency	Percent
Never	2,272,081	97.8%
Heard/Used		
In Your Life-	16,759	0.7%
time		
Since School	8,174	0.4%
Began	,	
In the Past	26,898	1.2%
Month	,	

Frequency Missing = 49392

	RECENT	PRE-
	SCRIPTION	DRUG
	USE - VICOE	OIN ETC
q16c	Frequency	Percent
Never	2,218,826	95.5%
Heard/Used		
In Your Life-	32,091	1.4%
time		
Since School	22,703	1.0%
Began		
In the Past	50,046	2.2%
Month		

Frequency Missing = 49638

	RECENT	PRE-
	SCRIPTION	DRUG
	USE - VALIU	M ETC
q16d	Frequency	Percent
Never	2,298,546	99.1%
Heard/Used		
In Your Life-	6,984	0.3%
time		
Since School	2,891	0.1%
Began		
In the Past	12,107	0.5%
Month		

Frequency Missing = 52775

	RECENT	PRE-
	SCRIPTION	DRUG
	USE - XANA	X ETC
q16e	Frequency	Percent
Never	2,258,186	97.2%
Heard/Used		
In Your Life-	19,313	0.8%
time		
Since School	12,725	0.5%
Began		
In the Past	32,503	1.4%
Month		

Frequency Missing = 50577

TAKE DXM,	TRIPLE
CS, ETC. 7	TO GET
HIGH	
Frequency	Percent
2,185,316	96.7%
29,155	1.3%
12,230	0.5%
33,141	1.5%
,	
	CS, ETC. THIGH Frequency 2,185,316 29,155 12,230

Frequency Missing = 113462

	TOBACCO	
	PAST MON	$\mathrm{TH}$
q18a	Frequency	Percent
Never	2,110,358	91.3%
Heard/Used		
1-2 times	104,100	4.5%
3-10 times	$43,\!325$	1.9%
11+ times	54,764	2.4%

	ALCOHOL	USE IN
	PAST MON	TH
q18b	Frequency	Percent
Never	1,765,515	76.7%
Heard/Used		
1-2 times	$333,\!561$	14.5%
3-10  times	143,239	6.2%
11+ times	58,510	2.5%

Frequency	7 T.	70.470
Frequency	VHSSING	= (24.8)

	INHALANT	USE IN
	PAST MON	$\mathrm{TH}$
q18c	Frequency	Percent
Never	2,263,579	97.9%
Heard/Used		
1-2 times	$37,\!474$	1.6%
3-10 times	8,235	0.4%
11+ times	3,141	0.1%

Frequency Missing = 60875

	MARIJUANA USE IN	
	PAST MON	ΓH
q18d	Frequency	Percent
Never	2,036,469	88.1%
Heard/Used		
1-2 times	129,383	5.6%
3-10  times	69,733	3.0%
11+ times	76,035	3.3%

Frequency Missing = 61684

	COCAINE	USE IN
	PAST MON	TH
q18e	Frequency	Percent
Never	2,295,277	99.2%
Heard/Used		
1-2 times	13,746	0.6%
3-10  times	2,405	0.1%
11+ times	2,731	0.1%

Frequency Missing = 59145

	CRACK	USE IN
	PAST MO	NTH
q18f	Frequency	Percent
Never	2,304,608	99.7%
Heard/Used		
1-2 times	4,346	0.2%
3-10  times	1,323	0.1%
11+ times	1,227	0.1%

Frequency Missing = 61801

	CLOSE	FRIENDS
	USE TOBA	ACCO
q19a	Frequency	Percent
Never	1,555,691	68.0%
heard/None		
A few	429,798	18.8%
Some	189,740	8.3%
Most	92,264	4.0%
All	20,559	0.9%

Frequency Missing = 85252

	CLOSE	FRIENDS
	USE ALCC	OHOL
q19b	Frequency	Percent
Never	1,161,156	50.8%
heard/None		
A few	495,014	21.7%
Some	307,111	13.4%
Most	251,680	11.0%
All	$70,\!135$	3.1%

Frequency Missing = 88210

	CLOSE	FRIENDS
	USE INHA	LANTS
q19c	Frequency	Percent
Never	2,077,743	91.1%
heard/None		
A few	140,847	6.2%
Some	43,376	1.9%
Most	13,210	0.6%
All	5,199	0.2%

FRIENDS CLOSE USE MARIJUANA

		-
q19d	Frequency	Percent
Never	1,321,980	57.9%
heard/None		
A few	403,941	17.7%
Some	261,420	11.4%
Most	219,083	9.6%
All	77,820	3.4%

Frequency Missing = 89059

	DIFFICULT TOBACCO	TO GET
q20a	Frequency	Percent
Never heard of	$608,\!238$	27.1%
Impossible	$528,\!088$	23.5%
Very difficult	$173,\!432$	7.7%
Somewhat diff	209,548	9.3%
Somewhat easy	$287,\!607$	12.8%
Very easy	$439,\!584$	19.6%

Frequency	Missing -	126807

	DIFFICULT	TO GET
	COCAINE	
q20e	Frequency	Percent
Never heard of	770,088	34.5%
Impossible	778,877	34.8%
Very difficult	$283,\!341$	12.7%
Somewhat diff	194,030	8.7%
Somewhat easy	97,773	4.4%
Very easy	110,928	5.0%

Frequency Missing = 138267

	DIFFICULT	ОТ ТО
	GET C	OMBINED
	ALCOHOL	
q20b	Frequency	Percent
Never heard of	502,908	22.4%
Impossible	$373,\!641$	16.7%
Very difficult	$137,\!271$	6.1%
Somewhat diff	234,941	10.5%
Somewhat easy	392,751	17.5%
Very easy	599,621	26.8%

Frequency Missing = 132170

	DIFFICULT	TO GET
	CRACK	
q20f	Frequency	Percent
Never heard of	816,475	36.5%
Impossible	786,928	35.2%
Very difficult	291,112	13.0%
Somewhat diff	169,807	7.6%
Somewhat easy	79,731	3.6%
Very easy	92,077	4.1%

Frequency Missing = 137174

	DIFFICULT	TO GET
	INHALANTS	
q20c	Frequency	Percent
Never heard of	827,301	37.0%
Impossible	$396,\!512$	17.8%
Very difficult	106,285	4.8%
Somewhat diff	135,843	6.1%
Somewhat easy	221,024	9.9%
Very easy	546,690	24.5%

Frequency Missing = 139649

	DIFFICULT	TO GET
	STEROIDS	
q20h	Frequency	Percent
Never heard of	835,303	37.4%
Impossible	769,775	34.4%
Very difficult	280,641	12.6%
Somewhat diff	171,300	7.7%
Somewhat easy	89,437	4.0%
Very easy	88,830	4.0%
Frequency Missing = 138017		

DIFFICULT TO GET	
ECSTASY	
Frequency	Percent
1,021,410	45.7%
612,216	27.4%
223,622	10.0%
$158,\!205$	7.1%
105,918	4.7%
111,715	5.0%
	ECSTASY Frequency 1,021,410 612,216 223,622 158,205 105,918

Frequency Missing = 140218

	DIFFICULT TO GET	
	MARIJUANA	
q20d	Frequency	Percent
Never heard of	593,369	26.5%
Impossible	564,415	25.2%
Very difficult	$167,\!081$	7.5%
Somewhat diff	191,642	8.6%
Somewhat easy	266,277	11.9%
Very easy	456,143	20.4%

Frequency Missing = 134377

	DIFFICULT	TO GET
	HEROIN	
q20j	Frequency	Percent
Never heard of	977,527	43.6%
Impossible	770,340	34.4%
Very difficult	255,945	11.4%
Somewhat diff	114,716	5.1%
Somewhat easy	53,384	2.4%
Very easy	$70,\!122$	3.1%

Frequency Missing = 131270

	DIFFICUI	т то
	$\operatorname{GET}$	METHAM-
	PHETAMINE	
q20k	Frequency	Percent
Never heard of	1,026,164	45.8%
Impossible	730,857	32.6%
Very difficult	$243,\!275$	10.9%
Somewhat diff	111,397	5.0%
Somewhat easy	53,071	2.4%
Very easy	76,658	3.4%

Frequency Missing = 131881

	DIFFICULT	O GET
	SYNTHETIC MARI-	
	JUANA	
q20l	Frequency	Percent
Never heard of	1,001,895	44.7%
Impossible	$569,\!390$	25.4%
Very difficult	179,195	8.0%
Somewhat diff	139,870	6.2%
Somewhat easy	148,573	6.6%
Very easy	201,408	9.0%

Frequency Missing = 132973

	AGE WHEN	I FIRST
	USED ALCO	HOL
q21b	Frequency	Percent
8 or younger	114,110	11.9%
9 years old	43,033	4.5%
10 years old	60,992	6.4%
11 years old	$65,\!854$	6.9%
12 years old	$111,\!497$	11.6%
13 years old	140,463	14.6%
14 years old	137,280	14.3%
15 years old	134,819	14.1%
16 years old	93,580	9.8%
17 years old	42,595	4.4%
18 or older	14,851	1.5%
	3.5: : 3.43.4	220

Frequency Missing = 1414229

	AGE WHEN	FIRST
	USED INHAL	ANTS
q21c	Frequency	Percent
8 or younger	17,307	15.8%
9 years old	8,442	7.7%
10 years old	14,999	13.7%
11 years old	17,092	15.6%
12 years old	15,201	13.9%
13 years old	15,175	13.9%
14 years old	$10,\!477$	9.6%
15 years old	5,959	5.5%
16 years old	3,336	3.1%
17 years old	953	0.9%
18 or older	288	0.3%

Frequency Missing = 2264074

	AGE WHEN	FIRST
	USED TOBAG	CCO
q21a	Frequency	Percent
8 or younger	27,108	7.2%
9 years old	13,013	3.5%
10 years old	25,065	6.7%
11 years old	25,106	6.7%
12 years old	42,297	11.2%
13 years old	54,801	14.6%
14 years old	51,056	13.6%
15 years old	58,352	15.5%
16 years old	46,292	12.3%
17 years old	23,518	6.3%
18 or older	9,624	2.6%

Frequency Missing = 1997072

	AGE WHEN	FIRST
	USED MARI.	JUANA
q21d	Frequency	Percent
8 or younger	9,487	2.0%
9 years old	8,638	1.8%
10 years old	15,721	3.4%
11 years old	29,028	6.2%
12 years old	53,239	11.3%
13 years old	83,360	17.8%
14 years old	88,931	19.0%
15 years old	84,104	17.9%
16 years old	60,966	13.0%
17 years old	28,747	6.1%
18 or older	6,866	1.5%

	AGE WHEN	FIRST
	USED COCA	INE
q21e	Frequency	Percent
8 or younger	564	1.7%
9 years old	654	1.9%
10 years old	884	2.6%
11 years old	1,553	4.6%
12 years old	2,836	8.3%
13 years old	4,329	12.7%
14 years old	4,484	13.2%
15 years old	6,482	19.0%
16 years old	5,448	16.0%
17 years old	4,341	12.7%
18 or older	2,490	7.3%

Frequency Missing = 2339239

	AGE WHE	N FIRST
	USED ECST	ASY
q21i	Frequency	Percent
8 or younger	708	1.5%
9 years old	237	0.5%
10 years old	1,033	2.1%
11 years old	1,435	3.0%
12 years old	3,060	6.4%
13 years old	5,698	11.9%
14 years old	8,993	18.7%
15 years old	10,648	22.2%
16 years old	$9,\!252$	19.2%
17 years old	5,799	12.1%
18 or older	1,202	2.5%

Frequency Missing = 2325239

	AGE WHEN	FIRST
	USED CRACI	K
q21f	Frequency	Percent
8 or younger	693	7.9%
9 years old	147	1.7%
10 years old	542	6.2%
11 years old	752	8.5%
12 years old	2,408	27.4%
13 years old	2,216	25.2%
14 years old	983	11.2%
15 years old	530	6.0%
16 years old	281	3.2%
17 years old	250	2.8%
18 or older	0	0.0%

Frequency Missing = 2364503

	AGE WHE	N FIRST
	USED HERO	OIN
q21j	Frequency	Percent
8 or younger	1,934	35.3%
9 years old	531	9.7%
10 years old	317	5.8%
11 years old	208	3.8%
12 years old	227	4.1%
13 years old	573	10.5%
14 years old	312	5.7%
15 years old	627	11.5%
16 years old	292	5.3%
17 years old	449	8.2%
18 or older	8	0.1%

Frequency Missing = 2367828

	AGE WHE	N FIRST
	USED STER	OIDS
q21h	Frequency	Percent
8 or younger	3,207	17.5%
9 years old	777	4.2%
10 years old	2,104	11.5%
11 years old	1,910	10.4%
12 years old	1,637	8.9%
13 years old	1,915	10.4%
14 years old	1,984	10.8%
15 years old	1,697	9.2%
16 years old	1,437	7.8%
17 years old	1,174	6.4%
18 or older	512	2.8%

Frequency Missing = 2354950

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	AGE WHE	N FIRST
	USED M	IETHAM-
	PHETAMIN	$\mathbf{E}$
q21k	Frequency	Percent
8 or younger	1,985	18.5%
9 years old	267	2.5%
10 years old	415	3.9%
11 years old	417	3.9%
12 years old	1,333	12.4%
13 years old	1,185	11.0%
14 years old	1,207	11.2%
15 years old	1,764	16.4%
16 years old	647	6.0%
17 years old	1,503	14.0%
18 or older	26	0.2%

	AGE WHE	N FIRST
	USED SYN	NTHETIC
	MARIJUAN.	A
q21l	Frequency	Percent
8 or younger	1,278	1.0%
9 years old	1,276	1.0%
10 years old	2,290	1.8%
11 years old	5,001	3.9%
12 years old	$10,\!572$	8.3%
13 years old	23,676	18.5%
14 years old	24,537	19.2%
15 years old	25,760	20.1%
16 years old	21,936	17.1%
17 years old	$9,\!451$	7.4%
18 or older	2,214	1.7%

Frequency Missing = 2245311

	HOW OFT	EN NOR-
	MALLY U	USE IN-
	HALANTS	
q22c	Frequency	Percent
Every day	1,261	0.1%
Several	4,042	0.2%
times/wk		
Several	7,911	0.3%
times/mo		
About once/-	12,928	0.6%
month		
About on-	15,556	0.7%
ce/year	,	
< once/year	37,031	1.6%
Never used	2,197,671	96.5%

Frequency Missing = 96904

	HOW OFTE	EN NOR-
	MALLY US	SE TO-
	BACCO	
q22a	Frequency	Percent
Every day	34,744	1.5%
Several	30,792	1.4%
times/wk		
Several	40,644	1.8%
times/mo		
About once/-	62,034	2.7%
month		
About on-	57,270	2.5%
ce/year		
< once/year	99,929	4.4%
Never used	1,951,711	85.7%

Frequency Missing = 96180

	HOW OFTE	EN NOR-
	MALLY US	E MARI-
	JUANA	
q22d	Frequency	Percent
Every day	38,107	1.7%
Several	44,944	2.0%
times/wk		
Several	$67,\!586$	3.0%
times/mo		
About once/-	$77,\!466$	3.4%
month		
About on-	80,972	3.6%
ce/year		
< once/year	98,471	4.3%
Never used	$1,\!872,\!163$	82.1%

Frequency Missing = 93596

	HOW OFTEN NOR-	
	MALLY USE ALCO-	
	HOL	
q22b	Frequency	Percent
Every day	6,214	0.3%
Several	$42,\!655$	1.9%
times/wk		
Several	$144,\!242$	6.4%
times/mo		
About once/-	$231,\!173$	10.2%
month		
About on-	226,403	10.0%
ce/year		
< once/year	186,261	8.2%
Never used	$1,\!425,\!915$	63.0%

Frequency Missing = 110442

	HOW OF	TEN NOR-
	MALLY	USE CO-
		USE CO-
	CAINE	
q22e	Frequency	Percent
Every day	1,894	0.1%
Several	1,258	0.1%
times/wk		
Several	1,848	0.1%
times/mo		
About once/-	5,120	0.2%
month		
About on-	6,041	0.3%
ce/year		
< once/year	8,254	0.4%
Never used	2,255,369	98.9%

	HOW OFTI	EN NOR-
	MALLY USE CRACK	
q22f	Frequency	Percent
Every day	732	0.0%
Several	607	0.0%
times/wk		
Several	114	0.0%
times/mo		
About once/-	390	0.0%
month		
About on-	1,115	0.0%
ce/year	,	
< once/year	1,955	0.1%
Never used	2,276,861	99.8%

Frequency Missing = 91530

	HOW	OFTEN
	NORMALLY	USE
	HEROIN	
q22j	Frequency	Percent
Every day	700	0.0%
Several	184	0.0%
times/wk		
Several	560	0.0%
times/mo		
About once/-	99	0.0%
month		
About on-	388	0.0%
ce/year		
< once/year	1,462	0.1%
Never used	2,277,697	99.9%

Frequency Missing = 92212

	HOW	OFTEN
	NORMALLY	USE
	STEROIDS	
q22h	Frequency	Percent
Every day	1,833	0.1%
Several	1,088	0.0%
times/wk		
Several	1,461	0.1%
times/mo		
About once/-	1,587	0.1%
month		
About on-	2,002	0.1%
ce/year	,	
< once/year	6,674	0.3%
Never used	2,265,826	99.4%

Frequency Missing = 92832

	HOW	OFTEN
	NORMALLY	
	USE	METHAM-
	PHETAM	INE
q22k	Frequency	Percent
Every day	737	0.0%
Several	554	0.0%
times/wk		
Several	584	0.0%
times/mo		
About once/-	1,001	0.0%
month		
About on-	965	0.0%
ce/year		
< once/year	3,625	0.2%
Never used	2,271,391	99.7%

Frequency Missing = 94447

	HOW OF	TEN NOR-
	MALLY	USE EC-
	STASY	
q22i	Frequency	Percent
Every day	919	0.0%
Several	1,212	0.1%
times/wk		
Several	2,013	0.1%
times/mo		
About once/-	8,139	0.4%
month		
About on-	11,966	0.5%
ce/year		
< once/year	16,299	0.7%
Never used	$2,\!235,\!974$	98.2%

Frequency Missing = 96782

	HOW OFTI	EN NOR-
	MALLY US	SE SYN-
	THETIC	MARI-
	JUANA	
q22l	Frequency	Percent
Every day	4,078	0.2%
Several	5,929	0.3%
times/wk		
Several	9,417	0.4%
times/mo		
About once/-	17,950	0.8%
month		
About on-	22,364	1.0%
ce/year	,	
< once/year	47,346	2.1%
Never used	2,170,171	95.3%

	AMOUNT O	
q23a	Frequency	Percent
Never drink this	1,459,848	64.8%
12+ drinks	56,738	2.5%
9-11 drinks	35,060	1.6%
5-8 drinks	75,582	3.4%
3-4 drinks	114,792	5.1%
2 drinks	120,678	5.4%
1 drink	142,259	6.3%
< 1 drink	248,610	11.0%

Frequency Missir	119737
------------------	--------

	HOW MA	NY 5+
	DRINKS IN	PAST 30
	DAYS	
q24	Frequency	Percent
Never 5+ at	1,096,079	48.4%
time		
None	889,710	39.3%
1 day	105,547	4.7%
2 days	62,098	2.7%
3  to  5  days	54,009	2.4%
6 to 9 days	20,565	0.9%
10 or more days	34,325	1.5%

Frequency Missing = 110971

	AMOUNT (	OF WINE
	COOLERS	AT ONE
	TIME	
q23b	Frequency	Percent
Never drink this	1,586,481	70.4%
12+ drinks	$35,\!612$	1.6%
9-11 drinks	26,717	1.2%
5-8 drinks	$67,\!262$	3.0%
3-4 drinks	119,905	5.3%
2 drinks	122,388	5.4%
1 drink	139,133	6.2%
< 1 drink	$157,\!604$	7.0%

Frequency Missing = 118203

	GET ALC	OHOLIC
	BEVERAGES	S FROM
	HOME	
q25a	Frequency	Percent
Do not Drink	1,301,991	57.4%
Never	466,007	20.6%
Seldom	345,918	15.3%
Most of the	$107,\!504$	4.7%
Time		
Always	$45,\!645$	2.0%

Frequency Missing = 106239

	AMOUNT (	OF WINE
	AT ONE TIME	
q23c	Frequency	Percent
Never drink this	1,602,127	71.4%
12+ drinks	16,712	0.7%
9-11 drinks	10,127	0.5%
5-8 drinks	22,232	1.0%
3-4 drinks	$52,\!379$	2.3%
2 drinks	$91,\!616$	4.1%
1 drink	179,154	8.0%
< 1 drink	271,013	12.1%

Frequency Missing = 127945

	GET ALC	COHOLIC
	BEVERAGE	S FROM
	FRIENDS	
q25b	Frequency	Percent
Do not Drink	1,282,992	56.7%
Never	424,645	18.8%
Seldom	266,044	11.8%
Most of the	216,522	9.6%
Time		
Always	72,290	3.2%

Frequency Missing = 110811

	AMOUNT	OF
	LIQUOR	AT ONE
	TIME	
q23d	Frequency	Percent
Never drink this	1,552,819	68.7%
12+ drinks	51,457	2.3%
9-11 drinks	34,202	1.5%
5-8 drinks	81,480	3.6%
3-4 drinks	127,637	5.6%
2 drinks	107,602	4.8%
1 drink	127,984	5.7%
< 1 drink	$177,\!524$	7.9%

Frequency Missing = 112599

	GET ALC	COHOLIC
	BEVERAGE	S FROM
	A STORE	
q25c	Frequency	Percent
Do not Drink	1,338,934	59.3%
Never	740,799	32.8%
Seldom	87,822	3.9%
Most of the	55,833	2.5%
Time		
Always	33,461	1.5%

Frequency Missing = 116455

	GET ALC	COHOLIC
	BEVERAGE	S $AT$
	PARTIES	
q25d	Frequency	Percent
Do not Drink	1,245,274	55.0%
Never	377,308	16.7%
Seldom	$212,\!215$	9.4%
Most of the	$225,\!441$	10.0%
Time		
Always	203,907	9.0%

Frequency Missing = 109160

	DANGERO	US FOR	
	KIDS TO	USE IN-	
	HALANTS		
q26c	Frequency	Percent	
Very	1,726,194	75.8%	
Somewhat	281,157	12.4%	
Not very	80,550	3.5%	
Not at all	25,443	1.1%	
Don't know	$162,\!551$	7.1%	
Frequency Missing - 97410			

Frequency Missing = 97410

	GET ALC	COHOLIC
	BEVERAGE	S FROM
	OTHER SO	URCES
q25e	Frequency	Percent
Do not Drink	1,333,575	59.4%
Never	541,704	24.1%
Seldom	185,518	8.3%
Most of the	97,447	4.3%
Time		
Always	86,512	3.9%

Frequency Missing = 128548

	DANGEROU	JS FOR
	KIDS TO USE MARI-	
	JUANA	
q26d	Frequency	Percent
Very	1,396,488	61.3%
Somewhat	283,731	12.5%
Not very	$225{,}133$	9.9%
Not at all	272,847	12.0%
Don't know	100,041	4.4%

Frequency Missing = 95063

	DANGEROU	US FOR
	KIDS TO	USE CO-
	CAINE	
q26e	Frequency	Percent
Very	1,986,477	87.3%
Somewhat	$138,\!652$	6.1%
Not very	22,302	1.0%
Not at all	12,123	0.5%
Don't know	117,199	5.1%

Frequency Missing = 96551

	DANGERO KIDS TO BACCO	
q26a	Frequency	Percent
Very	1,477,856	64.8%
Somewhat	$481,\!477$	21.1%
Not very	$165,\!410$	7.2%
Not at all	44,653	2.0%
Don't know	112,731	4.9%

Frequency Missing = 91176

	DANGEROUS	FOR
	KIDS TO	USE
	CRACK	
q26f	Frequency	Percent
Very	2,001,555	88.0%
Somewhat	$119,\!225$	5.2%
Not very	16,985	0.7%
Not at all	12,828	0.6%
Don't know	125,127	5.5%

Frequency Missing = 97583

	DANGERO	US FOR
	KIDS TO	USE AL-
	COHOL	
q26b	Frequency	Percent
Very	1,250,069	55.0%
Somewhat	623,230	27.4%
Not very	$261,\!158$	11.5%
Not at all	49,625	2.2%
Don't know	89,790	3.9%

Frequency Missing = 99432

	DANGEROU	US FOR
	KIDS TO	USE EC-
	STASY	
q26g	Frequency	Percent
Very	1,851,429	81.4%
Somewhat	$167,\!441$	7.4%
Not very	46,325	2.0%
Not at all	18,466	0.8%
Don't know	$191,\!215$	8.4%

	DANGEROI	III DOD
	DANGERO	
	KIDS TO	O USE
	STEROIDS	
q26h	Frequency	Percent
Very	1,750,743	77.1%
Somewhat	$268,\!656$	11.8%
Not very	76,390	3.4%
Not at all	$25,\!182$	1.1%
Don't know	149,721	6.6%

Frequency Missing = 102612

	DANGEROUS FOR	
	KIDS TO USE HY-	
	DROCODO	NE
q26l	Frequency	Percent
Very	1,830,197	80.3%
Somewhat	$147,\!412$	6.5%
Not very	50,728	2.2%
Not at all	24,631	1.1%
Don't know	224,994	9.9%

Frequency Missing = 95341

	DANGEROUS	S FOR
	KIDS TO	USE
	HEROIN	
q26i	Frequency	Percent
Very	1,992,926	87.5%
Somewhat	96,004	4.2%
Not very	15,684	0.7%
Not at all	12,301	0.5%
Don't know	160,772	7.1%

Frequency Missing = 95617

	DAYS	SKIPPED
	SINCE SEI	PTEMBER
q27a	Frequency	Percent
None	1,835,932	81.3%
1-3 days	309,724	13.7%
4-9 days	66,539	2.9%
10+ days	44,876	2.0%

Frequency Missing = 116233

	DANGEROUS		
	FOR	KIDS	TO
	USE METHAM-		ГНАМ-
	PHETAN	IINE	
q26j	Frequenc	y ]	Percent
Very	1,994,32	4	87.5%
Somewhat	88,76	1	3.9%
Not very	16,95	2	0.7%
Not at all	11,57	5	0.5%
Don't know	166,92	4	7.3%

Frequency Missing = 94768

	DAYS ILL	SINCE
	SEPTEMBE	R
q27b	Frequency	Percent
None	793,762	35.2%
1-3  days	1,128,560	50.1%
4-9  days	262,828	11.7%
10+ days	$68,\!251$	3.0%

Frequency Missing = 119903

	OTHER	REASON
	FOR DAYS	S MISSED
	SINCE SEF	TEMBER
q27c	Frequency	Percent
None	996,646	44.7%
1-3  days	1,021,561	45.8%
4-9  days	153,993	6.9%
10+ days	57,459	2.6%

Frequency Missing = 143645

	DANGERO	US FOR
	KIDS TO	USESYN-
	THETIC	MARI-
	JUANA	
q26k	Frequency	Percent
Very	1,798,881	79.0%
Somewhat	174,793	7.7%
Not very	$72,\!575$	3.2%
Not at all	33,672	1.5%
Don't know	197,791	8.7%

Frequency Missing = 95592

	SENT TO	PRINCI-
	PAL/DEAN	SINCE
	SEPTEMBE	$^{\mathrm{R}}$
q27d	Frequency	Percent
None	1,972,469	87.5%
1-3  days	216,936	9.6%
4-9  days	38,450	1.7%
10+ days	27,515	1.2%

	SOMEONE	CALLED
	HOME	SINCE
	SEPTEMBE	$^{2}$ R
q27e	Frequency	Percent
None	2,029,993	90.1%
1-3 days	174,935	7.8%
4-9 days	25,430	1.1%
10 + days	23,036	1.0%

Frequency Missing = 119909

	DRIVEN	A CAR
	WHILE HI	GH FROM
	DRUGS	
q28e	Frequency	Percent
None	2,160,491	96.2%
1-3 times	53,994	2.4%
4-9 times	12,892	0.6%
10 + times	17,788	0.8%

Frequency Missing = 128139

	TROUBLE	WITH
	FRIENDS I	BECAUSE
	OF DRINKI	NG
q28a	Frequency	Percent
None	2,173,449	96.4%
1-3 times	71,005	3.1%
4-9 times	7,401	0.3%
10 + times	2,963	0.1%

Frequency Missing = 118486

	CRITICIZEI	) BY
	DATE BECAUSE OF	
	DRUG USE	
q28f	Frequency	Percent
None	2,155,429	95.9%
1-3 times	$71,\!450$	3.2%
4-9 times	$11,\!477$	0.5%
10 + times	8,131	0.4%

Frequency Missing = 126817

	DRIVEN A CAR AF- TER A GOOD BIT	
	TO DRINK	,02 211
q28b	Frequency	Percent
None	2,178,436	96.8%
1-3 times	56,054	2.5%
4-9 times	9,915	0.4%
10 + times	$6,\!527$	0.3%

Frequency Missing = 122371

	CLASS	DAYS
	DRUNK	ON AL-
	COHOL SIN	ICE SEPT
q29a	Frequency	Percent
None	2,157,409	96.1%
1-3 days	68,108	3.0%
4-9 days	11,154	0.5%
10+ days	8,431	0.4%

Frequency Missing = 128202

	CRITICIZEI	D BY
	DATE BECAUSE OF	
	DRINKING	
q28c	Frequency	Percent
None	2,140,922	95.7%
1-3 times	84,363	3.8%
4-9 times	7,521	0.3%
10 + times	4,668	0.2%

Frequency Missing = 135830

	CLASS DAY	YS HIGH
	ON MAI	RIJUANA
	SINCE SEPT	Γ
q29b	Frequency	Percent
None	2,082,814	92.9%
1-3  days	93,316	4.2%
4-9  days	24,202	1.1%
10+ days	41,340	1.8%

Frequency Missing = 131630

	TROUBLE	WITH
	FRIENDS B	ECAUSE
	OF DRUG U	SE
q28d	Frequency	Percent
None	2,163,434	96.3%
1-3 times	71,299	3.2%
4-9 times	7,460	0.3%
10 + times	4,617	0.2%

Frequency Missing = 126495

	CLASS DAY	YS HIGH
	ON INH	IALANTS
	SINCE SEPT	Γ
q29c	Frequency	Percent
None	2,215,872	99.0%
1-3  days	17,325	0.8%
4-9 days	2,671	0.1%
10+ days	2,648	0.1%

Spring	2014

	CLASS DA	YS HIGH
	ON OTHER	DRUG(S)
q29d	Frequency	Percent
None	2,175,251	97.2%
1-3  days	41,643	1.9%
4-9  days	9,481	0.4%
10 + days	10,788	0.5%

Frequency Missing = 136141

	WOULD SE	WOULD SEEK HELP	
	FROM A	FROM ANOTHER	
	ADULT IN S	ADULT IN SCHOOL	
q32b	Frequency	Percent	
No	1,252,693	56.8%	
Yes	952,293	43.2%	
	3.51 1 4.00	0.1.0	

Frequency Missing = 168319

	ALCOHOL	USE
	AT PARTII	ES THIS
	SCHOOL YE	EAR
q30a	Frequency	Percent
Never	1,152,433	51.4%
Seldom	$141,\!450$	6.3%
Half the time	111,907	5.0%
Most of the	183,610	8.2%
time		
Always	237,145	10.6%
Don't know	39,504	1.8%
Didn't attend	374,258	16.7%
	3.51 1 100	00=

Frequency Missing = 132997

	WOULD SEEK HELF	)
	FROM COUNSELOR	₹
	OR PROGRAM OUT	-
	SIDE SCHOOL	
q32c	Frequency Percent	t
No	1,252,287 57.3%	ó
Yes	932,289 42.7%	0
	II M: 100700	

Frequency Missing = 188728

	WOULD SEEK HELP			
	FROM PAR	FROM PARENTS		
q32d	Frequency	Percent		
No	707,553	32.0%		
Yes	1,500,890	68.0%		

Frequency Missing = 164861

	DRUG USE	AT PAR-
	TIES THIS	SCHOOL
	YEAR	
q30b	Frequency	Percent
Never	1,304,449	58.2%
Seldom	$129,\!605$	5.8%
Half the time	103,793	4.6%
Most of the	$129,\!531$	5.8%
time		
Always	150,723	6.7%
Don't know	50,704	2.3%
Didn't attend	374,038	16.7%

Frequency Missing = 130461

	WOULD SEEK HELP FROM A MEDICAL		
	DOCTOR		
q32e	Frequency Percent		
No	993,247 45.3%		
Yes	1,198,279 $54.7%$		
Frequency Missing = 181778			

	SOUGHT HELP FOR			
	DRUG/ALC	DRUG/ALCOHOL		
	PROBLEM			
0.1	-	_		
q31	Frequency	Percent		
- q31 - No	1,900,395	Percent 93.3%		

Frequency Missing = 336179

	WOULD S	EEK HELP	
	FROM	ANOTHER	
	ADULT		
q32g	Frequency	Percent	
No	855,044	38.9%	
Yes	1,345,646	61.1%	
Frequency Missing = 172614			

WOULD NOT SEEK
HELP
q32h Frequency Percent
No 1,800,495 83.4%
Yes 358,604 16.6%

Frequency Missing = 214205

	WOULD SE	WOULD SEEK HELP		
	FROM	FROM SCHOOL		
	COUNSELO	COUNSELOR		
q32a	Frequency	Percent		
No	1,320,989	59.9%		
Yes	884,502	40.1%		

			Spring 2014			
	DRUG/ALCOH	OL			DRUG/ALCO	
	INFO-SCHOOL				INFO-ANOT	
	HEALTH CLAS				SCHOOL SO	
q33a	1 0	ercent		q33g	Frequency	Percent
No V	1,176,269	56.5%		No	1,434,278	69.5%
Yes Frequ	$\frac{906,227}{\text{iency Missing} = 290808}$	43.5%		Yes Frequency	$\frac{630,756}{\text{Missing} = 3082}$	$\frac{30.5\%}{270}$
1	V			1	O	
			-		PARENTS	FEEL
	DRUG/ALCOH	OL			ABOUT KID	
	INFO-SCHOOL				TOBACCO	
	SEMBLY PROG			q34a	Frequency	Percent
q33b	Frequency P	ercent	-	Strong disap-	1,754,679	78.5%
No	1,163,326	56.1%		prove		
Yes	910,191	43.9%		Mild disapprove	$143,\!153$	6.4%
Frequ	uency Missing = 299786			Neither	$116,\!555$	5.2%
				Mildly approve	21,449	1.0%
				Strongly ap-	19,806	0.9%
				prove	4000-	0 : 61
	DRUG/ALCOH	OL		Don't know	180,966	8.1%
	INFO-SCHOOL			Frequency	Missing = 1366	i95
		OUN-				
	SELOR				D. A. D. P. D. TIMO	
q33c		ercent			PARENTS	FEEL
No	1,510,826	73.1%			ABOUT	KIDS
Yes	556,318	26.9%			DRINKING	AL-
Frequ	uency Missing = $306160$			a24h	COHOL	Donaont
				q34b Strong disap-	Frequency 1,491,967	Percent 66.8%
				prove disap-	1,491,907	00.8%
				Mild disapprove	265,937	11.9%
	DRUG/ALCOH			Neither	210,138	9.4%
	INFO-SCIENCE			Mildly approve	69,460	3.1%
		JDIES		Strongly ap-	25,039	1.1%
~994	CLASS	lamaamt		prove	_=,===	
q33d No	Frequency P 1,458,718	$\frac{\text{ercent}}{70.6\%}$		Don't know	171,739	7.7%
No Yes		70.6% 29.4%			Missing = 1390	
	$\frac{608,107}{\text{iency Missing} = 306479}$	23.470				
					PARENTS	FEEL
					ABOUT KID	S USING
	DRUG/ALCOH	<u> </u>			MARIJUANA	A
	INFO-SCHOOL		_	q34c	Frequency	Percent
	DENT GROUE			Strong disap-	1,773,712	79.4%
	CLUB	010		prove		
q33e		ercent		Mild disapprove	120,751	5.4%
No	1,759,799	85.4%		Neither	108,898	4.9%
Yes	300,558	14.6%		Mildly approve	28,519	1.3%
	uency Missing = 312946			Strongly approve	33,738	1.5%
				Don't know	168,884	7.6%
				Frequency	Missing = 1388	301
	DRUG/ALCOH INFO-INVITED					
	SCHOOL GUES				TESTED FO	
q33f		ercent			USE AT SCH	
qээі No	1,450,360	70.1%		q35	Frequency	Percent
INO Voc	1,450,500 617 785	70.1% 20.0%		No	1,918,756	85.8%

617,785

Frequency Missing = 305159

29.9%

 ${\rm Yes}$ 

Yes

Frequency Missing = 137543

317,004

14.2%

	DRUG	TESTING
	SHOULD	BE RE-
	QUIRED	FOR ALL
	STUDENT	ATH-
	LETES	
q36	Frequency	Percent
Do not know	527,746	23.5%
No	432,971	19.2%
Yes	1,288,501	57.3%