## Texas School Survey of Drug and Alcohol Use: 2012 Non-Border: Grades 4-6

## **Table of Contents**

### 1. General Substance Tables

Tobacco Alcohol Drugs Inhalants Miscellaneous

### 2. Prevalence Tables

Table B1: All Students Table B2: Male Students Table B3: Female Students Table B4: White Students Table B5: African/American Students Table B6: Mexican/American Students Table B6: Mexican/American Students Table B7: Students Reporting A Grades Table B7: Students Reporting Grades Lower Than an A Table B8: Students Reporting With 2 Parents Table B9: Students Living With 2 Parents Table B10: Students Not Living With 2 Parents Table B11: Students Living in Town More Than 3 Years Table B12: Students Living in Town 3 Years or Less

## 3. Margin Tables

Page 45

Page 31

Page 5

## 1. General Substance Tables

		Ever Used	School Year	Not Past Year	Never Used
Any tobacco product?					
	All	4.8%	2.6%	2.2%	95.2%
	Grade 4	3.0%	1.8%	1.2%	97.0%
	Grade 5	4.5%	2.1%	2.4%	95.5%
	Grade 6	6.8%	3.8%	3.0%	93.2%
Cigarettes?					
	All	3.8%	2.0%	1.8%	96.2%
	Grade 4	2.3%	1.4%	0.9%	97.7%
	Grade 5	3.4%	1.6%	1.9%	96.6%
	Grade 6	5.7%	3.1%	2.6%	94.3%
Smokeless tobacco?					
	All	1.4%	0.8%	0.7%	98.6%
	Grade 4	1.0%	0.7%	0.4%	99.0%
	Grade 5	1.3%	0.7%	0.7%	98.7%
	Grade 6	1.9%	1.0%	0.9%	98.1%

## Table T-1: How recently, if ever, have you used...

## Table T-2: Average number of times selected tobacco products were used by those who reported use of ..

	School Year	Lifetime
All	3.2	3.0
Grade 4	2.8	3.1
Grade 5	2.7	2.5
Grade 6	3.5	3.1

Grade 4	Grade 5	Grade 6
Cigarettes		
8.2	9.0	9.9
Smokeless Tol	bacco	
8.5	8.9	9.6
Any Tobacco		
8.2	9.0	9.8

## Table T-3: Average age of first use of tobacco:

#### Table T-4: Age of first use of tobacco by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							
All	96.4%	0.8%	0.4%	0.6%	0.7%	0.6%	0.5%
Grade 4	97.8%	0.8%	0.4%	0.6%	0.3%	0.0%	0.1%
Grade 5	96.9%	0.9%	0.3%	0.6%	0.7%	0.5%	0.1%
Grade 6	94.6%	0.8%	0.5%	0.6%	1.0%	1.3%	1.2%
Other Family Situation							
All	92.1%	2.1%	1.2%	1.1%	1.5%	1.3%	0.7%
Grade 4	95.0%	2.2%	0.9%	1.2%	0.6%	0.1%	0.0%
Grade 5	92.9%	2.0%	1.2%	0.9%	1.8%	0.8%	0.4%
Grade 6	89.2%	2.0%	1.4%	1.1%	2.0%	2.6%	1.7%

	Never Heard			
	Of	None	Some	Most
Any tobacco product?				
All	2.9%	84.0%	12.0%	1.2%
Grade 4	4.8%	87.0%	7.3%	0.9%
Grade 5	2.4%	86.4%	10.3%	1.0%
Grade 6	1.5%	78.8%	18.0%	1.7%
Cigarettes?				
All	5.0%	83.6%	10.5%	0.9%
Grade 4	7.7%	85.4%	6.2%	0.7%
Grade 5	4.8%	85.4%	9.1%	0.7%
Grade 6	2.7%	80.0%	15.9%	1.4%
Smokeless tobacco?				
All	7.4%	87.3%	4.6%	0.6%
Grade 4	12.5%	84.2%	2.8%	0.5%
Grade 5	6.4%	89.8%	3.3%	0.4%
Grade 6	3.7%	87.9%	7.6%	0.8%

## Table T-5: About how many of your close friends use ...

## Table T-6: Have you ever been offered ...

		Never Heard Of	Yes	No
Any tobacco product?				
•	All	3.7%	11.1%	85.2%
	Grade 4	5.5%	8.3%	86.2%
	Grade 5	3.2%	9.9%	86.8%
	Grade 6	2.4%	15.0%	82.6%
Cigarettes?				
	All	5.7%	9.4%	84.9%
	Grade 4	8.6%	6.9%	84.6%
	Grade 5	5.4%	8.4%	86.2%
	Grade 6	3.4%	12.8%	83.9%
Smokeless tobacco?				
	All	8.3%	4.3%	87.3%
	Grade 4	13.1%	3.4%	83.6%
	Grade 5	7.5%	3.5%	89.0%
	Grade 6	4.7%	6.1%	89.2%

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
Any tobacco product?	incura or	Dangeroub	Dungerous	Dungerous	11101
All	2.1%	76.2%	16.7%	0.8%	4.2%
Grade 4	3.6%	78.9%	12.7%	0.7%	4.1%
Grade 5	1.5%	78.4%	15.7%	0.3%	4.1%
Grade 6	1.1%	71.6%	21.5%	1.3%	4.4%
Cigarettes?					
All	3.8%	66.9%	23.2%	1.0%	5.1%
Grade 4	6.1%	70.9%	17.4%	0.8%	4.8%
Grade 5	3.5%	68.6%	22.4%	0.4%	5.0%
Grade 6	1.9%	61.4%	29.3%	1.8%	5.5%
Smokeless tobacco?					
All	5.9%	66.9%	19.3%	1.2%	6.7%
Grade 4	10.2%	67.8%	14.4%	1.1%	6.5%
Grade 5	4.9%	69.1%	18.9%	0.7%	6.4%
Grade 6	2.9%	63.9%	24.3%	1.7%	7.2%

## Table T-7: How dangerous do you think it is for kids your age to use ...

#### Table T-8: How do your parents feel about kids your age smoking cigarettes?

	Don't Like	Don't Care	Think It's OK	Don't know
All	87.0%	1.6%	0.3%	11.1%
Grade 4	86.1%	1.2%	0.4%	12.2%
Grade 5	88.1%	1.3%	0.3%	10.3%
Grade 6	86.7%	2.4%	0.3%	10.6%

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Any alcohol product?					
	All	18.6%	11.6%	7.0%	81.4%
	Grade 4	13.6%	8.4%	5.2%	86.4%
	Grade 5	16.7%	10.1%	6.6%	83.3%
	Grade 6	25.2%	16.1%	9.2%	74.8%
Beer?					
	All	12.1%	6.5%	5.7%	87.9%
	Grade 4	8.9%	5.0%	3.9%	91.1%
	Grade 5	11.3%	5.8%	5.5%	88.7%
	Grade 6	16.0%	8.5%	7.5%	84.0%
Wine coolers?					
	All	7.6%	4.7%	2.8%	92.4%
	Grade 4	4.4%	2.8%	1.7%	95.6%
	Grade 5	6.1%	3.8%	2.3%	93.9%
	Grade 6	12.0%	7.5%	4.5%	88.0%
Wine?					
	All	9.0%	5.4%	3.6%	91.0%
	Grade 4	5.6%	3.3%	2.3%	94.4%
	Grade 5	7.4%	4.1%	3.3%	92.6%
	Grade 6	13.7%	8.5%	5.2%	86.3%
Liquor?					
1	All	4.9%	2.9%	2.0%	95.1%
	Grade 4	1.9%	1.1%	0.8%	98.1%
	Grade 5	3.8%	2.0%	1.9%	96.2%
	Grade 6	8.8%	£.6%	3.2%	91.2%

## Table A-1: How recently, if ever, have you used..

		School Year	Lifetime
Beer			
	All	2.6	2.6
	Grade 4	2.2	2.2
	Grade 5	2.4	2.6
	Grade 6	3.0	2.9
Liquor			
	All	2.7	2.8
	Grade 4	2.3	2.4
	Grade 5	2.4	2.5
	Grade 6	2.9	3.0
Wine			
	All	2.5	2.6
	Grade 4	2.5	2.3
	Grade 5	2.2	2.3
	Grade 6	2.7	2.8

# Table A-2: Average number of times selected alcohol products were used by those<br/>who reported use of ..

	Never	1 Time	2 Times	3+ Times	Ever
Beer?					
All	90.2%	6.1%	1.9%	1.9%	9.8%
Grade 4	91.4%	5.9%	1.2%	1.5%	8.6%
Grade 5	91.4%	5.5%	1.8%	1.3%	8.6%
Grade 6	87.8%	6.8%	2.7%	2.8%	12.2%
Wine Coolers?					
All	95.2%	2.7%	1.0%	1.1%	4.8%
Grade 4	97.4%	1.7%	0.3%	0.6%	2.6%
Grade 5	96.3%	2.3%	0.8%	0.6%	3.7%
Grade 6	92.1%	4.0%	1.8%	2.1%	7.9%
Wine?					
All	92.5%	4.8%	1.4%	1.3%	7.5%
Grade 4	94.8%	3.5%	1.0%	0.8%	5.2%
Grade 5	93.6%	4.4%	1.1%	0.9%	6.4%
Grade 6	89.4%	6.3%	2.0%	2.3%	10.6%
Liquor?					
All	95.6%	2.3%	0.9%	1.2%	4.4%
Grade 4	97.9%	1.2%	0.4%	0.5%	2.1%
Grade 5	96.7%	1.9%	0.6%	0.8%	3.3%
Grade 6	92.4%	3.8%	1.7%	2.1%	7.6%

## Table A-3: In the past year, how many times have you had two or more drinks at one time of ...

Grade 4	Grade 5	Grade 6
Beer		
8.1	8.8	9.5
Wine Coolers		
8.5	9.2	10.2
Wine		
8.4	9.3	10.1
Liquor		
8.6	9.6	10.5
Any Alcohol		
8.1	8.8	9.6

## Table A-4: Average age of first use of alcohol:

## Table A-5: Age of first use of alcohol by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							
All	84.1%	4.5%	2.3%	2.4%	3.1%	2.2%	1.3%
Grade 4	88.5%	4.5%	2.8%	2.5%	1.4%	0.1%	0.1%
Grade 5	85.7%	4.4%	1.8%	2.1%	3.6%	1.9%	0.4%
Grade 6	77.8%	4.6%	2.2%	2.7%	4.4%	4.7%	3.5%
Other Family Situation							
All	77.4%	7.2%	2.6%	3.5%	4.0%	3.5%	1.9%
Grade 4	83.6%	7.6%	2.7%	3.8%	2.0%	0.2%	0.0%
Grade 5	79.3%	7.0%	2.5%	3.7%	5.0%	1.9%	0.5%
Grade 6	70.9%	6.9%	2.5%	3.1%	4.5%	7.3%	4.6%

t	his school year:	-
 No		

# Table A-6 : Lifetime prevalence of use of alcohol by reported conduct problemsthis school year:

No			
Absences or			
Conduct		Sent to	
Problems	Cut School	Principal	Both
13.8%	52.4%	31.7%	57.7%

	Don't Drink	Yes	No
Home?			
All	81.8%	7.7%	10.5%
Grade 4	83.5%	5.1%	11.4%
Grade 5	83.3%	6.9%	9.8%
Grade 6	78.7%	10.8%	10.4%
Friends?			
All	82.7%	2.5%	14.7%
Grade 4	84.0%	1.3%	14.8%
Grade 5	83.9%	1.7%	14.4%
Grade 6	80.4%	4.6%	15.0%
Somewhere else?			
All	81.5%	5.9%	12.6%
Grade 4	82.3%	4.4%	13.4%
Grade 5	83.0%	4.9%	12.1%
Grade 6	79.2%	8.3%	12.4%

## Table A-7: When you drink alcohol, do you get it from ..

	Never Heard			
	Of	None	Some	Most
Any alcohol product?				
All	1.8%	76.9%	17.7%	3.7%
Grade 4	2.5%	81.9%	13.1%	2.5%
Grade 5	1.7%	79.6%	16.0%	2.7%
Grade 6	1.2%	69.5%	23.6%	5.7%
Beer?				
All	2.1%	81.2%	14.4%	2.3%
Grade 4	3.0%	85.0%	10.3%	1.6%
Grade 5	1.8%	83.5%	13.0%	1.6%
Grade 6	1.5%	75.4%	19.5%	3.6%
Wine coolers?				
All	13.2%	78.1%	7.1%	1.6%
Grade 4	18.0%	76.7%	4.4%	0.9%
Grade 5	13.4%	80.2%	5.4%	1.0%
Grade 6	8.7%	77.3%	11.3%	2.7%
Wine?				
All	3.3%	86.7%	8.8%	1.2%
Grade 4	4.9%	88.2%	6.1%	0.8%
Grade 5	2.9%	88.7%	7.6%	0.8%
Grade 6	2.0%	83.3%	12.7%	2.0%
Liquor?				
All	8.5%	83.7%	6.6%	1.2%
Grade 4	14.7%	81.9%	3.0%	0.5%
Grade 5	7.6%	86.8%	4.9%	0.7%
Grade 6	3.6%	82.4%	11.7%	2.3%

## Table A-8: About how many of your close friends use ...

	Never Heard Of	Yes	No
Any alcohol product?			
All	2.5%	21.3%	76.2%
Grade 4	3.3%	17.6%	79.1%
Grade 5	2.6%	19.4%	77.9%
Grade 6	1.8%	26.5%	71.7%
Beer?			
All	2.7%	16.8%	80.4%
Grade 4	3.6%	14.1%	82.3%
Grade 5	2.8%	15.6%	81.6%
Grade 6	1.9%	20.6%	77.5%
Wine coolers?			
All	13.9%	7.1%	79.0%
Grade 4	18.3%	4.5%	77.3%
Grade 5	14.2%	5.7%	80.1%
Grade 6	9.6%	11.0%	79.4%
Wine?			
All	3.9%	9.9%	86.3%
Grade 4	5.5%	7.6%	86.9%
Grade 5	3.8%	7.6%	88.6%
Grade 6	2.3%	14.2%	83.5%
Liquor?			
All	9.1%	6.6%	84.3%
Grade 4	15.1%	3.4%	81.5%
Grade 5	8.3%	5.3%	86.4%
Grade 6	4.3%	11.0%	84.7%

## Table A-9: Have you ever been offered ..

	Don't Like	Don't Care	Think It's OK	Don't know
All	82.7%	2.9%	1.1%	13.2%
Grade 4	82.9%	2.2%	1.0%	13.9%
Grade 5	83.7%	2.5%	1.2%	12.6%
Grade 6	81.4%	4.1%	1.2%	13.3%

## Table A-10: How do your parents feel about kids your age drinking beer?

### Table A-11: How dangerous do you think it is for kids your age to use ..

	Never	Very		Not at All	Do Not
	Heard Of	Dangerous	Dangerous	Dangerous	Know
Any alcohol product?					
All	1.3%	71.0%	20.3%	2.5%	5.0%
Grade 4	2.0%	76.2%	15.1%	1.6%	5.1%
Grade 5	1.0%	73.2%	19.3%	1.7%	4.8%
Grade 6	0.9%	63.9%	26.0%	4.1%	5.1%
Beer?					
All	1.4%	52.2%	32.0%	5.7%	8.7%
Grade 4	2.1%	58.0%	26.6%	4.2%	9.1%
Grade 5	1.2%	54.2%	31.9%	4.2%	8.5%
Grade 6	1.0%	44.7%	37.1%	8.5%	8.7%
Wine coolers?					
All	11.3%	50.8%	22.8%	4.6%	10.5%
Grade 4	15.4%	55.7%	17.0%	2.4%	9.4%
Grade 5	11.2%	53.3%	22.0%	3.0%	10.4%
Grade 6	7.7%	43.7%	28.8%	8.1%	11.8%
Wine?					
All	2.2%	51.4%	29.4%	7.0%	10.0%
Grade 4	3.7%	58.3%	24.4%	4.2%	9.4%
Grade 5	1.9%	54.1%	29.4%	5.3%	9.3%
Grade 6	1.2%	42.3%	34.0%	11.4%	11.1%
Liquor?					
All	6.6%	64.0%	20.2%	2.1%	7.2%
Grade 4	11.6%	66.2%	14.4%	1.0%	6.8%
Grade 5	6.0%	66.4%	19.5%	1.3%	6.8%
Grade 6	2.6%	59.6%	26.2%	3.9%	7.8%

	Ever	School	Not Past	Never
	Used	Year	Year	Used
All	0.0%	0.0%	0.0%	100.0%
Grade 4	0.0%	0.0%	0.0%	100.0%
Grade 4	0.0%	0.0%	0.0%	100.0%
Grade 4	0.0%	0.0%	0.0%	100.0%
Grade 5	0.0%	0.0%	0.0%	100.0%
Grade 5	0.0%	0.0%	0.0%	100.0%
Grade 5	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%

## Table D-1: How recently, if ever, have you used Marijuana?

## Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Lifetime
All	4.4	4.2
Grade 4	3.2	3.4
Grade 5	3.2	3.1
Grade 6	5.0	4.7

## Table D-3: Average age of first use of marijuana:

Grade 4	Grade 5	Grade 6
8.6	9.2	10.4

## Table D-4: Age of first use of marijuana by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							
All	98.9%	0.2%	0.1%	0.1%	0.2%	0.2%	0.3%
Grade 4	99.6%	0.1%	0.1%	0.2%	0.1%	0.0%	0.0%
Grade 5	99.4%	0.1%	0.1%	0.1%	0.2%	0.1%	0.0%
Grade 6	97.9%	0.4%	0.1%	0.1%	0.3%	0.6%	0.7%
Other Family Situation							
All	97.3%	0.5%	0.1%	0.3%	0.5%	0.6%	0.7%
Grade 4	99.3%	0.4%	0.0%	0.2%	0.0%	0.1%	0.0%
Grade 5	98.1%	0.5%	0.1%	0.3%	0.6%	0.2%	0.2%
Grade 6	95.0%	0.6%	0.2%	0.5%	0.9%	1.3%	1.6%

## Table D-5 : Lifetime prevalence of use of marijuana by reported conductproblems this school year:

No			
Absences or			
Conduct		Sent to	
Problems	Cut School	Principal	Both
0.6%	17.3%	4.8%	22.4%

## Table D-6: About how many of your close friends use marijuana?

	Never Heard Of	None	Some	Most
All	17.4%	75.6%	5.4%	1.6%
Grade 4	28.3%	69.3%	1.8%	0.7%
Grade 5	17.0%	78.5%	3.9%	0.7%
Grade 6	7.6%	78.7%	10.2%	3.5%

#### Table D-7: Have you ever been offered marijuana?

	Never Heard Of	Yes	No
All	17.5%	5.1%	77.4%
Grade 4	28.0%	2.8%	69.1%
Grade 5	17.1%	3.2%	79.7%
Grade 6	8.0%	9.2%	82.7%

	Don't Like	Don't Care	Think It's OK	Don't know
All	83.6%	1.1%	0.4%	14.9%
Grade 4	79.1%	1.0%	0.4%	19.5%
Grade 5	84.5%	0.8%	0.3%	14.4%
Grade 6	87.0%	1.5%	0.5%	11.0%

## Table D-8: How do your parents feel about kids your age smoking marijuana?

### Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	13.4%	70.2%	8.7%	1.5%	6.2%
Grade 4	22.7%	62.5%	6.8%	0.9%	7.0%
Grade 5	12.8%	72.4%	8.2%	0.7%	6.0%
Grade 6	5.4%	75.2%	10.9%	2.8%	5.7%

	Ever Used	School Year	Not Past Year	Never Used
All	9.9%	7.1%	2.8%	90.1%
Grade 4	11.1%	8.0%	3.1%	88.9%
Grade 5	8.4%	5.6%	2.8%	91.6%
Grade 6	10.3%	7.7%	2.6%	89.7%

## Table I-1: How recently, if ever, have you used Inhalants?

	Not Used	Used
Correction Fluid/Whiteout		
All	93.5%	6.5%
Grade 4	94.1%	5.9%
Grade 5	94.6%	5.4%
Grade 6	91.8%	8.2%
Gasoline		
All	97.3%	2.7%
Grade 4	96.8%	3.2%
Grade 5	97.6%	2.4%
Grade 6	97.7%	2.3%
Glue		
All	96.5%	3.5%
Grade 4	94.9%	5.1%
Grade 5	96.6%	3.4%
Grade 6	97.7%	2.3%
Paint Thinner		
All	97.8%	2.2%
Grade 4	96.9%	3.1%
Grade 5	98.3%	1.7%
Grade 6	98.2%	1.8%
Spray Paint		
All	97.2%	2.8%
Grade 4	96.4%	3.6%
Grade 5	97.7%	2.3%
Grade 6	97.3%	2.7%
Computer dusting sprays		
All	98.3%	1.7%
Grade 4	97.3%	2.7%
Grade 5	98.5%	1.5%
Grade 6	99.1%	0.9%
Other Inhalants		
All	97.0%	3.0%
Grade 4	96.8%	3.2%
Grade 5	97.5%	2.5%
Grade 6	96.7%	3.3%

## Table I-2: Have you ever sniffed any of the following inhalants to get high?

	School Year	Lifetime
All	3.6	3.5
Grade 4	3.3	3.0
Grade 5	3.4	3.2
Grade 6	3.8	3.8

## Table I-3: Average number of times inhalants were used by those reporting usage:

## Table I-4: Number of different kinds of inhalants used:

	None	One	Two to Three	Four Plus
All	89.9%	4.7%	3.9%	1.5%
Grade 4	88.9%	4.5%	4.8%	1.8%
Grade 5	91.4%	4.1%	3.2%	1.4%
Grade 6	89.5%	5.4%	3.7%	1.4%

## Table I-5: Average age of first use of inhalants:

Grade 4	Grade 5	Grade 6
8.3	9.2	10.1

## Table I-6: Age of first use of inhalants by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							
All	96.3%	0.7%	0.6%	0.6%	0.5%	0.8%	0.4%
Grade 4	97.1%	1.0%	0.8%	0.8%	0.2%	0.0%	0.1%
Grade 5	96.9%	0.6%	0.4%	0.5%	0.7%	0.8%	0.1%
Grade 6	94.9%	0.6%	0.6%	0.6%	0.7%	1.5%	1.1%
Other Family Situation							
All	95.0%	0.9%	0.6%	0.7%	0.9%	1.3%	0.7%
Grade 4	97.9%	0.5%	0.6%	0.5%	0.4%	0.1%	0.0%
Grade 5	96.0%	1.0%	0.4%	0.8%	0.9%	0.7%	0.2%
Grade 6	91.9%	1.1%	0.7%	0.8%	1.3%	2.6%	1.7%

# Table I-7: Lifetime prevalence of use of inhalants by reported conduct<br/>problems this school year:

No			
Absences or			
Conduct		Sent to	
Problems	Cut School	Principal	Both
2.9%	19.3%	8.5%	22.9%

## Table I-8: About how many of your close friends use inhalants?

	Never Heard Of	None	Some	Most
All	9.4%	81.3%	7.4%	2.0%
Grade 4	15.2%	80.1%	3.6%	1.1%
Grade 5	9.3%	83.7%	5.9%	1.1%
Grade 6	4.1%	80.0%	12.3%	3.6%

	Never Heard Of	Yes	No
All	9.9%	6.2%	83.9%
Grade 4	15.6%	3.3%	81.1%
Grade 5	9.6%	4.5%	85.8%
Grade 6	4.8%	10.5%	84.6%

## Table I-9: Have you ever been offered inhalants?

### Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	7.3%	64.2%	17.1%	2.7%	8.7%
Grade 4	12.2%	63.0%	13.3%	2.1%	9.4%
Grade 5	6.8%	66.3%	16.5%	1.8%	8.6%
Grade 6	3.2%	63.3%	21.2%	4.1%	8.2%

CATEGORY		Yes
An Assembly Program?	All	52.6%
	Grade 4	50.7%
	Grade 5	54.0%
	Grade 6	53.1%
Guidance Counselor?	All	47.9%
	Grade 4	52.3%
	Grade 5	51.0%
	Grade 6	41.0%
Visitor to Class?	All	43.2%
	Grade 4	38.7%
	Grade 5	45.1%
	Grade 6	45.6%
Someone Else at	All	34.7%
School?		
	Grade 4	31.0%
	Grade 5	35.1%
	Grade 6	37.8%
Your Teacher?	All	49.9%
	Grade 4	45.7%
	Grade 5	51.1%
	Grade 6	52.5%
Any School Source?	All	80.5%
	Grade 4	78.3%
	Grade 5	82.2%
	Grade 6	80.9%

## Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ..

## 2. Prevalence Tables

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	4.8%	2.6%	2.2%	95.2%
	Grade 4	3.0%	1.8%	1.2%	97.0%
	Grade 5	4.5%	2.1%	2.4%	95.5%
	Grade 6	6.8%	3.8%	3.0%	93.2%
Alcohol					
	All	18.6%	11.6%	7.0%	81.4%
	Grade 4	13.6%	8.4%	5.2%	86.4%
	Grade 5	16.7%	10.1%	6.6%	83.3%
	Grade 6	25.2%	16.1%	9.2%	74.8%
Inhalants					
	All	9.9%	7.1%	2.8%	90.1%
	Grade 4	11.1%	8.0%	3.1%	88.9%
	Grade 5	8.4%	5.6%	2.8%	91.6%
	Grade 6	10.3%	7.7%	2.6%	89.7%
Marijuana					
	All	1.7%	1.2%	0.5%	98.3%
	Grade 4	0.8%	0.6%	0.3%	99.2%
	Grade 5	1.1%	0.6%	0.6%	98.9%
	Grade 6	3.2%	2.4%	0.8%	96.8%

# Table B1: Prevalence and recency of use of selected substances by grade All Students

	· · · · · ·	Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	6.0%	3.1%	2.9%	94.0%
	Grade 4	4.4%	2.7%	1.8%	95.6%
	Grade 5	5.3%	2.5%	2.8%	94.7%
	Grade 6	8.1%	4.1%	4.0%	91.9%
Alcohol					
	All	21.1%	12.6%	8.5%	78.9%
	Grade 4	16.9%	10.5%	6.4%	83.1%
	Grade 5	19.8%	11.2%	8.5%	80.2%
	Grade 6	26.2%	15.7%	10.5%	73.8%
Inhalants					
	All	10.7%	7.5%	3.2%	89.3%
	Grade 4	12.7%	9.2%	3.4%	87.3%
	Grade 5	9.4%	6.0%	3.3%	90.6%
	Grade 6	10.2%	7.4%	2.8%	89.8%
Marijuana					
	All	2.2%	1.5%	0.7%	97.8%
	Grade 4	1.0%	0.8%	0.2%	99.0%
	Grade 5	1.7%	0.9%	0.8%	98.3%
	Grade 6	3.8%	2.9%	0.9%	96.2%

# Table B2: Prevalence and recency of use of selected substances by gradeMale Students

	· · · · ·	Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	3.6%	2.0%	1.6%	96.4%
	Grade 4	1.6%	1.0%	0.6%	98.4%
	Grade 5	3.6%	1.6%	2.0%	96.4%
	Grade 6	5.5%	3.4%	2.1%	94.5%
Alcohol					
	All	16.3%	10.7%	5.6%	83.7%
	Grade 4	10.5%	6.5%	4.1%	89.5%
	Grade 5	13.7%	9.0%	4.7%	86.3%
	Grade 6	24.3%	16.5%	7.9%	75.7%
Inhalants					
	All	9.2%	6.7%	2.5%	90.8%
	Grade 4	9.7%	6.9%	2.8%	90.3%
	Grade 5	7.5%	5.1%	2.3%	92.5%
	Grade 6	10.4%	8.0%	2.4%	89.6%
Marijuana					
	All	1.3%	0.9%	0.4%	98.7%
	Grade 4	0.5%	0.4%	0.1%	99.5%
	Grade 5	0.6%	0.3%	0.3%	99.4%
	Grade 6	2.6%	2.0%	0.6%	97.4%

# Table B3: Prevalence and recency of use of selected substances by gradeFemale Students

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	4.7%	2.2%	2.6%	95.3%
	Grade 4	2.9%	1.4%	1.5%	97.1%
	Grade 5	4.0%	1.2%	2.8%	96.0%
	Grade 6	7.1%	3.7%	3.3%	92.9%
Alcohol					
	All	16.5%	9.7%	6.8%	83.5%
	Grade 4	13.8%	8.5%	5.3%	86.2%
	Grade 5	14.6%	8.3%	6.3%	85.4%
	Grade 6	21.0%	12.3%	8.7%	79.0%
Inhalants					
	All	8.1%	5.6%	2.5%	91.9%
	Grade 4	10.3%	7.3%	3.0%	89.7%
	Grade 5	6.1%	3.8%	2.3%	93.9%
	Grade 6	8.0%	5.8%	2.2%	92.0%
Marijuana					
	All	1.1%	0.7%	0.4%	98.9%
	Grade 4	0.7%	0.4%	0.2%	99.3%
	Grade 5	0.6%	0.3%	0.3%	99.4%
	Grade 6	2.1%	1.3%	0.8%	97.9%

# Table B4: Prevalence and recency of use of selected substances by gradeWhite Students

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	5.5%	2.8%	2.7%	94.5%
	Grade 4	3.0%	1.5%	1.5%	97.0%
	Grade 5	6.5%	3.2%	3.3%	93.5%
	Grade 6	6.8%	3.5%	3.2%	93.2%
Alcohol					
	All	20.6%	12.0%	8.6%	79.4%
	Grade 4	13.7%	6.7%	7.0%	86.3%
	Grade 5	19.6%	12.4%	7.2%	80.4%
	Grade 6	28.1%	16.6%	11.4%	71.9%
Inhalants					
	All	9.4%	6.5%	2.9%	90.6%
	Grade 4	10.8%	7.6%	3.2%	89.2%
	Grade 5	8.5%	5.5%	3.0%	91.5%
	Grade 6	8.9%	6.5%	2.5%	91.1%
Marijuana					
	All	1.6%	1.0%	0.6%	98.4%
	Grade 4	0.4%	0.3%	0.2%	99.6%
	Grade 5	1.6%	0.6%	1.0%	98.4%
	Grade 6	2.7%	2.1%	0.6%	97.3%

# Table B5: Prevalence and recency of use of selected substances by grade African/American Students

	· · · · ·	Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	4.7%	2.9%	1.8%	95.3%
	Grade 4	3.0%	2.2%	0.8%	97.0%
	Grade 5	4.2%	2.4%	1.7%	95.8%
	Grade 6	6.8%	4.0%	2.8%	93.2%
Alcohol					
	All	19.7%	13.0%	6.7%	80.3%
	Grade 4	13.5%	9.0%	4.5%	86.5%
	Grade 5	17.2%	10.7%	6.5%	82.8%
	Grade 6	28.0%	19.2%	8.8%	72.0%
Inhalants					
	All	11.4%	8.3%	3.1%	88.6%
	Grade 4	11.5%	8.5%	3.1%	88.5%
	Grade 5	10.2%	7.0%	3.2%	89.8%
	Grade 6	12.6%	9.5%	3.1%	87.4%
Marijuana					
	All	2.3%	1.7%	0.6%	97.7%
	Grade 4	1.1%	0.8%	0.3%	98.9%
	Grade 5	1.4%	0.8%	0.7%	98.6%
	Grade 6	4.4%	3.6%	0.8%	95.6%

### Table B6: Prevalence and recency of use of selected substances by grade Mexican/American Students

	· · · ·	Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	2.8%	1.3%	1.5%	97.2%
	Grade 4	1.9%	0.9%	1.0%	98.1%
	Grade 5	2.6%	1.1%	1.5%	97.4%
	Grade 6	3.8%	1.9%	1.9%	96.2%
Alcohol					
	All	15.4%	9.0%	6.3%	84.6%
	Grade 4	12.1%	6.8%	5.2%	87.9%
	Grade 5	13.9%	7.8%	6.1%	86.1%
	Grade 6	20.1%	12.4%	7.7%	79.9%
Inhalants					
	All	7.0%	5.0%	2.0%	93.0%
	Grade 4	8.5%	6.4%	2.2%	91.5%
	Grade 5	6.0%	4.0%	2.0%	94.0%
	Grade 6	6.5%	4.6%	2.0%	93.5%
Marijuana					
	All	0.6%	0.4%	0.3%	99.4%
	Grade 4	0.5%	0.3%	0.1%	99.5%
	Grade 5	0.5%	0.2%	0.3%	99.5%
	Grade 6	1.0%	0.6%	0.4%	99.0%

# Table B7: Prevalence and recency of use of selected substances by gradeStudents Reporting A Grades

		Ever Used	School Year	Not Past Year	Never Used
Tobacco		Useu	Teal	Teal	Useu
TODACCO	All	6.1%	3.4%	2.7%	93.9%
	Grade 4	3.8%	2.5%	1.3%	96.2%
	Grade 5	5.6%	2.7%	2.9%	94.4%
	Grade 6	8.7%	5.0%	3.7%	91.3%
Alcohol					
	All	20.8%	13.4%	7.4%	79.2%
	Grade 4	14.9%	9.7%	5.2%	85.1%
	Grade 5	18.3%	11.6%	6.7%	81.7%
	Grade 6	28.4%	18.4%	10.0%	71.6%
Inhalants					
	All	11.9%	8.5%	3.3%	88.1%
	Grade 4	13.2%	9.4%	3.8%	86.8%
	Grade 5	10.0%	6.6%	3.3%	90.0%
	Grade 6	12.6%	9.6%	3.0%	87.4%
Marijuana					
	All	2.5%	1.7%	0.7%	97.5%
	Grade 4	1.1%	0.7%	0.3%	98.9%
	Grade 5	1.5%	0.8%	0.8%	98.5%
	Grade 6	4.6%	3.5%	1.0%	95.4%

# Table B8: Prevalence and recency of use of selected substances by gradeStudents Reporting grades lower than A

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	3.6%	1.9%	1.7%	96.4%
	Grade 4	2.3%	1.4%	0.9%	97.7%
	Grade 5	3.3%	1.6%	1.7%	96.7%
	Grade 6	5.1%	2.7%	2.4%	94.9%
Alcohol					
	All	16.6%	10.3%	6.3%	83.4%
	Grade 4	12.5%	7.9%	4.6%	87.5%
	Grade 5	14.7%	8.8%	5.8%	85.3%
	Grade 6	22.9%	14.4%	8.5%	77.1%
Inhalants					
	All	9.8%	7.1%	2.7%	90.2%
	Grade 4	11.8%	8.5%	3.3%	88.2%
	Grade 5	8.4%	5.7%	2.7%	91.6%
	Grade 6	9.1%	7.0%	2.1%	90.9%
Marijuana					
	All	1.2%	0.8%	0.3%	98.8%
	Grade 4	0.7%	0.5%	0.2%	99.3%
	Grade 5	0.8%	0.3%	0.4%	99.2%
	Grade 6	2.1%	1.7%	0.5%	97.9%

# Table B9: Prevalence and recency of use of selected substances by gradeStudents Living With 2 Parents

	· · · ·	Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	7.4%	4.0%	3.4%	92.6%
	Grade 4	4.5%	2.7%	1.8%	95.5%
	Grade 5	7.0%	3.2%	3.7%	93.0%
	Grade 6	10.2%	5.8%	4.3%	89.8%
Alcohol					
	All	23.1%	14.5%	8.6%	76.9%
	Grade 4	16.7%	10.0%	6.7%	83.3%
	Grade 5	20.9%	12.8%	8.1%	79.1%
	Grade 6	29.9%	19.4%	10.5%	70.1%
Inhalants					
	All	10.2%	7.2%	3.0%	89.8%
	Grade 4	9.4%	6.9%	2.5%	90.6%
	Grade 5	8.1%	5.3%	2.9%	91.9%
	Grade 6	12.5%	9.0%	3.5%	87.5%
Marijuana					
	All	3.0%	2.0%	0.9%	97.0%
	Grade 4	1.2%	0.7%	0.5%	98.8%
	Grade 5	2.0%	1.1%	0.9%	98.0%
	Grade 6	5.2%	3.8%	1.4%	94.8%

# Table B10: Prevalence and recency of use of selected substances by gradeStudents Not Living With 2 Parents

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	4.6%	2.5%	2.1%	95.4%
	Grade 4	2.7%	1.6%	1.1%	97.3%
	Grade 5	4.3%	2.1%	2.2%	95.7%
	Grade 6	6.5%	3.8%	2.8%	93.5%
Alcohol					
	All	18.5%	11.7%	6.8%	81.5%
	Grade 4	13.3%	8.1%	5.2%	86.7%
	Grade 5	16.3%	9.9%	6.4%	83.7%
	Grade 6	25.3%	16.6%	8.6%	74.7%
Inhalants					
	All	9.7%	6.9%	2.8%	90.3%
	Grade 4	11.5%	8.3%	3.2%	88.5%
	Grade 5	7.8%	5.1%	2.8%	92.2%
	Grade 6	10.0%	7.4%	2.6%	90.0%
Marijuana					
	All	1.7%	1.2%	0.5%	98.3%
	Grade 4	0.9%	0.6%	0.3%	99.1%
	Grade 5	1.2%	0.6%	0.6%	98.8%
	Grade 6	3.0%	2.3%	0.7%	97.0%

# Table B11: Prevalence and recency of use of selected substances by gradeStudents Living in Town More Than 3 Years

	· · · · ·	Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	6.0%	2.8%	3.2%	94.0%
	Grade 4	3.9%	2.4%	1.5%	96.1%
	Grade 5	5.2%	1.8%	3.4%	94.8%
	Grade 6	8.7%	4.1%	4.5%	91.3%
Alcohol					
	All	20.7%	12.0%	8.7%	79.3%
	Grade 4	16.4%	10.1%	6.2%	83.6%
	Grade 5	19.1%	10.9%	8.2%	80.9%
	Grade 6	26.3%	14.8%	11.5%	73.7%
Inhalants					
	All	10.5%	7.7%	2.8%	89.5%
	Grade 4	8.9%	6.6%	2.3%	91.1%
	Grade 5	11.0%	7.6%	3.4%	89.0%
	Grade 6	11.5%	8.8%	2.7%	88.5%
Marijuana					
	All	2.2%	1.4%	0.8%	97.8%
	Grade 4	0.9%	0.5%	0.4%	99.1%
	Grade 5	1.3%	0.6%	0.7%	98.7%
	Grade 6	4.3%	3.0%	1.3%	95.7%

# Table B12: Prevalence and recency of use of selected substances by gradeStudents Living in Town 3 Years or Less

### 3. Margin Tables

WHAT GRADES DO YOU USUALLY GET					
Q6	Frequency	Percent			
Mostly A's	264,726	39.2%			
Mostly B's	309,231	45.8%			
Mostly C's	84,698	12.5%			
Mostly D's	11,200	1.7%			
Mostly F's	5,484	0.8%			
Eroquopov A	$\overline{\text{Erequency Missing} = 17100.710442}$				

Frequency Missing = 17199.710442

LIVED IN THIS TOWN FOR				
MORE THAN 3 YEARS				
Q7	Frequency	Percent		
Don't Know	63,461	9.3%		
No	100,376	14.7%		
Yes	520,107	76.0%		
_				

Frequency Missing = 8594.3275936

### EITHER PARENT GRADUATE FROM COLLEGE

Q8	Frequency	Percent
Don't Know	230,227	33.8%
No	135,544	19.9%
Yes	316,033	46.4%

Frequency Missing = 10734.846415

QUALIFY FOR FREE/REDUCED PRICE LUNCH			
Q9	Frequency	Percent	
Don't Know	248,709	36.7%	
No	181,677	26.8%	
Yes	247,063	36.5%	
Erequency M	issing = 15080	671348	

Frequency N	/lissing =	15089.671348
-------------	------------	--------------

PARENTS ATTEND PTA MEETINGS				
Q10 Frequency Percent				
No	370,794	55.3%		
Yes	300,319	44.7%		
 	Minsing O	4400 404044		

Frequency Missing = 21426.184313

EVER INHALED - GASOLINE			
Q11a	Frequency	Percent	
Not Used	648,154	97.3%	
Used	17,695	2.7%	
Frequency Missing = 26690.256239			

EVER INHALED - PAINT THINNER				
Q11b	Frequency	Percent		
Not Used	643,791	97.8%		
Used 14,423 2.2%				
Frequency Missing = 34324.508901				

EVER INHALED - GLUE				
Q11c	Frequency	Percent		
Not Used	627,936	96.5%		
Used 23,077 3.5%				
Frequency Missing = 41525.62273				

EVER INHALED - WHITEOUT				
Q11d	Frequency	Percent		
Not Used	612,158	93.5%		
Used	42,887	6.5%		
Frequency Missing = 37493.826926				

EVE	R INHALED	
		PAINT
Q11e	Frequency	Percent
Not Used	631,067	97.2%
Used	18,507	2.8%
-		04.00040

Frequency Missing = 42964.33648

EVER INHALED - COMPUTER DUSTING SPRAYS			
Q11f	Frequency	Percent	
Not Used	638,590	98.3%	
Used	10,928	1.7%	
Frequency Missing = 43020.419112			

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

©Copyright 2012, Texas A&M University. All rights reserved.

-	GRADE LEVEL				
	Q2	Fr	equency	P	ercent
•	Grade 4		225,187		32.5%
	Grade 5		231,063		33.4%
	Grade 6		236,289		34.1%
-					
		L	IVE WITH	_	
					NTS
	Q3 Fi		luency P	ere	cent
	No	2	17,437	31	1.9%
	Yes	4	63,536	68	8.1%
F	Frequency Missing = 11565.916294				
					AGE
	(	<b></b> 24	Frequen	су	Percent
8 0	or young	er	23	37	0.0%
		9	74,66	35	10.8%
		10	206,10	06	29.9%
		11	218,93	31	31.8%

Q1

Female

Male

GENDER

50.8%

49.2%

Frequency Percent

350,182

339,722

Frequency Missing = 2635.2087965

Frequency Missing = 3779.4970376

166,431

22,389

24.2%

3.3%

12

13 or older

	ETHNICIT	
Q5	Frequency	Percent
African/American	102,248	15.0%
Asian/American	9,125	1.3%
Mexican/American	295,777	43.3%
Native/American	4,898	0.7%
Other	19,361	2.8%
White	252,025	36.9%

Frequency Missing = 9104.8750573

#### MARIJUANA USE DURING LIFETIME Q12I Frequency Percent Never heard of 159,998 24.0% Never used 495,083 74.4% 1 0% 1-2 times 6516 %

11+ times	1,863	0.3%
	1 0 0 0	0.00/
3-10 times	2,112	0.3%
1-2 times	0,510	1.0%

Frequency Missing = 26966.623858

CIGARETTE USI	E IN PAST	SCHOOL YEAR
Q13A F	requency	Percent
Never heard of	43,351	6.5%
Never used	613,430	91.5%
1-2 times	10,246	1.5%
3-10 times	2,487	0.4%
11+ times	1,146	0.2%

Frequency Missing = 21877.849355

SNUFF/CHEWING TOBACCO USE IN PAST YEAR		
Q13B	Frequency	Percent
Never heard of	74,243	11.2%
Never used	584,003	88.0%
1-2 times	4,032	0.6%
3-10 times	785	0.1%
11+ times	410	0.1%

Frequency Missing = 29066.143938

BEER USE IN PAST SCHOOL YEAR		
Q13C Frequency Percent		
Never heard of	14,770	2.3%
Never used	587,183	90.9%
1-2 times	36,248	5.6%
3-10 times	5,545	0.9%
11+ times	2,111	0.3%

Frequency Missing = 46682.193047

WINE COOLER USE DURING		
LIFETIME		
Q12D Frequency Percent		
vor board of 1/1063 21.4%		

	1 5	
Never heard of	141,963	21.4%
Never used	473,415	71.3%
1-2 times	35,337	5.3%
3-10 times	7,238	1.1%
11+ times	5,641	0.9%

Frequency Missing = 28944.377535

WINE USE DURING LIFETIME		
Q12E Frequency		Percent
Never heard of	26,837	4.2%
Never used	551,098	86.8%
1-2 times	47,240	7.4%
3-10 times	6,429	1.0%
11+ times	3,066	0.5%

Frequency Missing = 57869.171475

LIQUOR USE DURING LIFETIME		
Q12F Frequency Percent		
Never heard of	81,427	12.3%
Never used	547,837	82.9%
1-2 times	24,885	3.8%
3-10 times	4,502	0.7%
11+ times	1,913	0.3%
		E 4700

Frequency Missing = 31974.354706

INHALANT USE DURING LIFETIME		
Q12H Frequency Percent		
Never heard of	87,589	13.2%
Never used	546,889	82.6%
1-2 times	19,024	2.9%
3-10 times	5,880	0.9%
11+ times	2,719	0.4%

Frequency Missing = 30436.206094

EVER INHALED - OTHER INHALANTS			
Q11g Frequency Percent			
Not Used 632,627 97.0%			
Used 19,614 3.0%			
Frequency Missing = 40297.416621			

CIGARETTE USE DURING		
	L.	IFETIME
Q12A F	requency	Percent
Never heard of	49,603	7.3%
Never used	601,147	89.0%
1-2 times	19,595	2.9%
3-10 times	3,377	0.5%
11+ times	2,064	0.3%
E		

Frequency Missing = 16752.568081

SNUFF/CHEWING TOBACCO USE IN LIFETIME		
Q12B	Frequency	Percent
Never heard of	84,908	12.7%
Never used	576,311	86.1%
1-2 times	6,415	1.0%
3-10 times	1,231	0.2%
11+ times	869	0.1%

Frequency Missing = 22804.355277

BEER USE DURING LIFETIME		
Q12C Frequency Percent		
Never heard of	16,363	2.5%
Never used	552,063	85.5%
1-2 times	63,351	9.8%
3-10 times	9,631	1.5%
11+ times	4,220	0.7%

Frequency Missing = 46910.777522

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

AGE WHEN FIRST USED BEER		
Q14C	Frequency	Percent
7 or younger	25,470	4.0%
8 years old	9,637	1.5%
9 years old	11,620	1.8%
10 years old	15,958	2.5%
11 years old	10,123	1.6%
12 or older	6,701	1.0%
Never heard/used	561,618	87.6%

Frequency Missing = 51411.627309

AGE WHE	N FIRST US	
	C	OOLERS
Q14D	Frequency	Percent
7 or younger	7,019	1.1%
8 years old	5,309	0.8%
9 years old	5,920	0.9%
10 years old	8,963	1.4%
11 years old	8,882	1.4%
12 or older	6,282	1.0%
Never heard/used	605,593	93.5%
Frequency Missin	a = 44560.74	4064

Frequency Missing = 44569.744964

AGE WHE	N FIRST US	ED WINE
Q14E	Frequency	Percent
7 or younger	8,397	1.3%
8 years old	6,995	1.1%
9 years old	9,779	1.5%
10 years old	11,877	1.9%
11 years old	11,128	1.8%
12 or older	6,732	1.1%
Never heard/used	579,220	91.3%

Frequency Missing = 58410.584424

MARIJUANA USE	IN PAST SCHOOL
	YEAR

Q13I F	requency	Percent
Never heard of	145,572	22.3%
Never used	499,841	76.5%
1-2 times	4,847	0.7%
3-10 times	1,621	0.2%
11+ times	1,643	0.3%
Frequency Missing - 20014 767111		

Frequency Missing = 39014.767111

AGE WHEN FIRST USED CIGARETTES

Frequency Missing = 28341.28546

7 or younger

8 years old

9 years old 10 years old

11 years old

7 or younger

8 years old

9 years old

10 years old

11 years old

Never heard/used

12 or older

Never heard/used

12 or older

Q14A Frequency Percent

5.896

3,744

4.027

5,095

4,557

3,314

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO Q14B Frequency Percent

2,749

1,001

1,501

1,898

1,500

1,153

645,592

Frequency Missing = 37145.067643

637,564

0.9%

0.6%

0.6%

0.8%

0.7%

0.5%

96.0%

0.4%

0.2%

0.2%

0.3%

0.2%

0.2%

98.5%

WINE COOLER USE IN PAST SCHOOL YEAR			
Q13D Frequency Percent			
Never heard of	122,754	18.6%	
Never used	503,524	76.5%	
1-2 times	23,123	3.5%	
3-10 times	5,160	0.8%	
11+ times	3,860	0.6%	
$\Gamma_{resurrow}$ Missing - 24440 770472			

Frequency Missing = 34116.776473

WINE USE IN PAST SCHOOL YEAR		
Q13E Frequency Percent		
Never heard of	23,946	3.7%
Never used	580,112	90.6%
1-2 times	30,459	4.8%
3-10 times	3,981	0.6%
11+ times	1,798	0.3%

Frequency Missing = 52241.351356

LIQUOR USE IN PAST SCHOOL		
		YEAR
Q13F F	Frequency	Percent
Never heard of	77,044	11.7%
Never used	559,384	85.2%
1-2 times	16,053	2.4%
3-10 times	2,708	0.4%
11+ times	1,141	0.2%
Erequency Missing - 36207 572312		

Frequency Missing = 36207.572312

INHALANT USE IN PAST SCHOOL YEAR		
Q13H	Frequency	Percent
Never heard of	79,532	12.1%
Never used	554,153	84.6%
1-2 times	14,474	2.2%
3-10 times	4,299	0.7%
11+ times	2,431	0.4%

Frequency Missing = 37650.886724

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

CLOSE FRIENDS USE

Q15A Frequency Percent

33.254

555,737

69,836

6,162

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO Q15B Frequency Percent

48,648

572,085

30,444

CLOSE FRIENDS USE BEER Q15C Frequency Percent

13,614

522,506

92,511

14,846

CLOSE FRIENDS USE WINE

Q15D Frequency Percent

86,241

508,509

46,211

10,167

3,757

CIGARETTES

5.0%

83.6%

10.5%

0.9%

7.4%

87.3%

4.6% 0.6%

2.1%

81.2%

14.4%

2.3%

COOLERS

13.2%

78.1%

7.1%

1.6%

CLOSE FRIENDS USE WINE		
Q15E	Frequency	Percent
Never heard of	20,715	3.3%
None	551,403	86.7%
Some	56,192	8.8%
Most	7,558	1.2%
Frequency Missing = 56669.776104		

Frequency Missing = 27549.069163

Never heard of

Never heard of

Never heard of

Never heard of

None

Some

Most

None

Some

Most

None

Some

Most

None

Some

Most

Frequency Missing = 41410.22746

Frequency Missing = 49061.392846

Frequency Missing = 37603.858164

CLOSE FF	RIENDS USE	LIQUOR
Q15F	Frequency	Percent
Never heard of	54,737	8.5%
None	540,728	83.7%
Some	42,791	6.6%
Most	7,674	1.2%
Frequency Missing = 46608.325753		

CLOSE FRIENDS USE INHALANTS Q15H Frequency Percent

Most	12,674	2.0%
Some	47,747	7.4%
None	526,932	81.3%
Never heard of	61,025	9.4%

Frequency Missing = 44161.539888

CLOSE FRIENDS USE MARIJUANA		
Q15I 1	Frequency	Percent
Never heard of	112,629	17.4%
None	490,824	75.6%
Some	34,969	5.4%
Most	10,650	1.6%
Frequency Missing = 43465.374146		

EVER BEEN OFFERED CIGARETTESQ16aFrequencyPercentNever heard of37,9015.7%No562,45984.9%Yes62,2439.4%			
CIGARETTESQ16aFrequencyPercentNever heard of37,9015.7%	Yes	62,243	9.4%
Q16a Frequency Percent	No	562,459	84.9%
CIGARETTES	Never heard of	37,901	5.7%
	Q16a	Frequency	Percent
EVED BEEN OFFEDED	E		
	F	VEB BEEN O	FFFRFD

Frequency Missing = 29935.675913

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

©Copyright 2012, Texas A&M University. All rights reserved.

AGE WHEN I	FIRST USED	LIQUOR
Q14F	Frequency	Percent
7 or younger	3,170	0.5%
8 years old	2,060	0.3%
9 years old	3,700	0.6%
10 years old	6,581	1.0%
11 years old	7,528	1.2%
12 or older	5,749	0.9%
Never heard/used	616,937	95.5%

Frequency Missing = 46812.792698

AGE WHEN FIRST USED INHALANTS		
Q14H F	requency	Percent
7 or younger	5,054	0.8%
8 years old	3,887	0.6%
9 years old	4,211	0.7%
10 years old	4,100	0.6%
11 years old	6,044	0.9%
12 or older	3,328	0.5%
Never heard/used	617,416	95.9%

Frequency Missing = 48499.469267

AGE WHEN FIRST	Г USED MAI	RIJUANA
Q14I	Frequency	Percent
7 or younger	1,771	0.3%
8 years old	582	0.1%
9 years old	1,266	0.2%
10 years old	1,911	0.3%
11 years old	2,145	0.3%
12 or older	2,482	0.4%
Never heard/used	633,738	98.4%
Frequency Missing = 48642.45251		

DANGEROU		RETTES
Q18A	Frequency	Percent
Very dangerous	442,700	66.9%
Dangerous	153,307	23.2%
Not at all	6,765	1.0%
Don't know	33,855	5.1%
Never heard of	25,196	3.8%

NARRAY RAR WIRA RA

Frequency Missing = 30715.078908

DANGEROU	S FOR KIDS	TO USE
SNUFF/	CHEWING T	OBACCO
Q18B	Frequency	Percent
Very dangerous	435,140	66.9%
Dangerous	125,521	19.3%
Not at all	7,571	1.2%
Don't know	43,667	6.7%
Never heard of	38,244	5.9%

Frequency Missing = 42393.939781

DANGEROUS	S FOR KIDS	TO USE BEER
Q18C I	Frequency	Percent
Very dangerous	333,408	52.2%
Dangerous	204,601	32.0%
Not at all	36,237	5.7%
Don't know	55,893	8.7%
Never heard of	8,945	1.4%
Eroquopov Missir	a = 53454.7	02438

Frequency Missing = 53454.792438

DANGEROUS FOR KIDS TO USE WINE COOLERS		
Q18D	Frequency	Percent
Very dangerous	327,355	50.8%
Dangerous	146,755	22.8%
Not at all	29,514	4.6%
Don't know	68,004	10.5%
Never heard of	73,115	11.3%
Erequency Missing - 47705 196267		

Frequency Missing = 47795.186367

EVER BEEN OFFERED INHALANTS		
Q16h	Frequency	Percent
Never heard of	62,954	9.9%
No	534,123	83.9%
Yes	39,475	6.2%
Eroquonov Missing - 55086 620878		

Frequency Missing = 55986.629878

#### EVER BEEN OFFERED MARIJUANA

Q16i	Frequency	Percent
Never heard of	112,300	17.5%
No	496,881	77.4%
Yes	33,071	5.1%

Frequency Missing = 50287.267508

IS ALCOHOL OBTAINED FROM HOME		
Q17a	Frequency	Percent
Do Not Drink	535,318	81.8%
No	69,008	10.5%
Yes	50,257	7.7%
Eroquency Missing = 37055 806472		

Frequency Missing = 37955.806472

IS ALCOHOL OBTAINED FROM		
	I	FRIENDS
Q17b	Frequency	Percent
Do Not Drink	531,018	82.7%
No	94,470	14.7%
Yes	16,282	2.5%
Erequency Missing = 50769 060035		

Frequency Missing = 50769.060035

IS ALCOHOL OBTAINED SOMEWHERE ELSE		
Q17c	Frequency	Percent
Do Not Drink	527,257	81.5%
No	81,578	12.6%
Yes	38,317	5.9%

Frequency Missing = 45386.85415

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO		
Q16b Frequency Percent		
Never heard of	54,228	8.3%
No	568,661	87.3%
Yes	28,233	4.3%

Frequency Missing = 41416.371865

EVER BEEN OFFERED BEER		
Q16c	Frequency	Percent
Never heard of	17,620	2.7%
No	518,236	80.4%
Yes	108,327	16.8%

Frequency Missing = 48355.722346

EVER BEEN OFFERED WINE COOLERS		
Q16d	Frequency	Percent
Never heard of	89,386	13.9%
No	507,459	79.0%
Yes	45,770	7.1%

Frequency Missing = 49923.419685

EVER BEEN OFFERED WINE		
Q16e	Frequency	Percent
Never heard of	24,486	3.9%
No	547,596	86.3%
Yes	62,577	9.9%
Frequency Missing - 57979 940927		

Frequency	Missing =	57878.840827
-----------	-----------	--------------

FVFR BFF	N OFFERED	LIQUOR
		·
Q16f	Frequency	Percent
Never heard of	58,038	9.1%
No	538,124	84.3%
Yes	42,466	6.6%

Frequency Missing = 53910.07791

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Non-Border: Grades	4-6
SPRING 2012	

FO FROM	WINE COOLERS,		
TO CLASS	TWO OR MORE AT ONE		AT ONE
Percent			TIME
0 56.8%	Q20b	Frequency	Percent
6 43.2%	Never	615,556	95.2%
6324.728922	1 time	17,300	2.7%
	2 times	6,432	1.0%
	3+ times	7,081	1.1%

Frequency Missing = 46169.310003

TW	O OR MORE	WINE, AT ONE TIME	
Q20c	Frequency	Percent	
Never	598,823	92.5%	
1 time	30,765	4.8%	
2 times	9,001	1.4%	
3+ times	8,507	1.3%	
Eroquopov	Eroquonov Missing - 45442 68328		

Frequency	Missing =	45442.68328
-----------	-----------	-------------

TW	O OR MORE	LIQUOR, AT ONE TIME	
Q20d	Frequency	Percent	
Never	619,938	95.6%	
1 time	15,021	2.3%	
2 times	5,857	0.9%	
3+ times	7,538	1.2%	
Eroquopov	Eroquonov Missing - 44195 43361		

Frequency I	Missing =	44185.43361
-------------	-----------	-------------

Q21 Frequency         Percent           No         654,658         97.7		MISSED SCHOOL		
Q21 Frequency         Percent           No         654,658         97.7	,	WITHOUT PA	ARENT'S	
No 654,658 97.7	CONSENT			
,	Q21	Frequency	Percent	
Yes 15,367 2.3	No	654,658	97.7%	
	Yes	15,367	2.3%	

Frequency Missing = 22513.491077

'O USE		DR	UG/ALC INF	O FRO
WINE			VISITOR T	O CLAS
ercent		Q19b	Frequency	Percer
51.4%		No	355,399	56.8
29.4%		Yes	270,815	43.2
7.0%	Fre	equency	y Missing = 66	324.728
10.0%				

DRI	JG/ALC INF	O FROM
ASSEMBLY PROGRAM		
Q19c	Frequency	Percent
No	296,924	47.4%
Yes	329,727	52.6%
NI:		

Frequency Missing = 65886.811029

	UG/ALC INF CHOOL COU	
Q19d	Frequency	Percent
No	326,336	52.1%
Yes	300,457	47.9%

Frequency Missing = 65745.656112

	DRUG/ALC INFO FROM			
		SOMEONE	ELSE AT	
SCHOOL			SCHOOL	
	Q19e	Frequency	Percent	
	No	407,374	65.3%	
	Yes	216,896	34.7%	
requency Missing - 68268 160367				

Frequency Missing = 68268.160367

BEER, TWO OR MORE AT ONE TIME			
Q20a F	requency	Percent	
Never	593,185	90.2%	
1 time	39,933	6.1%	
2 times	12,573	1.9%	
3+ times	12,205	1.9%	

Frequency Missing = 34642.977874

DANGEROU	S FOR KIDS	TO USE WINE
Q18E	Frequency	Percent
Very dangerous	330,201	51.4%
Dangerous	188,575	29.4%
Not at all	44,978	7.0%
Don't know	63,941	10.0%
Never heard of	14,325	2.2%

Frequency Missing = 50518.557776

DANGEROUS	S FOR KIDS	TO USE
		LIOUOD
		LIQUOR
0185	Frequency	Percent
Q101	riequency	reitent
Very dangerous	413.030	64.0%
very dungerous	110,000	01.070
Dangerous	130.109	20.2%
	,	
Not at all	13,666	2.1%
Don't know	46.184	7.2%
DOIT UKHOW	40,104	1.270
Never heard of	42,603	6.6%
Fraguency Missing - 46045 651102		

Frequency Missing = 46945.651102

DANGEROUS FOR KIDS TO USE MARIJUANA		
Q18H	Frequency	Percent
Very dangerous	453,633	70.2%
Dangerous	55,995	8.7%
Not at all	9,593	1.5%
Don't know	40,103	6.2%
Never heard of	86,619	13.4%

Frequency Missing = 46595.579593

D	RUG/ALCOH	OL INFO
	FROM T	EACHER
Q19a	Frequency	Percent
No	317,430	50.1%
Yes	315,919	49.9%
Frequency Missing = 59189.760722		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

SENT TO			
PR	INCIPAL/DEA	N SINCE	
	SEP	TEMBER	
Q22	Frequency	Percent	
No	520,310	77.9%	
Yes	147,792	22.1%	
Frequency Missing = 24436.061141			

PARENTS FEEL ABOUT KIDS				
SMOKING CIGARETTES				
Q23	Frequency	Percent		
Don't like it	579,719	87.0%		
Don't care	10,970	1.6%		
Think it's O.K.	2,181	0.3%		
Don't know	73,678	11.1%		
Frequency Missing = 25990.672422				

PARENTS FEEL ABOUT KIDS				
DRINKING BEER				
Q24	Frequency	Percent		
Don't like it	550,323	82.7%		
Don't care	19,634	2.9%		
Think it's O.K.	7,613	1.1%		
Don't know	88,164	13.2%		

Frequency Missing = 26804.735061	

PARENTS FEEL ABOUT KIDS USING MARIJUANA				
q25	Frequency	Percent		
Don't like it	556,222	83.6%		
Don't care	7,559	1.1%		
Think it's O.K.	2,557	0.4%		
Don't know	98,983	14.9%		
Eroquonov Missing - 27216 744701				

Frequency Missing = 27216.744701

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.