
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2016



HHSC REGION 7 AND 8 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	28
Miscellaneous	32
2 Prevalence Tables	38
Table B-1: All Students	39
Table B-2: Male Students	43
Table B-3: Female Students	47
Table B-4: White Non-Hispanic Students	51
Table B-5: African American Non-Hispanic Students	55
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	107

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 7 and 8. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	13.8%	18.2%	28.8%	71.2%
Grade 7	4.7%	6.0%	12.7%	87.3%
Grade 8	8.5%	11.4%	21.3%	78.7%
Grade 9	12.5%	16.2%	27.6%	72.4%
Grade 10	13.9%	19.6%	31.1%	68.9%
Grade 11	20.3%	25.8%	38.7%	61.3%
Grade 12	26.4%	34.2%	45.8%	54.2%
Cigarettes?				
All	4.3%	6.5%	14.2%	85.8%
Grade 7	1.4%	1.9%	5.9%	94.1%
Grade 8	2.7%	3.2%	10.0%	90.0%
Grade 9	3.0%	4.3%	12.2%	87.8%
Grade 10	5.1%	7.4%	15.0%	85.0%
Grade 11	6.6%	10.5%	20.5%	79.5%
Grade 12	8.1%	13.5%	24.4%	75.6%
Smokeless Tobacco?				
All	3.0%	4.1%	7.7%	92.3%
Grade 7	0.6%	0.9%	2.7%	97.3%
Grade 8	1.7%	2.4%	4.7%	95.3%
Grade 9	2.3%	3.2%	6.8%	93.2%
Grade 10	3.1%	4.0%	8.1%	91.9%
Grade 11	5.3%	6.5%	10.9%	89.1%
Grade 12	5.7%	9.1%	14.5%	85.5%
Electronic Vapor Products?				
All	8.8%	13.4%	24.0%	76.0%
Grade 7	2.3%	3.3%	8.6%	91.4%
Grade 8	4.8%	7.7%	16.6%	83.4%
Grade 9	8.7%	12.8%	23.4%	76.6%
Grade 10	9.3%	15.7%	27.6%	72.4%
Grade 11	13.6%	19.1%	33.3%	66.7%
Grade 12	16.1%	24.6%	37.8%	62.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 120

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	86.8%	1.3%	1.0%	1.7%	2.6%	2.4%	4.1%
Grade 7	95.7%	0.2%	0.1%	0.2%	0.8%	0.9%	2.1%
Grade 8	93.0%	0.2%	0.7%	1.0%	0.9%	1.3%	2.9%
Grade 9	89.3%	0.8%	0.8%	1.9%	2.4%	2.2%	2.7%
Grade 10	87.2%	1.3%	0.6%	1.9%	2.5%	2.7%	3.7%
Grade 11	80.7%	2.2%	1.6%	2.8%	4.1%	2.7%	6.0%
Grade 12	70.9%	4.0%	2.7%	2.7%	5.9%	5.1%	8.7%

Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.5%	22.0%	8.8%	11.1%	15.0%	19.6%
Grade 7	34.4%	35.3%	11.5%	6.7%	7.4%	4.8%
Grade 8	32.7%	28.7%	8.2%	11.2%	10.8%	8.4%
Grade 9	22.9%	24.8%	10.0%	14.2%	15.2%	12.9%
Grade 10	21.1%	16.9%	9.1%	14.5%	19.5%	18.9%
Grade 11	14.6%	13.0%	7.2%	10.9%	23.3%	31.0%
Grade 12	12.6%	9.9%	6.2%	7.8%	14.6%	48.9%

Table T-4: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	68.9%	20.1%	6.9%	3.4%	0.7%
Grade 7	89.2%	8.0%	1.6%	0.4%	0.8%
Grade 8	79.8%	14.3%	4.1%	1.3%	0.5%
Grade 9	71.7%	19.1%	5.8%	3.0%	0.4%
Grade 10	64.8%	24.2%	6.6%	3.6%	0.7%
Grade 11	56.0%	26.4%	11.5%	5.4%	0.8%
Grade 12	45.6%	31.3%	14.0%	7.7%	1.4%

Percentages have been weighted to reflect proportions within the population.

Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.0%	8.3%	5.5%	1.0%	0.7%	5.6%
Grade 7	87.9%	2.7%	1.8%	0.4%	0.6%	6.5%
Grade 8	83.3%	5.0%	3.2%	0.1%	0.8%	7.5%
Grade 9	81.6%	7.5%	4.3%	0.8%	0.8%	4.9%
Grade 10	78.6%	9.2%	6.3%	0.6%	0.3%	5.0%
Grade 11	74.5%	11.0%	7.5%	1.7%	0.6%	4.7%
Grade 12	64.6%	16.3%	11.0%	2.3%	0.9%	4.9%

Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	60.3%	25.3%	8.3%	1.8%	4.4%
	Grade 7	77.4%	14.5%	3.7%	0.5%	3.9%
	Grade 8	69.4%	20.9%	4.9%	0.9%	3.9%
	Grade 9	59.0%	26.0%	8.0%	1.7%	5.2%
	Grade 10	54.9%	29.1%	8.7%	2.3%	5.0%
	Grade 11	50.7%	29.0%	12.7%	2.3%	5.4%
	Grade 12	47.0%	34.1%	12.8%	3.4%	2.6%
Electronic Vapor Products?						
	All	49.2%	14.0%	16.4%	15.0%	5.4%
	Grade 7	71.5%	12.2%	6.7%	4.6%	5.0%
	Grade 8	61.4%	13.1%	11.5%	8.7%	5.3%
	Grade 9	47.2%	14.4%	18.9%	13.6%	5.9%
	Grade 10	40.2%	16.3%	18.7%	19.5%	5.4%
	Grade 11	37.5%	12.7%	20.5%	23.6%	5.6%
	Grade 12	33.6%	15.3%	23.9%	22.2%	4.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	28.0%	34.1%	53.3%	46.7%
Grade 7	14.7%	17.4%	37.2%	62.8%
Grade 8	20.8%	24.5%	45.3%	54.7%
Grade 9	26.4%	31.9%	50.5%	49.5%
Grade 10	28.4%	35.8%	57.5%	42.5%
Grade 11	37.5%	45.7%	63.5%	36.5%
Grade 12	44.3%	54.9%	70.2%	29.8%
Beer?				
All	12.0%	18.1%	40.6%	59.4%
Grade 7	5.1%	6.5%	27.1%	72.9%
Grade 8	7.0%	10.0%	33.6%	66.4%
Grade 9	10.4%	16.5%	36.9%	63.1%
Grade 10	12.7%	19.2%	42.8%	57.2%
Grade 11	17.8%	26.8%	49.5%	50.5%
Grade 12	21.7%	33.5%	58.5%	41.5%
Wine Coolers?				
All	10.5%	16.0%	34.2%	65.8%
Grade 7	4.4%	6.0%	18.0%	82.0%
Grade 8	6.5%	8.7%	25.6%	74.4%
Grade 9	9.9%	15.2%	31.6%	68.4%
Grade 10	12.3%	17.9%	37.6%	62.4%
Grade 11	14.0%	22.4%	44.1%	55.9%
Grade 12	17.9%	29.4%	53.0%	47.0%
Wine?				
All	8.3%	13.5%	35.7%	64.3%
Grade 7	2.9%	5.1%	22.6%	77.4%
Grade 8	6.5%	8.5%	28.4%	71.6%
Grade 9	8.0%	12.5%	33.7%	66.3%
Grade 10	8.9%	15.7%	39.8%	60.2%
Grade 11	10.2%	17.7%	43.0%	57.0%
Grade 12	15.1%	24.1%	50.6%	49.4%
Liquor?				
All	11.4%	17.9%	36.2%	63.8%
Grade 7	3.3%	4.3%	16.1%	83.9%
Grade 8	6.2%	9.1%	25.5%	74.5%
Grade 9	9.7%	15.1%	33.4%	66.6%
Grade 10	12.3%	20.9%	41.5%	58.5%
Grade 11	17.2%	27.0%	48.0%	52.0%
Grade 12	22.9%	35.8%	59.0%	41.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 120

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	62.1%	0.2%	1.4%	6.8%	11.2%	10.0%	8.3%
Grade 7	81.2%	0.0%	0.6%	1.6%	3.9%	6.5%	6.1%
Grade 8	72.3%	0.2%	0.9%	2.7%	7.1%	7.6%	9.1%
Grade 9	64.9%	0.1%	0.9%	6.9%	9.3%	9.8%	8.1%
Grade 10	59.4%	0.0%	2.4%	7.8%	11.5%	10.7%	8.2%
Grade 11	48.7%	0.4%	0.7%	10.5%	16.4%	13.2%	10.1%
Grade 12	40.3%	0.3%	3.3%	12.9%	21.6%	13.1%	8.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	63.7%	36.3%	6.0%	16.8%	13.6%
	Grade 7	77.5%	22.5%	1.1%	9.4%	12.0%
	Grade 8	70.2%	29.8%	3.1%	11.6%	15.1%
	Grade 9	66.1%	33.9%	6.3%	14.3%	13.3%
	Grade 10	62.5%	37.5%	6.5%	17.7%	13.2%
	Grade 11	54.9%	45.1%	10.0%	23.1%	11.9%
	Grade 12	46.6%	53.4%	9.8%	27.4%	16.3%
Wine Coolers						
	All	69.4%	30.6%	5.2%	16.7%	8.7%
	Grade 7	85.3%	14.7%	1.2%	6.2%	7.4%
	Grade 8	78.4%	21.6%	2.7%	10.4%	8.4%
	Grade 9	70.9%	29.1%	5.2%	15.4%	8.5%
	Grade 10	66.2%	33.8%	6.7%	17.5%	9.6%
	Grade 11	60.9%	39.1%	7.2%	22.8%	9.1%
	Grade 12	50.0%	50.0%	8.9%	31.3%	9.8%
Wine						
	All	68.8%	31.2%	2.3%	14.0%	14.9%
	Grade 7	81.3%	18.7%	0.7%	7.2%	10.8%
	Grade 8	76.1%	23.9%	1.7%	9.4%	12.7%
	Grade 9	69.8%	30.2%	2.4%	12.0%	15.7%
	Grade 10	64.8%	35.2%	2.6%	16.5%	16.1%
	Grade 11	62.9%	37.1%	2.4%	18.8%	15.9%
	Grade 12	54.7%	45.3%	4.6%	21.9%	18.7%
Liquor						
	All	66.3%	33.7%	8.1%	15.9%	9.6%
	Grade 7	85.9%	14.1%	0.9%	6.5%	6.8%
	Grade 8	77.0%	23.0%	4.1%	9.7%	9.2%
	Grade 9	69.1%	30.9%	7.3%	12.6%	11.0%
	Grade 10	62.0%	38.0%	9.6%	18.3%	10.1%
	Grade 11	53.8%	46.2%	13.1%	23.1%	10.1%
	Grade 12	44.3%	55.7%	15.9%	28.9%	10.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	89.1%	4.5%	2.5%	2.0%	0.7%	1.2%
Grade 7	95.3%	2.3%	1.2%	0.7%	0.0%	0.4%
Grade 8	93.4%	3.3%	1.3%	1.1%	0.4%	0.6%
Grade 9	91.4%	3.4%	1.9%	1.7%	0.4%	1.3%
Grade 10	88.4%	4.4%	2.7%	2.6%	0.6%	1.3%
Grade 11	84.1%	6.1%	4.2%	2.9%	0.9%	1.7%
Grade 12	79.2%	8.7%	4.1%	3.8%	1.8%	2.4%

Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.2%	14.0%	6.6%	11.3%	20.1%	28.8%
Grade 7	29.5%	24.1%	10.1%	10.4%	12.0%	13.9%
Grade 8	27.7%	18.0%	7.1%	12.0%	16.7%	18.5%
Grade 9	18.8%	13.9%	7.8%	12.9%	20.2%	26.5%
Grade 10	15.4%	11.1%	5.6%	9.2%	23.6%	35.1%
Grade 11	11.1%	8.4%	3.9%	10.9%	25.2%	40.6%
Grade 12	10.3%	7.0%	4.2%	12.5%	23.8%	42.2%

Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.3%	3.1%	0.4%	0.2%
Grade 7	97.0%	2.4%	0.4%	0.1%
Grade 8	96.7%	3.1%	0.1%	0.1%
Grade 9	96.4%	2.9%	0.3%	0.3%
Grade 10	96.0%	3.5%	0.4%	0.2%
Grade 11	95.9%	3.6%	0.3%	0.2%
Grade 12	95.4%	3.2%	1.1%	0.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-7: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.6
Average Days Conduct Problems Reported	
Alcohol Users	2.1
Alcohol Non-Users	0.8

Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.4%	2.9%	0.4%	0.4%
Grade 9	98.4%	1.5%	0.1%	0.0%
Grade 10	98.0%	1.5%	0.0%	0.4%
Grade 11	95.6%	3.7%	0.4%	0.4%
Grade 12	92.7%	5.6%	1.1%	0.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.1%	3.4%	0.3%	0.2%
Grade 7	98.4%	1.1%	0.2%	0.3%
Grade 8	98.2%	1.6%	0.0%	0.2%
Grade 9	95.6%	4.0%	0.4%	0.0%
Grade 10	95.5%	4.3%	0.1%	0.1%
Grade 11	94.3%	4.8%	0.6%	0.3%
Grade 12	94.1%	5.2%	0.4%	0.3%

Table A-9: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	48.7%	24.7%	14.9%	9.2%	2.5%
Grade 7	75.2%	17.2%	5.3%	1.8%	0.5%
Grade 8	64.5%	21.4%	9.4%	3.5%	1.3%
Grade 9	47.8%	27.0%	14.6%	9.2%	1.4%
Grade 10	41.4%	29.7%	16.0%	10.0%	2.9%
Grade 11	31.6%	27.8%	22.6%	13.6%	4.3%
Grade 12	25.9%	25.4%	23.9%	19.4%	5.4%

Percentages have been weighted to reflect proportions within the population.

Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	50.9%	7.3%	5.1%	8.1%	9.7%	2.1%	16.8%
Grade 7	73.3%	6.4%	3.8%	3.0%	1.5%	3.2%	8.8%
Grade 8	65.6%	8.4%	4.7%	4.9%	3.1%	1.9%	11.4%
Grade 9	46.6%	8.9%	5.6%	9.2%	7.6%	2.4%	19.6%
Grade 10	45.4%	6.6%	4.3%	9.8%	10.4%	2.3%	21.3%
Grade 11	37.2%	6.4%	6.4%	10.1%	17.0%	1.1%	22.0%
Grade 12	33.1%	7.2%	6.1%	12.2%	22.0%	1.6%	17.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	58.4%	17.7%	16.7%	4.7%	2.4%
	Grade 7	69.1%	17.3%	10.6%	2.2%	0.9%
	Grade 8	66.4%	15.5%	13.2%	3.5%	1.3%
	Grade 9	60.7%	17.8%	15.9%	4.2%	1.4%
	Grade 10	56.3%	16.9%	18.2%	6.0%	2.7%
	Grade 11	50.9%	17.8%	21.6%	5.7%	4.0%
	Grade 12	43.4%	21.9%	22.5%	7.4%	4.8%
Friends?						
	All	59.1%	17.6%	12.0%	8.5%	2.8%
	Grade 7	73.6%	19.2%	3.8%	2.8%	0.6%
	Grade 8	69.0%	18.0%	8.2%	3.9%	0.9%
	Grade 9	59.9%	19.3%	11.0%	7.7%	2.0%
	Grade 10	56.0%	19.2%	13.4%	8.4%	3.0%
	Grade 11	51.0%	13.7%	17.1%	13.4%	4.8%
	Grade 12	40.8%	15.0%	20.4%	17.0%	6.8%
A Store?						
	All	61.4%	32.0%	3.6%	1.8%	1.1%
	Grade 7	73.8%	24.4%	0.8%	0.7%	0.2%
	Grade 8	70.7%	25.7%	1.9%	1.4%	0.3%
	Grade 9	62.1%	33.6%	1.9%	1.5%	0.8%
	Grade 10	59.4%	33.2%	3.9%	2.3%	1.2%
	Grade 11	54.6%	34.4%	7.0%	2.5%	1.6%
	Grade 12	43.7%	42.9%	7.4%	2.8%	3.2%
Parties?						
	All	56.8%	16.7%	9.9%	8.6%	7.9%
	Grade 7	70.1%	18.9%	5.5%	3.6%	1.9%
	Grade 8	67.3%	15.7%	7.6%	6.2%	3.3%
	Grade 9	56.4%	17.3%	9.4%	9.1%	7.9%
	Grade 10	53.9%	17.1%	12.5%	7.3%	9.2%
	Grade 11	50.0%	13.6%	10.8%	11.3%	14.3%
	Grade 12	39.0%	17.8%	15.0%	16.0%	12.2%
Other Sources?						
	All	62.0%	23.3%	7.5%	4.1%	3.1%
	Grade 7	71.8%	20.9%	4.5%	2.3%	0.5%
	Grade 8	70.3%	19.7%	4.9%	3.4%	1.7%
	Grade 9	62.0%	23.7%	7.1%	4.4%	2.8%
	Grade 10	61.0%	23.6%	8.3%	4.1%	3.1%
	Grade 11	57.5%	22.6%	10.2%	4.7%	5.0%
	Grade 12	45.7%	30.6%	11.1%	6.5%	6.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	63.8%	15.2%	11.2%	3.3%	1.1%	5.4%
Grade 7	77.2%	9.5%	3.7%	1.8%	0.9%	6.9%
Grade 8	71.8%	11.6%	6.5%	1.7%	0.8%	7.6%
Grade 9	66.4%	15.6%	9.6%	3.1%	1.0%	4.4%
Grade 10	60.3%	16.3%	13.8%	3.6%	0.8%	5.2%
Grade 11	55.2%	19.1%	15.9%	4.4%	0.9%	4.4%
Grade 12	48.4%	20.1%	19.4%	5.6%	2.6%	3.9%

Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	50.2%	31.9%	12.5%	2.1%	3.3%
Grade 7	61.7%	24.6%	8.4%	2.1%	3.2%
Grade 8	57.6%	26.4%	10.5%	2.3%	3.1%
Grade 9	47.7%	32.3%	13.6%	2.3%	4.0%
Grade 10	46.2%	36.1%	12.2%	2.3%	3.3%
Grade 11	44.7%	35.6%	14.7%	1.6%	3.4%
Grade 12	41.1%	37.9%	16.6%	2.0%	2.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	12.3%	16.6%	22.5%	77.5%
Grade 7	4.4%	6.1%	8.4%	91.6%
Grade 8	9.4%	11.9%	15.6%	84.4%
Grade 9	9.6%	13.3%	17.1%	82.9%
Grade 10	12.7%	18.7%	25.8%	74.2%
Grade 11	18.2%	25.3%	33.9%	66.1%
Grade 12	22.7%	28.1%	39.0%	61.0%
Marijuana?				
All	11.6%	14.5%	20.8%	79.2%
Grade 7	3.8%	4.5%	7.0%	93.0%
Grade 8	8.1%	9.4%	13.3%	86.7%
Grade 9	9.1%	11.4%	15.6%	84.4%
Grade 10	11.9%	16.5%	23.8%	76.2%
Grade 11	17.8%	22.8%	32.8%	67.2%
Grade 12	22.1%	26.0%	37.6%	62.4%
Cocaine?				
All	1.2%	1.6%	2.4%	97.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.4%	1.7%	1.9%	98.1%
Grade 9	1.1%	1.5%	2.4%	97.6%
Grade 10	0.9%	1.3%	2.7%	97.3%
Grade 11	2.0%	2.6%	3.8%	96.2%
Grade 12	1.8%	2.0%	3.7%	96.3%
Crack?				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.9%	1.1%	1.8%	98.2%
Grade 9	0.7%	0.9%	1.4%	98.6%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.3%	0.6%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.7%	99.3%
Hallucinogens?				
All	1.1%	1.8%	3.4%	96.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.9%	1.2%	2.3%	97.7%
Grade 10	1.0%	2.0%	4.0%	96.0%
Grade 11	1.4%	3.3%	5.8%	94.2%
Grade 12	3.1%	4.3%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.8%	99.2%
Steroids?				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.7%	0.8%	2.0%	98.0%
Grade 8	0.2%	0.4%	1.3%	98.7%
Grade 9	0.2%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.4%	0.7%	99.3%
Grade 11	0.2%	0.5%	2.0%	98.0%
Grade 12	0.5%	0.8%	2.3%	97.7%
Ecstasy?				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.2%	0.7%	1.5%	98.5%
Grade 9	0.6%	0.9%	2.5%	97.5%
Grade 10	0.4%	1.1%	2.7%	97.3%
Grade 11	1.0%	2.0%	3.5%	96.5%
Grade 12	2.1%	3.0%	6.2%	93.8%
Heroin?				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.6%	1.2%	98.8%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.6%	99.4%
Methamphetamine?				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.5%	0.8%	1.4%	98.6%
Grade 9	0.1%	0.2%	1.3%	98.7%
Grade 10	0.2%	0.3%	1.1%	98.9%
Grade 11	0.2%	0.5%	1.4%	98.6%
Grade 12	0.6%	1.6%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.0%	1.5%	3.8%	96.2%
Grade 7	0.4%	0.6%	1.2%	98.8%
Grade 8	1.4%	2.1%	3.7%	96.3%
Grade 9	1.2%	1.7%	3.9%	96.1%
Grade 10	1.3%	1.8%	4.4%	95.6%
Grade 11	0.9%	1.4%	4.3%	95.7%
Grade 12	1.0%	1.5%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	82.1%	1.4%	2.2%	2.7%	3.6%	3.6%	4.3%
Grade 7	94.6%	0.4%	0.5%	1.0%	0.7%	0.9%	1.8%
Grade 8	89.0%	0.9%	1.1%	1.3%	1.9%	3.3%	2.5%
Grade 9	86.6%	0.7%	1.3%	2.7%	2.8%	2.7%	3.3%
Grade 10	79.3%	1.5%	2.5%	3.4%	4.2%	4.6%	4.6%
Grade 11	71.4%	2.0%	3.7%	3.5%	6.0%	6.4%	7.0%
Grade 12	67.6%	3.4%	4.8%	5.0%	7.0%	4.3%	7.8%
Cocaine?							
All	98.2%	0.1%	0.1%	0.1%	0.4%	0.6%	0.5%
Grade 7	99.7%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%
Grade 8	98.8%	0.1%	0.0%	0.2%	0.3%	0.2%	0.5%
Grade 9	98.1%	0.1%	0.0%	0.2%	0.5%	0.7%	0.4%
Grade 10	98.3%	0.0%	0.3%	0.0%	0.6%	0.5%	0.3%
Grade 11	97.1%	0.0%	0.4%	0.3%	0.5%	0.9%	0.8%
Grade 12	96.8%	0.2%	0.0%	0.0%	0.5%	1.6%	0.9%
Crack?							
All	99.3%	0.0%	0.0%	0.0%	0.1%	0.2%	0.3%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.1%	0.1%	0.0%	0.1%	0.3%	0.0%	0.4%
Grade 9	98.7%	0.0%	0.0%	0.0%	0.3%	0.4%	0.5%
Grade 10	99.2%	0.0%	0.0%	0.0%	0.1%	0.2%	0.4%
Grade 11	99.4%	0.0%	0.0%	0.0%	0.0%	0.4%	0.1%
Grade 12	99.5%	0.1%	0.1%	0.0%	0.0%	0.0%	0.4%
Steroids?							
All	99.2%	0.0%	0.1%	0.1%	0.1%	0.1%	0.4%
Grade 7	99.0%	0.0%	0.2%	0.3%	0.1%	0.0%	0.5%
Grade 8	99.3%	0.0%	0.1%	0.0%	0.0%	0.2%	0.4%
Grade 9	99.6%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%
Grade 10	99.5%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%
Grade 11	99.6%	0.0%	0.0%	0.0%	0.3%	0.0%	0.1%
Grade 12	98.1%	0.1%	0.4%	0.0%	0.0%	0.2%	1.1%
Ecstasy?							
All	97.7%	0.0%	0.0%	0.2%	0.5%	0.8%	0.8%
Grade 7	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 8	98.8%	0.1%	0.0%	0.0%	0.2%	0.6%	0.3%
Grade 9	98.1%	0.0%	0.0%	0.1%	0.4%	1.0%	0.4%
Grade 10	97.9%	0.0%	0.0%	0.0%	0.6%	0.7%	0.7%
Grade 11	96.7%	0.0%	0.0%	0.2%	0.4%	1.1%	1.6%
Grade 12	94.3%	0.1%	0.0%	0.7%	1.4%	1.3%	2.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.3%	0.0%	0.2%	0.0%	0.1%	0.2%	0.2%
	Grade 9	99.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 11	99.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
	Grade 12	99.4%	0.0%	0.0%	0.1%	0.0%	0.0%	0.4%
Methamphetamine?								
	All	99.2%	0.0%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
	Grade 8	98.8%	0.1%	0.2%	0.1%	0.2%	0.4%	0.2%
	Grade 9	99.2%	0.0%	0.0%	0.0%	0.1%	0.2%	0.4%
	Grade 10	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 11	99.2%	0.0%	0.0%	0.0%	0.1%	0.2%	0.6%
	Grade 12	98.2%	0.0%	0.1%	0.5%	0.5%	0.1%	0.7%
Synthetic Marijuana?								
	All	97.6%	0.1%	0.1%	0.3%	0.4%	0.5%	1.0%
	Grade 7	99.4%	0.1%	0.0%	0.0%	0.2%	0.2%	0.2%
	Grade 8	97.4%	0.1%	0.2%	0.4%	0.8%	0.5%	0.6%
	Grade 9	97.2%	0.0%	0.1%	0.3%	0.5%	0.9%	1.0%
	Grade 10	97.4%	0.1%	0.0%	0.5%	0.2%	0.7%	1.2%
	Grade 11	97.4%	0.0%	0.1%	0.4%	0.2%	0.4%	1.5%
	Grade 12	97.0%	0.0%	0.0%	0.4%	0.6%	0.5%	1.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	22.7%	23.6%	8.7%	10.0%	14.6%	20.4%
	Grade 7	35.1%	40.4%	10.2%	5.6%	4.6%	4.1%
	Grade 8	31.4%	29.7%	8.8%	9.4%	9.8%	10.9%
	Grade 9	22.7%	23.8%	9.8%	10.2%	14.8%	18.6%
	Grade 10	17.8%	18.8%	7.8%	13.6%	17.6%	24.3%
	Grade 11	13.9%	13.9%	7.8%	8.9%	21.2%	34.4%
	Grade 12	12.0%	11.7%	7.6%	12.9%	21.4%	34.3%
Cocaine?							
	All	30.7%	35.4%	15.8%	9.4%	4.6%	4.1%
	Grade 7	38.2%	45.1%	10.7%	3.5%	1.4%	1.1%
	Grade 8	39.0%	38.6%	11.8%	5.2%	3.1%	2.3%
	Grade 9	30.7%	35.2%	15.3%	10.7%	4.5%	3.6%
	Grade 10	27.9%	33.7%	18.0%	10.6%	5.2%	4.7%
	Grade 11	24.1%	30.8%	20.1%	12.9%	6.2%	5.9%
	Grade 12	22.5%	26.8%	20.0%	15.1%	7.9%	7.8%
Crack?							
	All	32.5%	36.7%	16.4%	8.1%	3.2%	3.1%
	Grade 7	39.6%	44.6%	9.9%	3.3%	1.2%	1.3%
	Grade 8	39.8%	39.4%	12.0%	4.1%	2.7%	2.0%
	Grade 9	32.5%	36.8%	16.4%	8.5%	2.9%	2.9%
	Grade 10	30.2%	35.4%	17.5%	9.6%	3.8%	3.5%
	Grade 11	25.5%	33.7%	21.3%	11.7%	3.8%	4.0%
	Grade 12	25.8%	28.2%	22.9%	12.6%	5.2%	5.3%
Steroids?							
	All	33.7%	35.9%	15.2%	8.3%	3.9%	3.0%
	Grade 7	41.1%	42.3%	9.0%	3.9%	1.9%	1.8%
	Grade 8	40.1%	38.9%	11.8%	4.3%	3.0%	1.7%
	Grade 9	33.2%	36.0%	15.2%	9.0%	3.8%	2.7%
	Grade 10	31.7%	35.2%	15.8%	9.1%	4.5%	3.7%
	Grade 11	28.5%	31.6%	18.8%	11.5%	5.3%	4.3%
	Grade 12	25.3%	29.4%	22.3%	13.3%	5.2%	4.4%
Ecstasy?							
	All	41.6%	29.5%	12.8%	7.4%	5.1%	3.7%
	Grade 7	56.0%	33.1%	7.7%	1.7%	1.0%	0.6%
	Grade 8	53.6%	30.2%	9.1%	4.0%	1.7%	1.4%
	Grade 9	43.6%	29.6%	12.2%	7.3%	4.6%	2.7%
	Grade 10	35.6%	30.9%	14.4%	8.6%	5.7%	4.8%
	Grade 11	29.4%	27.8%	16.4%	11.5%	8.7%	6.3%
	Grade 12	27.1%	24.4%	18.3%	12.5%	10.0%	7.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	38.5%	37.3%	14.5%	5.4%	2.0%	2.2%
	Grade 7	49.6%	37.8%	8.3%	2.4%	1.0%	0.9%
	Grade 8	48.0%	35.7%	10.7%	2.6%	1.3%	1.7%
	Grade 9	37.8%	38.6%	13.8%	6.0%	2.2%	1.6%
	Grade 10	35.5%	37.9%	15.4%	6.4%	2.5%	2.3%
	Grade 11	30.5%	38.4%	17.8%	7.9%	2.0%	3.4%
	Grade 12	26.9%	35.1%	22.9%	8.0%	3.3%	3.8%
Methamphetamine?							
	All	40.0%	35.4%	13.6%	5.7%	2.8%	2.5%
	Grade 7	52.8%	35.4%	8.0%	1.6%	1.2%	1.0%
	Grade 8	50.6%	33.5%	9.3%	3.2%	1.8%	1.6%
	Grade 9	38.7%	37.1%	12.2%	6.8%	2.8%	2.5%
	Grade 10	36.5%	36.5%	14.4%	6.2%	3.1%	3.2%
	Grade 11	30.5%	36.6%	17.1%	9.0%	3.3%	3.6%
	Grade 12	27.9%	32.5%	23.2%	7.8%	4.9%	3.7%
Synthetic Marijuana?							
	All	40.7%	28.6%	11.7%	7.5%	5.8%	5.7%
	Grade 7	54.1%	31.9%	7.7%	2.7%	1.5%	2.0%
	Grade 8	50.9%	28.6%	9.1%	4.8%	3.1%	3.6%
	Grade 9	39.4%	30.5%	11.4%	7.7%	5.2%	5.7%
	Grade 10	36.3%	27.4%	12.3%	8.1%	8.3%	7.6%
	Grade 11	30.9%	26.9%	15.0%	11.5%	7.6%	8.0%
	Grade 12	30.0%	25.3%	15.6%	11.1%	10.0%	7.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	93.7%	3.5%	1.1%	1.7%
Grade 7	98.3%	1.0%	0.4%	0.3%
Grade 8	95.8%	3.0%	0.5%	0.7%
Grade 9	94.3%	3.1%	1.0%	1.6%
Grade 10	92.9%	4.4%	0.9%	1.8%
Grade 11	90.1%	5.5%	1.7%	2.8%
Grade 12	89.7%	4.0%	2.7%	3.6%
Attended Class While High from Use of Some Other Drug?				
All	96.9%	2.0%	0.6%	0.6%
Grade 7	98.7%	0.8%	0.2%	0.3%
Grade 8	97.8%	1.6%	0.3%	0.2%
Grade 9	96.2%	2.5%	0.4%	0.8%
Grade 10	97.1%	2.0%	0.4%	0.5%
Grade 11	95.1%	3.1%	1.2%	0.6%
Grade 12	95.9%	2.1%	1.0%	1.1%

Table D-5: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.9
Marijuana Non-Users	3.8
Average Days Conduct Problems Reported	
Marijuana Users	3.1
Marijuana Non-Users	1.0

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.3%	3.6%	0.8%	1.3%
Grade 9	98.2%	1.4%	0.2%	0.2%
Grade 10	96.4%	2.8%	0.6%	0.2%
Grade 11	91.9%	5.8%	1.0%	1.3%
Grade 12	89.0%	5.2%	1.8%	4.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.7%	2.8%	0.3%	0.1%
Grade 7	98.7%	1.1%	0.2%	0.0%
Grade 8	97.9%	1.6%	0.3%	0.1%
Grade 9	96.5%	3.2%	0.2%	0.0%
Grade 10	97.2%	2.4%	0.3%	0.1%
Grade 11	93.9%	5.3%	0.3%	0.4%
Grade 12	95.7%	3.6%	0.7%	0.0%

Table D-7: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	56.8%	20.0%	12.2%	8.2%	2.8%
Grade 7	84.0%	9.6%	3.7%	1.9%	0.8%
Grade 8	68.3%	17.8%	7.9%	4.2%	1.8%
Grade 9	59.7%	20.6%	10.5%	7.3%	1.9%
Grade 10	48.6%	23.1%	15.0%	9.4%	3.9%
Grade 11	39.3%	25.4%	17.6%	14.2%	3.4%
Grade 12	34.6%	24.9%	20.9%	13.7%	5.9%

Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	60.2%	5.5%	4.0%	5.4%	6.1%	2.1%	16.8%
Grade 7	82.3%	3.8%	1.4%	0.9%	0.9%	2.0%	8.8%
Grade 8	76.0%	3.7%	2.5%	3.0%	1.7%	1.8%	11.3%
Grade 9	58.5%	6.7%	4.4%	4.5%	3.7%	2.6%	19.7%
Grade 10	53.6%	4.8%	4.4%	6.2%	7.6%	2.0%	21.4%
Grade 11	44.7%	6.6%	5.9%	8.3%	10.3%	2.1%	22.0%
Grade 12	41.5%	7.8%	6.0%	10.9%	14.3%	1.9%	17.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.6%	7.4%	6.6%	1.8%	1.3%	5.3%
Grade 7	87.4%	2.1%	2.2%	0.6%	0.9%	6.7%
Grade 8	82.0%	4.4%	4.5%	0.9%	1.0%	7.3%
Grade 9	80.9%	7.3%	4.7%	1.9%	1.2%	4.1%
Grade 10	73.5%	9.7%	9.2%	1.9%	0.8%	4.9%
Grade 11	71.2%	10.5%	9.6%	2.5%	1.8%	4.6%
Grade 12	68.3%	11.5%	10.4%	3.3%	2.4%	4.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	53.2%	15.0%	14.1%	14.3%	3.4%
	Grade 7	79.8%	7.9%	5.3%	3.7%	3.3%
	Grade 8	66.4%	13.4%	9.0%	7.7%	3.5%
	Grade 9	54.4%	16.3%	13.1%	11.6%	4.5%
	Grade 10	41.7%	18.5%	16.8%	19.9%	3.1%
	Grade 11	37.0%	17.5%	21.1%	20.9%	3.5%
	Grade 12	34.4%	17.1%	21.5%	25.1%	2.0%
Cocaine?						
	All	87.6%	6.9%	0.9%	0.7%	3.9%
	Grade 7	90.2%	4.9%	0.9%	0.6%	3.4%
	Grade 8	88.4%	6.6%	0.9%	0.3%	3.7%
	Grade 9	86.1%	7.6%	0.8%	0.8%	4.7%
	Grade 10	84.2%	9.2%	1.1%	0.7%	4.9%
	Grade 11	88.8%	6.1%	0.7%	0.7%	3.7%
	Grade 12	88.6%	6.4%	1.0%	1.1%	2.9%
Crack?						
	All	89.2%	5.4%	0.6%	0.5%	4.2%
	Grade 7	90.6%	4.5%	0.6%	0.4%	3.8%
	Grade 8	89.3%	5.5%	0.6%	0.5%	4.1%
	Grade 9	87.0%	6.6%	0.7%	0.6%	5.2%
	Grade 10	86.2%	7.6%	0.8%	0.4%	4.9%
	Grade 11	91.6%	3.5%	0.5%	0.5%	3.9%
	Grade 12	91.7%	4.4%	0.3%	0.3%	3.4%
Ecstasy?						
	All	80.5%	9.2%	2.6%	0.7%	7.1%
	Grade 7	85.9%	4.6%	1.0%	0.4%	8.2%
	Grade 8	83.5%	6.6%	1.4%	0.7%	7.9%
	Grade 9	81.3%	7.7%	2.1%	0.8%	8.1%
	Grade 10	76.7%	11.7%	3.6%	0.7%	7.3%
	Grade 11	78.1%	11.5%	3.5%	0.8%	6.2%
	Grade 12	76.4%	14.3%	4.6%	0.9%	3.9%
Steroids?						
	All	74.5%	14.9%	3.8%	0.9%	5.9%
	Grade 7	80.9%	10.1%	2.9%	0.9%	5.3%
	Grade 8	76.9%	13.1%	3.1%	0.7%	6.2%
	Grade 9	74.0%	15.4%	3.0%	1.1%	6.4%
	Grade 10	70.1%	17.3%	5.1%	1.2%	6.4%
	Grade 11	72.1%	16.9%	4.7%	0.5%	5.7%
	Grade 12	72.6%	17.3%	4.2%	0.8%	5.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.6%	4.2%	0.5%	0.4%	5.3%
	Grade 7	89.1%	4.1%	0.9%	0.1%	5.8%
	Grade 8	88.0%	5.3%	0.6%	0.3%	5.8%
	Grade 9	88.5%	4.1%	0.6%	0.4%	6.3%
	Grade 10	88.5%	5.0%	0.5%	0.6%	5.3%
	Grade 11	92.5%	2.3%	0.4%	0.4%	4.4%
	Grade 12	91.9%	4.2%	0.2%	0.3%	3.5%
Methamphetamine?						
	All	89.5%	4.3%	0.5%	0.4%	5.4%
	Grade 7	88.8%	4.4%	0.5%	0.2%	6.2%
	Grade 8	88.2%	5.2%	0.7%	0.2%	5.7%
	Grade 9	88.3%	4.5%	0.3%	0.4%	6.5%
	Grade 10	87.8%	5.3%	0.7%	0.6%	5.6%
	Grade 11	92.4%	2.5%	0.6%	0.4%	4.1%
	Grade 12	92.2%	3.3%	0.5%	0.4%	3.7%
Synthetic Marijuana?						
	All	80.4%	8.7%	2.6%	1.4%	7.0%
	Grade 7	86.8%	5.3%	1.0%	0.9%	6.0%
	Grade 8	82.9%	6.6%	2.1%	1.0%	7.4%
	Grade 9	78.6%	9.5%	2.5%	1.3%	8.1%
	Grade 10	75.2%	11.3%	3.6%	2.2%	7.7%
	Grade 11	79.6%	8.2%	3.7%	1.3%	7.1%
	Grade 12	79.0%	11.5%	2.6%	1.5%	5.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.5%	13.9%	18.5%	81.5%
Grade 7	8.8%	11.0%	14.8%	85.2%
Grade 8	7.7%	10.2%	14.5%	85.5%
Grade 9	8.8%	12.3%	16.8%	83.2%
Grade 10	10.7%	13.8%	19.3%	80.7%
Grade 11	14.6%	19.5%	23.8%	76.2%
Grade 12	13.3%	18.3%	23.6%	76.4%
Codeine Cough Syrup?				
All	5.6%	8.0%	11.4%	88.6%
Grade 7	5.9%	7.7%	10.3%	89.7%
Grade 8	4.9%	6.8%	10.3%	89.7%
Grade 9	4.7%	7.0%	10.0%	90.0%
Grade 10	6.1%	8.3%	12.2%	87.8%
Grade 11	7.3%	9.9%	13.6%	86.4%
Grade 12	4.9%	8.6%	12.9%	87.1%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.4%	3.6%	5.1%	94.9%
Grade 7	0.8%	1.0%	1.5%	98.5%
Grade 8	0.8%	1.3%	1.7%	98.3%
Grade 9	1.7%	2.3%	3.6%	96.4%
Grade 10	3.1%	4.6%	6.6%	93.4%
Grade 11	3.5%	5.5%	7.3%	92.7%
Grade 12	5.3%	7.9%	11.5%	88.5%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	2.1%	3.1%	4.6%	95.4%
Grade 7	0.8%	1.0%	1.3%	98.7%
Grade 8	0.8%	1.3%	1.7%	98.3%
Grade 9	1.8%	2.2%	3.4%	96.6%
Grade 10	2.9%	3.7%	5.8%	94.2%
Grade 11	3.2%	5.2%	7.5%	92.5%
Grade 12	3.7%	5.8%	9.3%	90.7%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	2.1%	3.3%	5.2%	94.8%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.9%	1.2%	2.0%	98.0%
Grade 9	1.8%	2.7%	4.5%	95.5%
Grade 10	2.3%	3.5%	5.4%	94.6%
Grade 11	3.9%	6.1%	8.8%	91.2%
Grade 12	3.7%	7.0%	11.1%	88.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.0%	5.5%	8.8%	91.2%
Grade 7	4.3%	5.6%	8.9%	91.1%
Grade 8	3.1%	4.4%	7.0%	93.0%
Grade 9	3.7%	5.8%	9.6%	90.4%
Grade 10	3.9%	4.7%	8.4%	91.6%
Grade 11	5.6%	7.5%	10.4%	89.6%
Grade 12	3.7%	5.2%	8.6%	91.4%

Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.5%	2.0%	3.3%	96.7%
Grade 7	1.3%	1.6%	2.3%	97.7%
Grade 8	0.7%	1.3%	2.9%	97.1%
Grade 9	1.8%	2.1%	3.3%	96.7%
Grade 10	2.2%	3.1%	4.6%	95.4%
Grade 11	1.8%	2.4%	3.2%	96.8%
Grade 12	1.3%	1.7%	3.4%	96.6%

Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	70.8%	16.6%	4.5%	1.5%	6.6%
Grade 7	77.2%	11.0%	3.4%	1.2%	7.2%
Grade 8	76.6%	11.1%	4.0%	1.5%	6.8%
Grade 9	70.3%	16.0%	5.4%	0.9%	7.5%
Grade 10	65.6%	20.3%	5.0%	2.0%	7.1%
Grade 11	67.0%	20.2%	5.1%	1.7%	6.1%
Grade 12	67.5%	22.3%	4.2%	1.6%	4.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.0%	5.2%	10.6%	89.4%
Grade 7	5.3%	6.6%	11.9%	88.1%
Grade 8	5.7%	7.0%	13.2%	86.8%
Grade 9	4.6%	6.5%	11.8%	88.2%
Grade 10	2.7%	3.7%	9.5%	90.5%
Grade 11	2.5%	3.3%	8.5%	91.5%
Grade 12	2.5%	3.9%	7.6%	92.4%
Spray Paint?				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.5%	0.8%	2.0%	98.0%
Grade 8	0.5%	0.6%	2.1%	97.9%
Grade 9	0.4%	0.6%	2.3%	97.7%
Grade 10	0.2%	0.2%	0.8%	99.2%
Grade 11	0.3%	0.7%	1.3%	98.7%
Grade 12	0.6%	1.0%	2.0%	98.0%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.8%	1.3%	4.0%	96.0%
Grade 7	0.9%	1.6%	4.5%	95.5%
Grade 8	1.6%	2.2%	4.9%	95.1%
Grade 9	1.3%	1.8%	5.3%	94.7%
Grade 10	0.5%	0.9%	2.9%	97.1%
Grade 11	0.2%	0.8%	3.2%	96.8%
Grade 12	0.0%	0.1%	2.3%	97.7%
Computer Dusting Sprays?				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.3%	0.6%	1.0%	99.0%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.4%	0.5%	1.3%	98.7%
Grade 12	0.1%	0.1%	0.2%	99.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.5%	2.4%	5.6%	94.4%
Grade 7	2.0%	2.8%	6.1%	93.9%
Grade 8	2.6%	3.4%	6.5%	93.5%
Grade 9	1.5%	2.3%	6.7%	93.3%
Grade 10	1.1%	2.0%	5.3%	94.7%
Grade 11	0.9%	1.9%	4.8%	95.2%
Grade 12	0.8%	1.6%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 120

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.9%	1.0%	1.7%	98.3%
Grade 8	0.1%	0.4%	0.9%	99.1%
Grade 9	0.3%	0.5%	1.4%	98.6%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.2%	0.3%	99.7%
Toluene, Paint Thinner, or Other Solvents?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.4%	0.5%	0.9%	99.1%
Grade 10	0.1%	0.2%	1.2%	98.8%
Grade 11	0.2%	0.4%	0.6%	99.4%
Grade 12	0.1%	0.2%	0.5%	99.5%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.7%	0.9%	2.0%	98.0%
Grade 8	0.7%	1.0%	2.2%	97.8%
Grade 9	0.4%	0.8%	1.3%	98.7%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.5%	99.5%
Other Aerosols/Sprays?				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.8%	1.2%	2.3%	97.7%
Grade 8	0.8%	1.1%	2.3%	97.7%
Grade 9	0.4%	0.7%	1.2%	98.8%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.3%	0.4%	1.1%	98.9%
Grade 12	0.1%	0.1%	0.3%	99.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.6%	0.1%	0.1%	0.2%	0.4%	0.4%	1.3%
Grade 7	97.4%	0.3%	0.1%	0.3%	0.4%	0.5%	0.9%
Grade 8	96.9%	0.1%	0.3%	0.5%	0.2%	0.5%	1.6%
Grade 9	97.2%	0.0%	0.1%	0.1%	0.6%	0.3%	1.7%
Grade 10	97.8%	0.0%	0.0%	0.1%	0.4%	0.5%	1.2%
Grade 11	98.2%	0.0%	0.0%	0.3%	0.2%	0.0%	1.2%
Grade 12	97.9%	0.1%	0.1%	0.0%	0.4%	0.3%	1.2%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	90.8%	5.5%	2.8%	0.8%
Grade 7	89.4%	6.5%	2.8%	1.3%
Grade 8	89.2%	6.9%	2.6%	1.3%
Grade 9	89.8%	5.1%	4.3%	0.8%
Grade 10	91.2%	6.1%	2.1%	0.6%
Grade 11	92.4%	4.7%	2.4%	0.5%
Grade 12	93.9%	3.3%	2.6%	0.1%

Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.3%	0.6%	0.1%	0.1%
Grade 7	99.0%	0.9%	0.0%	0.1%
Grade 8	99.1%	0.7%	0.2%	0.0%
Grade 9	99.0%	0.6%	0.2%	0.3%
Grade 10	99.5%	0.5%	0.0%	0.0%
Grade 11	99.5%	0.4%	0.0%	0.1%
Grade 12	99.7%	0.3%	0.0%	0.0%

Percentages have been weighted to reflect proportions within the population.

Table I-5: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.8
Inhalant Non-Users	3.9
Average Days Conduct Problems Reported	
Inhalant Users	4.7
Inhalant Non-Users	1.2

Table I-6: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.1%	5.1%	1.1%	0.5%	0.2%
Grade 7	92.5%	5.5%	1.4%	0.4%	0.2%
Grade 8	91.3%	6.2%	1.7%	0.5%	0.4%
Grade 9	92.3%	5.6%	1.1%	0.9%	0.2%
Grade 10	94.5%	4.2%	1.1%	0.0%	0.2%
Grade 11	93.9%	4.8%	0.7%	0.6%	0.0%
Grade 12	94.2%	4.0%	1.0%	0.4%	0.4%

Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.9%	15.1%	4.2%	1.2%	6.7%
Grade 7	78.1%	11.9%	4.1%	0.8%	5.0%
Grade 8	76.1%	13.3%	4.7%	1.0%	5.0%
Grade 9	72.3%	16.3%	3.8%	1.1%	6.4%
Grade 10	65.8%	17.7%	5.4%	1.8%	9.3%
Grade 11	71.5%	15.3%	3.9%	1.2%	8.1%
Grade 12	73.6%	15.8%	3.0%	1.4%	6.2%

Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	34.9%	17.6%	5.1%	7.3%	10.3%	24.8%
Grade 7	40.5%	26.5%	6.1%	6.1%	7.4%	13.5%
Grade 8	41.7%	21.6%	4.3%	6.3%	9.5%	16.6%
Grade 9	33.5%	19.4%	5.9%	7.8%	9.4%	24.0%
Grade 10	31.8%	14.2%	4.8%	8.6%	11.8%	28.7%
Grade 11	30.8%	11.3%	4.5%	8.4%	12.1%	32.9%
Grade 12	29.8%	10.0%	5.2%	6.5%	12.2%	36.2%

Percentages have been weighted to reflect proportions within the population.

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	39.8%
	Grade 7	41.1%
	Grade 8	40.7%
	Grade 9	45.5%
	Grade 10	39.6%
	Grade 11	37.3%
	Grade 12	32.6%
An Assembly Program		
	All	41.9%
	Grade 7	43.2%
	Grade 8	43.0%
	Grade 9	44.2%
	Grade 10	42.1%
	Grade 11	38.4%
	Grade 12	39.8%
Guidance Counselor		
	All	25.1%
	Grade 7	33.5%
	Grade 8	31.2%
	Grade 9	29.3%
	Grade 10	19.2%
	Grade 11	15.3%
	Grade 12	19.8%
School Nurse		
	All	14.2%
	Grade 7	18.6%
	Grade 8	18.5%
	Grade 9	13.0%
	Grade 10	13.0%
	Grade 11	10.5%
	Grade 12	11.1%
Science or Social Studies Class		
	All	26.9%
	Grade 7	33.2%
	Grade 8	30.3%
	Grade 9	27.0%
	Grade 10	24.3%
	Grade 11	21.3%
	Grade 12	24.4%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 32 of 120

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	13.9%
	Grade 7	12.6%
	Grade 8	14.5%
	Grade 9	14.9%
	Grade 10	14.3%
	Grade 11	13.4%
	Grade 12	13.5%
An Invited School Guest		
	All	30.3%
	Grade 7	31.6%
	Grade 8	31.2%
	Grade 9	35.3%
	Grade 10	27.5%
	Grade 11	27.4%
	Grade 12	27.0%
Another Source at School		
	All	26.4%
	Grade 7	25.6%
	Grade 8	26.3%
	Grade 9	31.0%
	Grade 10	27.4%
	Grade 11	23.0%
	Grade 12	23.7%
Any School Source		
	All	66.3%
	Grade 7	69.7%
	Grade 8	68.3%
	Grade 9	71.9%
	Grade 10	63.2%
	Grade 11	62.8%
	Grade 12	60.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	39.1%
	Grade 7	53.3%
	Grade 8	46.6%
	Grade 9	39.7%
	Grade 10	33.6%
	Grade 11	30.2%
	Grade 12	28.7%
School Nurse		
	All	22.8%
	Grade 7	33.4%
	Grade 8	30.1%
	Grade 9	20.5%
	Grade 10	19.4%
	Grade 11	16.2%
	Grade 12	15.9%
Another Adult In School		
	All	41.0%
	Grade 7	47.3%
	Grade 8	44.7%
	Grade 9	40.9%
	Grade 10	37.1%
	Grade 11	37.1%
	Grade 12	38.1%
Counselor/Program Outside-School		
	All	41.5%
	Grade 7	46.7%
	Grade 8	45.4%
	Grade 9	42.7%
	Grade 10	40.0%
	Grade 11	37.2%
	Grade 12	35.3%
Your Parents		
	All	70.5%
	Grade 7	79.7%
	Grade 8	73.9%
	Grade 9	70.5%
	Grade 10	65.3%
	Grade 11	65.5%
	Grade 12	67.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 34 of 120

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	57.0%
	Grade 7	68.7%
	Grade 8	61.8%
	Grade 9	58.1%
	Grade 10	51.7%
	Grade 11	47.4%
	Grade 12	52.2%
Your Friends		
	All	66.3%
	Grade 7	55.2%
	Grade 8	62.8%
	Grade 9	66.1%
	Grade 10	70.5%
	Grade 11	70.2%
	Grade 12	74.8%
Another Adult		
	All	61.2%
	Grade 7	64.5%
	Grade 8	62.8%
	Grade 9	64.0%
	Grade 10	57.6%
	Grade 11	57.5%
	Grade 12	59.7%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	5.7%
	Grade 7	4.9%
	Grade 8	6.4%
	Grade 9	5.6%
	Grade 10	6.1%
	Grade 11	6.1%
	Grade 12	4.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.6%	18.8%	22.9%	40.5%	13.2%
Grade 7	4.2%	16.1%	19.1%	42.8%	17.8%
Grade 8	4.9%	19.4%	24.4%	34.5%	16.8%
Grade 9	4.6%	20.8%	22.1%	39.4%	13.1%
Grade 10	3.9%	20.3%	23.5%	41.3%	10.9%
Grade 11	3.6%	18.2%	24.4%	43.8%	10.1%
Grade 12	6.9%	17.5%	24.4%	41.8%	9.3%
Sometimes Carry Weapons?					
All	76.1%	15.5%	5.0%	2.3%	1.1%
Grade 7	86.4%	11.0%	1.8%	0.5%	0.3%
Grade 8	80.5%	13.0%	4.2%	1.5%	0.9%
Grade 9	78.3%	13.6%	4.9%	2.3%	0.9%
Grade 10	73.8%	17.8%	5.6%	1.6%	1.2%
Grade 11	69.8%	18.4%	6.9%	3.0%	1.8%
Grade 12	65.1%	20.7%	7.2%	5.4%	1.6%
Care About Making Good Grades?					
All	1.6%	10.0%	21.7%	46.3%	20.4%
Grade 7	1.4%	11.8%	22.6%	40.7%	23.5%
Grade 8	2.3%	11.5%	24.9%	41.3%	20.0%
Grade 9	1.2%	10.9%	18.9%	47.5%	21.5%
Grade 10	0.8%	8.9%	21.9%	47.0%	21.3%
Grade 11	1.5%	8.1%	22.9%	50.5%	17.0%
Grade 12	2.5%	8.1%	18.6%	52.4%	18.3%
Belong/Want to Belong to a Gang?					
All	87.3%	8.9%	2.3%	0.8%	0.6%
Grade 7	86.4%	9.8%	2.2%	1.1%	0.5%
Grade 8	83.9%	11.2%	3.1%	1.3%	0.6%
Grade 9	85.0%	10.5%	2.7%	1.2%	0.6%
Grade 10	89.4%	7.0%	2.8%	0.3%	0.6%
Grade 11	90.4%	6.9%	1.3%	0.4%	1.0%
Grade 12	89.7%	7.6%	1.4%	0.8%	0.5%
Wish They Could Drop Out of School?					
All	56.3%	27.9%	9.9%	3.4%	2.5%
Grade 7	61.4%	26.3%	7.6%	3.3%	1.4%
Grade 8	57.9%	28.3%	8.6%	3.6%	1.6%
Grade 9	55.6%	27.8%	10.9%	3.8%	1.8%
Grade 10	55.2%	26.8%	10.7%	3.6%	3.7%
Grade 11	51.9%	31.2%	10.3%	3.3%	3.3%
Grade 12	55.1%	27.2%	11.7%	2.8%	3.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 36 of 120

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	87.2%	11.1%	0.7%	0.3%	0.8%
Grade 7	86.5%	11.2%	0.8%	0.5%	1.0%
Grade 8	85.8%	11.8%	1.1%	0.5%	0.8%
Grade 9	86.8%	11.6%	0.8%	0.2%	0.6%
Grade 10	86.5%	11.9%	0.4%	0.2%	1.0%
Grade 11	88.7%	10.4%	0.4%	0.1%	0.4%
Grade 12	89.4%	8.9%	0.5%	0.3%	0.9%
Out In Your Neighborhood?					
All	49.2%	42.8%	4.9%	0.9%	2.1%
Grade 7	40.1%	46.8%	9.0%	1.1%	2.9%
Grade 8	42.7%	47.0%	6.9%	1.2%	2.1%
Grade 9	46.7%	45.6%	5.0%	0.4%	2.4%
Grade 10	52.1%	42.4%	2.9%	0.4%	2.2%
Grade 11	58.6%	36.6%	2.8%	0.7%	1.3%
Grade 12	57.8%	36.6%	2.3%	1.7%	1.7%
At School?					
All	40.9%	46.4%	7.0%	3.1%	2.6%
Grade 7	42.8%	42.9%	7.0%	4.1%	3.2%
Grade 8	39.5%	47.0%	7.3%	3.7%	2.4%
Grade 9	33.1%	53.2%	8.0%	2.4%	3.4%
Grade 10	40.3%	47.6%	7.8%	1.9%	2.4%
Grade 11	45.1%	43.6%	6.1%	3.4%	1.7%
Grade 12	46.9%	42.3%	5.0%	3.4%	2.4%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 37 of 120

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.8%	18.2%	28.8%	71.2%
Grade 7	4.7%	6.0%	12.7%	87.3%
Grade 8	8.5%	11.4%	21.3%	78.7%
Grade 9	12.5%	16.2%	27.6%	72.4%
Grade 10	13.9%	19.6%	31.1%	68.9%
Grade 11	20.3%	25.8%	38.7%	61.3%
Grade 12	26.4%	34.2%	45.8%	54.2%
Any Alcohol Product				
All	28.0%	34.1%	53.3%	46.7%
Grade 7	14.7%	17.4%	37.2%	62.8%
Grade 8	20.8%	24.5%	45.3%	54.7%
Grade 9	26.4%	31.9%	50.5%	49.5%
Grade 10	28.4%	35.8%	57.5%	42.5%
Grade 11	37.5%	45.7%	63.5%	36.5%
Grade 12	44.3%	54.9%	70.2%	29.8%
Any Illicit Drug				
All	12.3%	16.6%	22.5%	77.5%
Grade 7	4.4%	6.1%	8.4%	91.6%
Grade 8	9.4%	11.9%	15.6%	84.4%
Grade 9	9.6%	13.3%	17.1%	82.9%
Grade 10	12.7%	18.7%	25.8%	74.2%
Grade 11	18.2%	25.3%	33.9%	66.1%
Grade 12	22.7%	28.1%	39.0%	61.0%
Any Prescription Drug				
All	10.5%	13.9%	18.5%	81.5%
Grade 7	8.8%	11.0%	14.8%	85.2%
Grade 8	7.7%	10.2%	14.5%	85.5%
Grade 9	8.8%	12.3%	16.8%	83.2%
Grade 10	10.7%	13.8%	19.3%	80.7%
Grade 11	14.6%	19.5%	23.8%	76.2%
Grade 12	13.3%	18.3%	23.6%	76.4%
Any Inhalant				
All	4.0%	5.2%	10.6%	89.4%
Grade 7	5.3%	6.6%	11.9%	88.1%
Grade 8	5.7%	7.0%	13.2%	86.8%
Grade 9	4.6%	6.5%	11.8%	88.2%
Grade 10	2.7%	3.7%	9.5%	90.5%
Grade 11	2.5%	3.3%	8.5%	91.5%
Grade 12	2.5%	3.9%	7.6%	92.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.8%	13.4%	24.0%	76.0%
Grade 7	2.3%	3.3%	8.6%	91.4%
Grade 8	4.8%	7.7%	16.6%	83.4%
Grade 9	8.7%	12.8%	23.4%	76.6%
Grade 10	9.3%	15.7%	27.6%	72.4%
Grade 11	13.6%	19.1%	33.3%	66.7%
Grade 12	16.1%	24.6%	37.8%	62.2%
Marijuana				
All	11.6%	14.5%	20.8%	79.2%
Grade 7	3.8%	4.5%	7.0%	93.0%
Grade 8	8.1%	9.4%	13.3%	86.7%
Grade 9	9.1%	11.4%	15.6%	84.4%
Grade 10	11.9%	16.5%	23.8%	76.2%
Grade 11	17.8%	22.8%	32.8%	67.2%
Grade 12	22.1%	26.0%	37.6%	62.4%
Marijuana Only				
All	6.2%	8.4%	13.7%	86.3%
Grade 7	2.2%	2.7%	4.9%	95.1%
Grade 8	4.4%	5.1%	8.2%	91.8%
Grade 9	4.6%	6.4%	9.5%	90.5%
Grade 10	6.4%	9.9%	16.2%	83.8%
Grade 11	9.5%	13.6%	22.4%	77.6%
Grade 12	11.6%	14.6%	24.3%	75.7%
Cocaine or Crack				
All	1.5%	1.8%	2.8%	97.2%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	1.7%	2.1%	2.7%	97.3%
Grade 9	1.5%	1.9%	2.8%	97.2%
Grade 10	1.5%	1.9%	3.3%	96.7%
Grade 11	2.1%	2.7%	3.9%	96.1%
Grade 12	1.8%	2.1%	3.7%	96.3%
Cocaine				
All	1.2%	1.6%	2.4%	97.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.4%	1.7%	1.9%	98.1%
Grade 9	1.1%	1.5%	2.4%	97.6%
Grade 10	0.9%	1.3%	2.7%	97.3%
Grade 11	2.0%	2.6%	3.8%	96.2%
Grade 12	1.8%	2.0%	3.7%	96.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.9%	1.1%	1.8%	98.2%
Grade 9	0.7%	0.9%	1.4%	98.6%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.3%	0.6%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.7%	99.3%
Hallucinogens				
All	1.1%	1.8%	3.4%	96.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.9%	1.2%	2.3%	97.7%
Grade 10	1.0%	2.0%	4.0%	96.0%
Grade 11	1.4%	3.3%	5.8%	94.2%
Grade 12	3.1%	4.3%	7.8%	92.2%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.8%	99.2%
Steroids				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.7%	0.8%	2.0%	98.0%
Grade 8	0.2%	0.4%	1.3%	98.7%
Grade 9	0.2%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.4%	0.7%	99.3%
Grade 11	0.2%	0.5%	2.0%	98.0%
Grade 12	0.5%	0.8%	2.3%	97.7%
Ecstasy				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.2%	0.7%	1.5%	98.5%
Grade 9	0.6%	0.9%	2.5%	97.5%
Grade 10	0.4%	1.1%	2.7%	97.3%
Grade 11	1.0%	2.0%	3.5%	96.5%
Grade 12	2.1%	3.0%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.6%	1.2%	98.8%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.6%	99.4%
Synthetic Marijuana				
All	1.0%	1.5%	3.8%	96.2%
Grade 7	0.4%	0.6%	1.2%	98.8%
Grade 8	1.4%	2.1%	3.7%	96.3%
Grade 9	1.2%	1.7%	3.9%	96.1%
Grade 10	1.3%	1.8%	4.4%	95.6%
Grade 11	0.9%	1.4%	4.3%	95.7%
Grade 12	1.0%	1.5%	5.3%	94.7%
Methamphetamine				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.5%	0.8%	1.4%	98.6%
Grade 9	0.1%	0.2%	1.3%	98.7%
Grade 10	0.2%	0.3%	1.1%	98.9%
Grade 11	0.2%	0.5%	1.4%	98.6%
Grade 12	0.6%	1.6%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 42 of 120

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.3%	19.6%	30.7%	69.3%
Grade 7	6.4%	8.5%	15.8%	84.2%
Grade 8	7.8%	11.0%	22.4%	77.6%
Grade 9	12.9%	17.0%	28.4%	71.6%
Grade 10	13.3%	19.5%	31.6%	68.4%
Grade 11	23.3%	27.1%	40.3%	59.7%
Grade 12	30.8%	37.5%	48.5%	51.5%
Any Alcohol Product				
All	26.7%	32.5%	52.0%	48.0%
Grade 7	17.5%	19.9%	40.9%	59.1%
Grade 8	18.6%	22.0%	43.7%	56.3%
Grade 9	25.7%	30.0%	47.9%	52.1%
Grade 10	22.5%	31.2%	54.0%	46.0%
Grade 11	36.5%	42.5%	60.6%	39.4%
Grade 12	42.8%	52.7%	67.5%	32.5%
Any Illicit Drug				
All	12.1%	16.4%	22.7%	77.3%
Grade 7	4.9%	6.4%	8.7%	91.3%
Grade 8	10.1%	12.5%	17.2%	82.8%
Grade 9	9.1%	12.1%	14.9%	85.1%
Grade 10	11.8%	18.0%	25.6%	74.4%
Grade 11	16.8%	25.1%	34.5%	65.5%
Grade 12	21.7%	25.9%	37.6%	62.4%
Any Prescription Drug				
All	10.1%	13.6%	18.5%	81.5%
Grade 7	6.9%	9.4%	13.2%	86.8%
Grade 8	9.1%	11.6%	15.6%	84.4%
Grade 9	9.1%	12.3%	17.1%	82.9%
Grade 10	10.4%	12.8%	18.6%	81.4%
Grade 11	12.3%	17.1%	22.9%	77.1%
Grade 12	12.9%	19.2%	24.8%	75.2%
Any Inhalant				
All	3.6%	4.7%	9.7%	90.3%
Grade 7	4.6%	6.0%	11.0%	89.0%
Grade 8	3.8%	5.1%	11.6%	88.4%
Grade 9	4.0%	5.2%	9.4%	90.6%
Grade 10	3.3%	3.8%	10.0%	90.0%
Grade 11	2.4%	3.4%	8.6%	91.4%
Grade 12	3.5%	5.0%	7.5%	92.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.0%	14.8%	25.0%	75.0%
Grade 7	3.0%	4.2%	10.7%	89.3%
Grade 8	3.7%	7.1%	17.3%	82.7%
Grade 9	9.0%	13.5%	23.2%	76.8%
Grade 10	9.7%	16.4%	28.3%	71.7%
Grade 11	16.9%	21.5%	33.7%	66.3%
Grade 12	19.0%	27.7%	38.4%	61.6%
Marijuana				
All	11.2%	14.2%	21.2%	78.8%
Grade 7	4.3%	5.2%	7.5%	92.5%
Grade 8	8.5%	9.8%	14.7%	85.3%
Grade 9	8.5%	10.4%	14.0%	86.0%
Grade 10	10.5%	15.4%	23.4%	76.6%
Grade 11	16.0%	22.2%	33.6%	66.4%
Grade 12	21.1%	24.1%	36.3%	63.7%
Marijuana Only				
All	5.5%	7.7%	13.4%	86.6%
Grade 7	1.7%	2.5%	4.5%	95.5%
Grade 8	4.7%	5.6%	9.3%	90.7%
Grade 9	3.9%	5.2%	7.9%	92.1%
Grade 10	6.1%	9.0%	16.0%	84.0%
Grade 11	8.1%	13.1%	23.3%	76.7%
Grade 12	8.7%	11.1%	20.3%	79.7%
Cocaine or Crack				
All	1.5%	1.8%	2.9%	97.1%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	1.9%	2.2%	3.0%	97.0%
Grade 9	1.1%	1.7%	2.5%	97.5%
Grade 10	1.1%	1.3%	2.9%	97.1%
Grade 11	2.7%	2.9%	3.9%	96.1%
Grade 12	1.9%	2.2%	4.6%	95.4%
Cocaine				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.5%	1.7%	1.8%	98.2%
Grade 9	0.7%	1.3%	2.0%	98.0%
Grade 10	0.5%	0.6%	2.3%	97.7%
Grade 11	2.5%	2.7%	3.7%	96.3%
Grade 12	1.9%	2.2%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 44 of 120

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.2%	0.3%	1.0%	99.0%
Grade 8	1.0%	1.2%	2.2%	97.8%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.6%	0.8%	1.7%	98.3%
Grade 11	0.3%	0.5%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.4%	99.6%
Hallucinogens				
All	1.4%	2.3%	3.9%	96.1%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.4%	0.7%	1.0%	99.0%
Grade 9	1.2%	1.8%	3.1%	96.9%
Grade 10	1.2%	2.1%	4.6%	95.4%
Grade 11	1.9%	4.1%	6.0%	94.0%
Grade 12	3.3%	5.3%	8.7%	91.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.3%	0.4%	1.2%	98.8%
Steroids				
All	0.5%	0.8%	1.4%	98.6%
Grade 7	1.5%	1.7%	2.4%	97.6%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.1%	0.4%	0.8%	99.2%
Grade 11	0.2%	0.6%	1.2%	98.8%
Grade 12	0.8%	1.3%	3.0%	97.0%
Ecstasy				
All	0.7%	1.2%	2.8%	97.2%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.7%	2.0%	98.0%
Grade 9	0.4%	0.6%	2.5%	97.5%
Grade 10	0.2%	1.3%	3.3%	96.7%
Grade 11	1.1%	2.0%	2.7%	97.3%
Grade 12	2.0%	2.6%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	1.0%	1.9%	98.1%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.4%	99.6%
Synthetic Marijuana				
All	0.9%	1.5%	3.9%	96.1%
Grade 7	0.2%	0.5%	1.3%	98.7%
Grade 8	1.1%	1.6%	3.6%	96.4%
Grade 9	1.1%	1.8%	4.1%	95.9%
Grade 10	1.7%	2.3%	4.6%	95.4%
Grade 11	0.7%	1.4%	4.2%	95.8%
Grade 12	0.2%	0.9%	5.4%	94.6%
Methamphetamine				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.8%	1.0%	1.5%	98.5%
Grade 9	0.1%	0.1%	1.0%	99.0%
Grade 10	0.2%	0.2%	1.2%	98.8%
Grade 11	0.4%	0.6%	1.0%	99.0%
Grade 12	0.4%	2.1%	2.9%	97.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 46 of 120

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.4%	16.8%	26.9%	73.1%
Grade 7	3.1%	3.6%	9.7%	90.3%
Grade 8	9.3%	11.8%	20.4%	79.6%
Grade 9	11.9%	15.4%	26.8%	73.2%
Grade 10	14.6%	19.9%	30.7%	69.3%
Grade 11	16.9%	24.5%	37.1%	62.9%
Grade 12	21.9%	30.8%	43.0%	57.0%
Any Alcohol Product				
All	29.2%	35.7%	54.5%	45.5%
Grade 7	12.0%	14.7%	33.5%	66.5%
Grade 8	22.9%	26.9%	47.0%	53.0%
Grade 9	26.8%	33.3%	52.7%	47.3%
Grade 10	35.2%	40.7%	61.2%	38.8%
Grade 11	39.4%	50.1%	67.6%	32.4%
Grade 12	45.8%	57.1%	72.9%	27.1%
Any Illicit Drug				
All	12.7%	17.0%	22.4%	77.6%
Grade 7	4.0%	6.0%	8.0%	92.0%
Grade 8	8.8%	11.5%	14.3%	85.7%
Grade 9	9.9%	14.0%	18.9%	81.1%
Grade 10	13.9%	19.7%	26.3%	73.7%
Grade 11	20.3%	25.8%	33.6%	66.4%
Grade 12	23.6%	30.4%	40.4%	59.6%
Any Prescription Drug				
All	10.9%	14.3%	18.6%	81.4%
Grade 7	10.7%	12.7%	16.5%	83.5%
Grade 8	6.4%	8.8%	13.4%	86.6%
Grade 9	8.2%	12.0%	16.2%	83.8%
Grade 10	11.0%	15.0%	20.2%	79.8%
Grade 11	17.5%	22.6%	25.3%	74.7%
Grade 12	13.7%	17.5%	22.4%	77.6%
Any Inhalant				
All	4.3%	5.7%	11.2%	88.8%
Grade 7	5.6%	6.7%	12.4%	87.6%
Grade 8	7.5%	8.8%	14.7%	85.3%
Grade 9	5.0%	7.4%	13.5%	86.5%
Grade 10	2.1%	3.6%	8.8%	91.2%
Grade 11	2.6%	3.1%	8.5%	91.5%
Grade 12	1.5%	2.7%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.7%	12.1%	22.9%	77.1%
Grade 7	1.7%	2.3%	6.6%	93.4%
Grade 8	5.9%	8.3%	16.0%	84.0%
Grade 9	8.6%	12.4%	23.3%	76.7%
Grade 10	9.0%	15.1%	27.0%	73.0%
Grade 11	9.6%	16.4%	33.2%	66.8%
Grade 12	13.1%	21.5%	37.2%	62.8%
Marijuana				
All	12.2%	14.8%	20.5%	79.5%
Grade 7	3.4%	3.8%	6.4%	93.6%
Grade 8	7.9%	9.2%	12.1%	87.9%
Grade 9	9.7%	12.1%	16.9%	83.1%
Grade 10	13.6%	17.9%	24.3%	75.7%
Grade 11	20.2%	23.8%	32.2%	67.8%
Grade 12	23.0%	27.8%	38.9%	61.1%
Marijuana Only				
All	6.9%	9.1%	14.0%	86.0%
Grade 7	2.6%	2.9%	5.1%	94.9%
Grade 8	4.2%	4.7%	7.2%	92.8%
Grade 9	5.0%	7.3%	10.7%	89.3%
Grade 10	6.8%	11.0%	16.6%	83.4%
Grade 11	11.3%	14.3%	21.4%	78.6%
Grade 12	14.5%	18.2%	28.3%	71.7%
Cocaine or Crack				
All	1.5%	1.9%	2.7%	97.3%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.6%	2.1%	2.4%	97.6%
Grade 9	1.7%	2.0%	3.1%	96.9%
Grade 10	2.0%	2.6%	3.8%	96.2%
Grade 11	1.4%	2.6%	3.9%	96.1%
Grade 12	1.8%	2.0%	2.9%	97.1%
Cocaine				
All	1.2%	1.7%	2.4%	97.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.4%	1.8%	2.0%	98.0%
Grade 9	1.3%	1.7%	2.7%	97.3%
Grade 10	1.4%	2.0%	3.2%	96.8%
Grade 11	1.4%	2.6%	3.9%	96.1%
Grade 12	1.7%	1.9%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	1.1%	1.5%	98.5%
Grade 9	0.8%	1.2%	1.7%	98.3%
Grade 10	0.6%	0.8%	0.8%	99.2%
Grade 11	0.3%	0.8%	1.0%	99.0%
Grade 12	0.1%	0.1%	0.9%	99.1%
Hallucinogens				
All	0.9%	1.4%	2.9%	97.1%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.4%	1.1%	98.9%
Grade 9	0.7%	0.7%	1.7%	98.3%
Grade 10	0.9%	1.8%	3.5%	96.5%
Grade 11	0.9%	2.4%	5.7%	94.3%
Grade 12	2.9%	3.4%	6.8%	93.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids				
All	0.1%	0.3%	1.4%	98.6%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	0.2%	0.2%	1.5%	98.5%
Grade 9	0.0%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.5%	0.7%	99.3%
Grade 11	0.3%	0.4%	2.9%	97.1%
Grade 12	0.2%	0.3%	1.7%	98.3%
Ecstasy				
All	0.7%	1.3%	2.6%	97.4%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.7%	1.1%	98.9%
Grade 9	0.9%	1.1%	2.6%	97.4%
Grade 10	0.6%	0.9%	2.1%	97.9%
Grade 11	0.9%	2.1%	4.5%	95.5%
Grade 12	2.2%	3.3%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.8%	99.2%
Synthetic Marijuana				
All	1.2%	1.6%	3.6%	96.4%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	1.7%	2.5%	3.8%	96.2%
Grade 9	1.3%	1.6%	3.7%	96.3%
Grade 10	0.8%	1.1%	4.2%	95.8%
Grade 11	1.1%	1.4%	4.5%	95.5%
Grade 12	1.9%	2.1%	5.2%	94.8%
Methamphetamine				
All	0.2%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.6%	1.4%	98.6%
Grade 9	0.2%	0.4%	1.6%	98.4%
Grade 10	0.2%	0.4%	0.9%	99.1%
Grade 11	0.0%	0.5%	1.9%	98.1%
Grade 12	0.9%	1.1%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 50 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.1%	17.8%	26.5%	73.5%
Grade 7	3.0%	3.8%	7.4%	92.6%
Grade 8	5.0%	8.1%	13.4%	86.6%
Grade 9	9.2%	13.7%	23.1%	76.9%
Grade 10	14.2%	19.9%	30.3%	69.7%
Grade 11	20.5%	25.6%	36.8%	63.2%
Grade 12	28.3%	37.6%	50.5%	49.5%
Any Alcohol Product				
All	24.8%	31.6%	50.3%	49.7%
Grade 7	9.8%	11.2%	32.0%	68.0%
Grade 8	13.1%	16.6%	37.8%	62.2%
Grade 9	23.7%	29.3%	46.2%	53.8%
Grade 10	25.4%	34.5%	55.9%	44.1%
Grade 11	31.7%	43.4%	60.5%	39.5%
Grade 12	47.2%	57.1%	71.4%	28.6%
Any Illicit Drug				
All	10.2%	14.4%	19.5%	80.5%
Grade 7	2.0%	3.7%	5.0%	95.0%
Grade 8	3.3%	5.4%	7.0%	93.0%
Grade 9	6.4%	10.2%	13.9%	86.1%
Grade 10	13.7%	17.9%	23.1%	76.9%
Grade 11	16.2%	23.4%	30.6%	69.4%
Grade 12	20.7%	26.9%	39.6%	60.4%
Any Prescription Drug				
All	10.2%	13.9%	18.4%	81.6%
Grade 7	10.0%	12.6%	18.0%	82.0%
Grade 8	5.6%	8.3%	12.3%	87.7%
Grade 9	7.3%	9.2%	14.2%	85.8%
Grade 10	12.6%	16.5%	20.3%	79.7%
Grade 11	11.9%	17.9%	21.4%	78.6%
Grade 12	14.0%	19.7%	25.1%	74.9%
Any Inhalant				
All	2.1%	3.4%	7.7%	92.3%
Grade 7	1.9%	3.0%	5.8%	94.2%
Grade 8	2.7%	3.5%	7.3%	92.7%
Grade 9	2.5%	3.3%	8.2%	91.8%
Grade 10	2.4%	3.6%	7.5%	92.5%
Grade 11	1.9%	3.5%	8.3%	91.7%
Grade 12	1.4%	3.6%	9.2%	90.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.7%	13.5%	22.5%	77.5%
Grade 7	2.1%	2.6%	5.9%	94.1%
Grade 8	2.7%	5.9%	10.6%	89.4%
Grade 9	5.8%	10.1%	19.1%	80.9%
Grade 10	10.2%	17.1%	26.8%	73.2%
Grade 11	14.1%	18.6%	32.1%	67.9%
Grade 12	18.7%	28.5%	42.1%	57.9%
Marijuana				
All	9.4%	12.0%	17.9%	82.1%
Grade 7	1.2%	1.8%	2.6%	97.4%
Grade 8	2.4%	3.8%	5.7%	94.3%
Grade 9	6.1%	8.3%	12.9%	87.1%
Grade 10	12.7%	15.1%	21.2%	78.8%
Grade 11	15.3%	19.7%	28.6%	71.4%
Grade 12	20.0%	24.8%	38.2%	61.8%
Marijuana Only				
All	4.8%	6.8%	11.7%	88.3%
Grade 7	0.5%	1.1%	1.8%	98.2%
Grade 8	1.8%	2.8%	4.3%	95.7%
Grade 9	3.5%	5.4%	8.9%	91.1%
Grade 10	6.1%	8.0%	13.2%	86.8%
Grade 11	7.1%	10.9%	19.2%	80.8%
Grade 12	10.2%	13.4%	24.2%	75.8%
Cocaine or Crack				
All	0.9%	1.2%	2.2%	97.8%
Grade 7	0.5%	0.6%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.8%	1.7%	98.3%
Grade 10	1.0%	1.3%	3.0%	97.0%
Grade 11	1.1%	1.7%	3.0%	97.0%
Grade 12	2.2%	2.8%	4.3%	95.7%
Cocaine				
All	0.7%	1.1%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.8%	1.5%	98.5%
Grade 10	0.9%	1.2%	2.9%	97.1%
Grade 11	1.1%	1.7%	3.0%	97.0%
Grade 12	2.1%	2.6%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.1%	0.4%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	0.9%	1.6%	3.2%	96.8%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.4%	1.3%	98.7%
Grade 10	1.6%	2.4%	4.8%	95.2%
Grade 11	1.4%	2.9%	5.3%	94.7%
Grade 12	2.2%	3.8%	7.6%	92.4%
Synthetic Cathinones				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.6%	0.6%	0.7%	99.3%
Grade 12	0.4%	0.5%	1.1%	98.9%
Steroids				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.5%	0.7%	1.1%	98.9%
Grade 11	0.6%	1.1%	2.3%	97.7%
Grade 12	0.3%	0.8%	2.4%	97.6%
Ecstasy				
All	0.6%	1.3%	2.5%	97.5%
Grade 7	0.2%	0.6%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.4%	99.6%
Grade 9	0.2%	0.5%	1.4%	98.6%
Grade 10	0.3%	1.0%	3.0%	97.0%
Grade 11	0.8%	3.0%	4.0%	96.0%
Grade 12	1.8%	2.6%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	0.7%	1.1%	3.0%	97.0%
Grade 7	0.0%	0.2%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.7%	1.7%	98.3%
Grade 10	1.2%	2.0%	5.1%	94.9%
Grade 11	1.5%	1.6%	4.5%	95.5%
Grade 12	0.6%	1.7%	5.7%	94.3%
Methamphetamine				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	0.7%	1.2%	1.4%	98.6%
Grade 12	0.4%	1.1%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.3%	13.5%	24.2%	75.8%
Grade 7	5.2%	7.1%	14.0%	86.0%
Grade 8	10.5%	10.5%	15.5%	84.5%
Grade 9	8.9%	8.9%	26.2%	73.8%
Grade 10	12.8%	16.1%	26.0%	74.0%
Grade 11	6.0%	8.7%	24.5%	75.5%
Grade 12	26.6%	32.1%	40.5%	59.5%
Any Alcohol Product				
All	25.1%	31.6%	49.7%	50.3%
Grade 7	14.2%	21.4%	34.5%	65.5%
Grade 8	19.3%	19.3%	38.0%	62.0%
Grade 9	19.3%	28.4%	44.9%	55.1%
Grade 10	26.2%	30.7%	53.6%	46.4%
Grade 11	28.9%	33.3%	55.7%	44.3%
Grade 12	45.4%	60.4%	74.1%	25.9%
Any Illicit Drug				
All	12.1%	17.6%	23.0%	77.0%
Grade 7	4.7%	4.7%	4.7%	95.3%
Grade 8	7.5%	9.4%	14.8%	85.2%
Grade 9	10.1%	11.2%	11.2%	88.8%
Grade 10	14.8%	25.9%	33.4%	66.6%
Grade 11	8.8%	21.9%	27.7%	72.3%
Grade 12	28.3%	34.0%	48.9%	51.1%
Any Prescription Drug				
All	10.0%	13.9%	18.6%	81.4%
Grade 7	5.8%	8.3%	9.8%	90.2%
Grade 8	5.3%	7.2%	11.1%	88.9%
Grade 9	7.6%	16.0%	20.5%	79.5%
Grade 10	9.1%	10.1%	18.9%	81.1%
Grade 11	17.8%	18.6%	21.9%	78.1%
Grade 12	15.3%	24.1%	30.3%	69.7%
Any Inhalant				
All	4.7%	5.1%	9.6%	90.4%
Grade 7	6.3%	6.3%	13.5%	86.5%
Grade 8	7.1%	8.9%	14.2%	85.8%
Grade 9	8.9%	8.9%	10.5%	89.5%
Grade 10	4.3%	4.3%	7.5%	92.5%
Grade 11	0.0%	0.0%	4.1%	95.9%
Grade 12	1.1%	1.1%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.9%	9.2%	19.6%	80.4%
Grade 7	3.0%	5.0%	9.6%	90.4%
Grade 8	3.5%	3.5%	7.4%	92.6%
Grade 9	6.9%	6.9%	19.0%	81.0%
Grade 10	10.6%	16.1%	26.0%	74.0%
Grade 11	5.3%	7.0%	21.2%	78.8%
Grade 12	5.1%	17.0%	35.0%	65.0%
Marijuana				
All	10.7%	14.4%	20.1%	79.9%
Grade 7	4.7%	4.7%	4.7%	95.3%
Grade 8	1.9%	1.9%	5.8%	94.2%
Grade 9	10.1%	11.2%	11.2%	88.8%
Grade 10	12.6%	21.5%	29.0%	71.0%
Grade 11	8.8%	14.8%	24.2%	75.8%
Grade 12	28.3%	34.0%	48.9%	51.1%
Marijuana Only				
All	6.2%	9.8%	15.0%	85.0%
Grade 7	3.6%	3.6%	3.6%	96.4%
Grade 8	1.9%	1.9%	3.9%	96.1%
Grade 9	7.9%	9.0%	9.0%	91.0%
Grade 10	5.2%	14.1%	21.7%	78.3%
Grade 11	8.0%	14.0%	22.4%	77.6%
Grade 12	11.3%	17.0%	31.9%	68.1%
Cocaine or Crack				
All	1.8%	1.8%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	3.4%	96.6%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	6.3%	6.3%	6.3%	93.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.2%	3.2%	8.5%	91.5%
Cocaine				
All	1.2%	1.2%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	3.0%	3.0%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.2%	3.2%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	3.4%	96.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.3%	3.3%	3.3%	96.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.3%	94.7%
Hallucinogens				
All	0.6%	1.4%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	2.2%	97.8%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	3.9%	8.1%	15.5%	84.5%
Synthetic Cathinones				
All	0.0%	0.0%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.2%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	2.7%	97.3%
Grade 12	0.0%	0.0%	4.2%	95.8%
Ecstasy				
All	0.2%	0.2%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	3.3%	96.7%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	1.5%	1.5%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.5%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.9%	1.9%	5.3%	94.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	3.3%	96.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.2%	95.8%
Synthetic Marijuana				
All	2.7%	2.8%	3.6%	96.4%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	5.6%	5.6%	5.6%	94.4%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	4.3%	4.3%	7.3%	92.7%
Grade 11	0.0%	0.8%	0.8%	99.2%
Grade 12	4.2%	4.2%	5.4%	94.6%
Methamphetamine				
All	1.3%	1.3%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	5.4%	5.4%	5.4%	94.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.0%	19.7%	31.4%	68.6%
Grade 7	5.9%	7.6%	15.9%	84.1%
Grade 8	10.6%	13.8%	26.9%	73.1%
Grade 9	15.4%	19.2%	31.1%	68.9%
Grade 10	13.9%	20.4%	32.5%	67.5%
Grade 11	22.5%	29.2%	43.3%	56.7%
Grade 12	25.7%	33.4%	44.3%	55.7%
Any Alcohol Product				
All	30.9%	36.7%	56.1%	43.9%
Grade 7	18.2%	20.8%	41.3%	58.7%
Grade 8	26.0%	29.9%	50.7%	49.3%
Grade 9	29.3%	34.4%	54.1%	45.9%
Grade 10	31.0%	38.1%	59.6%	40.4%
Grade 11	43.5%	50.6%	67.7%	32.3%
Grade 12	43.4%	54.0%	69.3%	30.7%
Any Illicit Drug				
All	13.7%	17.8%	24.3%	75.7%
Grade 7	6.0%	7.9%	11.2%	88.8%
Grade 8	13.2%	15.8%	20.5%	79.5%
Grade 9	11.4%	15.3%	20.0%	80.0%
Grade 10	11.3%	17.5%	25.8%	74.2%
Grade 11	21.1%	27.0%	37.2%	62.8%
Grade 12	23.5%	28.3%	37.5%	62.5%
Any Prescription Drug				
All	10.9%	14.1%	18.7%	81.3%
Grade 7	8.8%	10.6%	13.9%	86.1%
Grade 8	9.5%	11.8%	16.2%	83.8%
Grade 9	10.0%	13.7%	18.2%	81.8%
Grade 10	9.7%	12.4%	17.8%	82.2%
Grade 11	15.3%	20.3%	25.7%	74.3%
Grade 12	13.6%	17.6%	22.3%	77.7%
Any Inhalant				
All	5.0%	6.3%	12.3%	87.7%
Grade 7	7.2%	8.7%	15.2%	84.8%
Grade 8	7.2%	8.3%	15.9%	84.1%
Grade 9	5.1%	7.8%	14.0%	86.0%
Grade 10	2.7%	3.7%	10.5%	89.5%
Grade 11	3.3%	3.7%	9.5%	90.5%
Grade 12	3.8%	4.9%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.4%	14.3%	25.8%	74.2%
Grade 7	2.5%	3.6%	10.1%	89.9%
Grade 8	6.2%	9.6%	21.5%	78.5%
Grade 9	11.0%	15.6%	26.9%	73.1%
Grade 10	8.6%	15.1%	28.2%	71.8%
Grade 11	14.0%	21.4%	36.8%	63.2%
Grade 12	16.4%	24.0%	35.7%	64.3%
Marijuana				
All	13.1%	16.0%	22.9%	77.1%
Grade 7	5.3%	6.2%	10.2%	89.8%
Grade 8	12.5%	13.7%	18.6%	81.4%
Grade 9	10.7%	13.3%	18.3%	81.7%
Grade 10	10.8%	16.2%	24.2%	75.8%
Grade 11	20.8%	26.1%	37.0%	63.0%
Grade 12	22.8%	25.4%	35.6%	64.4%
Marijuana Only				
All	7.1%	9.2%	14.8%	85.2%
Grade 7	3.0%	3.5%	7.1%	92.9%
Grade 8	6.4%	7.0%	11.0%	89.0%
Grade 9	4.5%	6.6%	10.0%	90.0%
Grade 10	6.7%	10.4%	17.4%	82.6%
Grade 11	11.4%	15.3%	24.8%	75.2%
Grade 12	13.0%	15.1%	23.3%	76.7%
Cocaine or Crack				
All	1.9%	2.3%	3.2%	96.8%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	2.8%	3.5%	4.0%	96.0%
Grade 9	2.3%	2.8%	3.9%	96.1%
Grade 10	1.0%	1.4%	2.8%	97.2%
Grade 11	3.2%	3.8%	5.1%	94.9%
Grade 12	1.5%	1.5%	2.7%	97.3%
Cocaine				
All	1.6%	2.0%	2.8%	97.2%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	2.4%	2.9%	3.3%	96.7%
Grade 9	1.6%	2.2%	3.3%	96.7%
Grade 10	0.7%	1.0%	2.5%	97.5%
Grade 11	3.0%	3.7%	4.9%	95.1%
Grade 12	1.5%	1.5%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.9%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	1.5%	1.8%	2.6%	97.4%
Grade 9	1.2%	1.6%	2.3%	97.7%
Grade 10	0.4%	0.5%	1.3%	98.7%
Grade 11	0.5%	1.1%	1.5%	98.5%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	1.2%	1.9%	3.4%	96.6%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	1.4%	1.7%	3.2%	96.8%
Grade 10	0.8%	1.9%	3.5%	96.5%
Grade 11	1.6%	3.9%	6.4%	93.6%
Grade 12	3.3%	3.7%	6.4%	93.6%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.8%	99.2%
Steroids				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	1.2%	1.3%	2.8%	97.2%
Grade 8	0.4%	0.6%	1.9%	98.1%
Grade 9	0.3%	0.6%	0.8%	99.2%
Grade 10	0.0%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.2%	1.5%	98.5%
Grade 12	0.8%	1.0%	2.1%	97.9%
Ecstasy				
All	0.9%	1.4%	2.9%	97.1%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	1.1%	2.4%	97.6%
Grade 9	0.9%	1.2%	3.5%	96.5%
Grade 10	0.4%	1.3%	2.3%	97.7%
Grade 11	1.4%	1.4%	3.3%	96.7%
Grade 12	2.5%	3.7%	6.5%	93.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.7%	1.4%	98.6%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.1%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	1.0%	1.5%	4.2%	95.8%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	1.3%	2.4%	4.9%	95.1%
Grade 9	1.6%	2.3%	5.7%	94.3%
Grade 10	0.8%	0.9%	3.4%	96.6%
Grade 11	0.7%	1.6%	4.6%	95.4%
Grade 12	0.8%	1.0%	5.2%	94.8%
Methamphetamine				
All	0.1%	0.5%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.5%	1.0%	2.0%	98.0%
Grade 9	0.1%	0.3%	1.8%	98.2%
Grade 10	0.0%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.3%	1.7%	98.3%
Grade 12	0.0%	1.3%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 62 of 120

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.7%	12.0%	19.8%	80.2%
Grade 7	1.9%	3.1%	8.0%	92.0%
Grade 8	3.4%	5.2%	10.8%	89.2%
Grade 9	7.1%	10.8%	16.9%	83.1%
Grade 10	5.4%	11.7%	21.1%	78.9%
Grade 11	13.5%	17.6%	26.9%	73.1%
Grade 12	17.1%	26.3%	38.6%	61.4%
Any Alcohol Product				
All	21.2%	27.7%	47.8%	52.2%
Grade 7	10.4%	13.1%	32.8%	67.2%
Grade 8	12.2%	15.0%	38.1%	61.9%
Grade 9	19.3%	24.2%	43.7%	56.3%
Grade 10	22.7%	30.3%	52.5%	47.5%
Grade 11	30.3%	39.6%	60.5%	39.5%
Grade 12	35.8%	48.7%	64.0%	36.0%
Any Illicit Drug				
All	6.8%	9.9%	14.1%	85.9%
Grade 7	1.5%	2.7%	3.9%	96.1%
Grade 8	2.5%	5.4%	8.3%	91.7%
Grade 9	4.2%	6.4%	8.2%	91.8%
Grade 10	8.2%	12.2%	16.9%	83.1%
Grade 11	11.3%	16.6%	23.6%	76.4%
Grade 12	14.9%	18.3%	26.9%	73.1%
Any Prescription Drug				
All	8.4%	11.4%	14.4%	85.6%
Grade 7	10.3%	12.6%	16.3%	83.7%
Grade 8	6.9%	9.2%	11.7%	88.3%
Grade 9	5.6%	8.4%	12.6%	87.4%
Grade 10	5.4%	7.1%	9.4%	90.6%
Grade 11	11.4%	16.3%	18.7%	81.3%
Grade 12	11.2%	16.0%	18.7%	81.3%
Any Inhalant				
All	3.0%	3.8%	7.5%	92.5%
Grade 7	3.7%	4.2%	7.0%	93.0%
Grade 8	4.6%	5.9%	10.5%	89.5%
Grade 9	4.3%	5.0%	9.2%	90.8%
Grade 10	1.8%	2.4%	5.6%	94.4%
Grade 11	3.0%	3.5%	9.1%	90.9%
Grade 12	0.3%	1.9%	3.5%	96.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.0%	9.3%	16.5%	83.5%
Grade 7	1.3%	2.1%	5.9%	94.1%
Grade 8	1.9%	3.8%	8.5%	91.5%
Grade 9	6.7%	9.9%	15.5%	84.5%
Grade 10	3.7%	10.0%	18.4%	81.6%
Grade 11	8.0%	12.1%	23.8%	76.2%
Grade 12	9.9%	19.9%	30.3%	69.7%
Marijuana				
All	6.4%	8.7%	13.0%	87.0%
Grade 7	1.0%	1.6%	3.1%	96.9%
Grade 8	1.9%	3.5%	6.4%	93.6%
Grade 9	3.7%	5.2%	7.4%	92.6%
Grade 10	7.7%	11.0%	15.6%	84.4%
Grade 11	11.3%	15.4%	22.8%	77.2%
Grade 12	14.8%	17.8%	26.3%	73.7%
Marijuana Only				
All	3.8%	5.4%	8.9%	91.1%
Grade 7	0.9%	1.1%	2.4%	97.6%
Grade 8	0.9%	1.6%	4.2%	95.8%
Grade 9	1.4%	2.4%	3.4%	96.6%
Grade 10	4.6%	7.9%	12.2%	87.8%
Grade 11	6.9%	10.3%	16.8%	83.2%
Grade 12	9.1%	11.0%	17.0%	83.0%
Cocaine or Crack				
All	0.8%	0.9%	1.4%	98.6%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	1.0%	1.6%	2.0%	98.0%
Grade 9	0.9%	0.9%	1.4%	98.6%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	1.5%	1.7%	2.3%	97.7%
Grade 12	0.9%	1.0%	2.2%	97.8%
Cocaine				
All	0.7%	0.9%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.6%	1.8%	98.2%
Grade 9	0.9%	0.9%	1.4%	98.6%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	1.5%	1.7%	2.3%	97.7%
Grade 12	0.9%	1.0%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.3%	98.7%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.0%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	1.0%	1.9%	98.1%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.8%	0.9%	1.3%	98.7%
Grade 10	1.1%	1.7%	2.5%	97.5%
Grade 11	1.0%	2.1%	4.6%	95.4%
Grade 12	1.1%	1.3%	3.1%	96.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.5%	0.5%	1.0%	99.0%
Steroids				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.0%	0.1%	1.1%	98.9%
Grade 8	0.2%	0.2%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.6%	1.0%	99.0%
Grade 11	0.0%	0.3%	1.6%	98.4%
Grade 12	1.0%	1.0%	2.4%	97.6%
Ecstasy				
All	0.4%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	1.7%	98.3%
Grade 10	0.0%	0.4%	1.0%	99.0%
Grade 11	0.3%	1.4%	1.8%	98.2%
Grade 12	2.0%	2.6%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	0.2%	0.4%	1.6%	98.4%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.3%	0.3%	1.6%	98.4%
Grade 10	0.6%	0.7%	1.5%	98.5%
Grade 11	0.1%	0.1%	1.4%	98.6%
Grade 12	0.1%	0.7%	4.0%	96.0%
Methamphetamine				
All	0.1%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.3%	1.1%	98.9%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.1%	0.4%	99.6%
Grade 12	0.1%	1.9%	2.5%	97.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 66 of 120

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.5%	20.8%	32.6%	67.4%
Grade 7	6.4%	7.7%	15.1%	84.9%
Grade 8	11.3%	14.6%	25.4%	74.6%
Grade 9	15.3%	19.3%	32.9%	67.1%
Grade 10	18.0%	23.1%	36.1%	63.9%
Grade 11	23.2%	29.6%	43.8%	56.2%
Grade 12	31.0%	37.7%	50.4%	49.6%
Any Alcohol Product				
All	30.8%	36.2%	54.7%	45.3%
Grade 7	17.4%	20.1%	39.5%	60.5%
Grade 8	23.2%	27.5%	47.6%	52.4%
Grade 9	30.0%	35.4%	53.0%	47.0%
Grade 10	31.3%	38.5%	58.5%	41.5%
Grade 11	41.2%	48.3%	64.7%	35.3%
Grade 12	49.5%	56.2%	73.2%	26.8%
Any Illicit Drug				
All	14.9%	19.6%	26.3%	73.7%
Grade 7	5.8%	7.7%	10.7%	89.3%
Grade 8	12.0%	14.3%	18.4%	81.6%
Grade 9	12.5%	16.8%	21.4%	78.6%
Grade 10	15.9%	22.8%	30.9%	69.1%
Grade 11	21.0%	29.0%	39.0%	61.0%
Grade 12	27.6%	34.1%	47.1%	52.9%
Any Prescription Drug				
All	11.5%	15.0%	20.3%	79.7%
Grade 7	7.8%	10.1%	13.8%	86.2%
Grade 8	8.0%	10.6%	15.4%	84.6%
Grade 9	10.5%	14.8%	19.6%	80.4%
Grade 10	13.0%	16.7%	23.9%	76.1%
Grade 11	17.2%	21.3%	26.3%	73.7%
Grade 12	14.7%	18.3%	26.0%	74.0%
Any Inhalant				
All	4.5%	5.9%	12.0%	88.0%
Grade 7	5.9%	7.6%	14.5%	85.5%
Grade 8	5.8%	6.7%	13.5%	86.5%
Grade 9	5.2%	7.2%	12.8%	87.2%
Grade 10	3.6%	4.9%	11.7%	88.3%
Grade 11	1.9%	2.8%	7.8%	92.2%
Grade 12	3.9%	5.5%	10.6%	89.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.8%	15.4%	27.3%	72.7%
Grade 7	3.0%	4.1%	9.9%	90.1%
Grade 8	6.7%	10.1%	20.3%	79.7%
Grade 9	10.3%	15.0%	27.4%	72.6%
Grade 10	11.9%	18.2%	31.9%	68.1%
Grade 11	16.9%	23.6%	38.2%	61.8%
Grade 12	19.7%	26.8%	43.4%	56.6%
Marijuana				
All	14.1%	17.2%	24.4%	75.6%
Grade 7	5.3%	6.0%	9.2%	90.8%
Grade 8	11.0%	12.1%	16.4%	83.6%
Grade 9	11.9%	14.6%	19.3%	80.7%
Grade 10	14.6%	20.1%	28.2%	71.8%
Grade 11	20.5%	26.4%	38.4%	61.6%
Grade 12	26.7%	30.3%	44.7%	55.3%
Marijuana Only				
All	7.5%	9.9%	16.1%	83.9%
Grade 7	3.1%	3.6%	6.5%	93.5%
Grade 8	5.7%	6.3%	9.8%	90.2%
Grade 9	6.4%	8.7%	12.4%	87.6%
Grade 10	7.9%	12.0%	18.9%	81.1%
Grade 11	10.9%	15.5%	26.0%	74.0%
Grade 12	13.8%	16.5%	29.3%	70.7%
Cocaine or Crack				
All	1.6%	2.0%	3.2%	96.8%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	2.0%	2.4%	3.2%	96.8%
Grade 9	1.1%	1.8%	3.0%	97.0%
Grade 10	2.5%	2.8%	4.9%	95.1%
Grade 11	2.1%	2.7%	4.1%	95.9%
Grade 12	2.0%	2.4%	4.7%	95.3%
Cocaine				
All	1.2%	1.6%	2.7%	97.3%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.6%	1.9%	2.1%	97.9%
Grade 9	0.8%	1.4%	2.6%	97.4%
Grade 10	1.4%	1.7%	3.8%	96.2%
Grade 11	1.9%	2.5%	3.9%	96.1%
Grade 12	1.8%	2.2%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.9%	1.2%	2.1%	97.9%
Grade 9	0.6%	0.6%	1.4%	98.6%
Grade 10	1.1%	1.3%	2.2%	97.8%
Grade 11	0.4%	0.9%	1.1%	98.9%
Grade 12	0.3%	0.3%	1.4%	98.6%
Hallucinogens				
All	1.3%	2.2%	4.1%	95.9%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	0.8%	1.3%	2.8%	97.2%
Grade 10	1.2%	2.1%	4.8%	95.2%
Grade 11	1.5%	3.8%	6.6%	93.4%
Grade 12	4.8%	6.5%	10.9%	89.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.3%	0.4%	0.9%	99.1%
Steroids				
All	0.3%	0.6%	1.5%	98.5%
Grade 7	0.8%	0.9%	2.1%	97.9%
Grade 8	0.1%	0.3%	1.4%	98.6%
Grade 9	0.2%	0.5%	0.9%	99.1%
Grade 10	0.2%	0.4%	0.7%	99.3%
Grade 11	0.4%	0.6%	1.8%	98.2%
Grade 12	0.2%	0.8%	2.1%	97.9%
Ecstasy				
All	0.9%	1.6%	3.2%	96.8%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.3%	1.1%	2.1%	97.9%
Grade 9	0.6%	1.0%	2.7%	97.3%
Grade 10	0.6%	1.8%	3.7%	96.3%
Grade 11	1.6%	2.6%	4.7%	95.3%
Grade 12	2.7%	3.9%	7.0%	93.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.8%	1.5%	98.5%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.2%	0.2%	1.1%	98.9%
Synthetic Marijuana				
All	1.4%	2.1%	4.6%	95.4%
Grade 7	0.6%	0.6%	1.6%	98.4%
Grade 8	1.6%	2.7%	4.6%	95.4%
Grade 9	1.6%	2.4%	5.0%	95.0%
Grade 10	1.8%	2.4%	6.1%	93.9%
Grade 11	1.1%	2.0%	4.9%	95.1%
Grade 12	1.9%	2.4%	6.2%	93.8%
Methamphetamine				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.9%	1.1%	1.8%	98.2%
Grade 9	0.0%	0.2%	1.4%	98.6%
Grade 10	0.2%	0.2%	1.2%	98.8%
Grade 11	0.2%	0.6%	1.4%	98.6%
Grade 12	1.1%	1.7%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.1%	15.7%	24.6%	75.4%
Grade 7	3.9%	5.0%	9.4%	90.6%
Grade 8	7.2%	9.5%	17.3%	82.7%
Grade 9	10.3%	13.6%	22.6%	77.4%
Grade 10	12.1%	16.6%	26.0%	74.0%
Grade 11	19.4%	23.7%	36.7%	63.3%
Grade 12	23.8%	30.8%	41.6%	58.4%
Any Alcohol Product				
All	25.7%	31.1%	49.4%	50.6%
Grade 7	13.8%	16.2%	35.5%	64.5%
Grade 8	18.0%	20.5%	41.3%	58.7%
Grade 9	23.4%	28.0%	44.9%	55.1%
Grade 10	25.5%	32.5%	52.8%	47.2%
Grade 11	35.9%	42.9%	60.7%	39.3%
Grade 12	43.2%	53.8%	67.9%	32.1%
Any Illicit Drug				
All	9.3%	13.0%	18.0%	82.0%
Grade 7	2.7%	4.4%	6.1%	93.9%
Grade 8	5.9%	8.2%	11.5%	88.5%
Grade 9	6.5%	10.0%	12.6%	87.4%
Grade 10	9.2%	14.0%	20.3%	79.7%
Grade 11	16.1%	21.9%	30.2%	69.8%
Grade 12	19.1%	23.9%	33.1%	66.9%
Any Prescription Drug				
All	9.3%	12.4%	16.2%	83.8%
Grade 7	8.6%	10.7%	14.1%	85.9%
Grade 8	7.6%	10.3%	13.1%	86.9%
Grade 9	7.3%	10.4%	14.3%	85.7%
Grade 10	9.3%	12.3%	16.9%	83.1%
Grade 11	14.0%	18.4%	22.3%	77.7%
Grade 12	10.1%	13.9%	17.8%	82.2%
Any Inhalant				
All	3.5%	4.5%	9.6%	90.4%
Grade 7	5.1%	5.9%	10.4%	89.6%
Grade 8	5.0%	6.0%	12.0%	88.0%
Grade 9	3.8%	5.1%	10.1%	89.9%
Grade 10	2.1%	3.2%	8.6%	91.4%
Grade 11	2.1%	2.6%	8.3%	91.7%
Grade 12	2.2%	4.0%	7.3%	92.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.9%	11.8%	20.5%	79.5%
Grade 7	1.6%	2.3%	5.6%	94.4%
Grade 8	4.1%	6.5%	14.2%	85.8%
Grade 9	7.8%	11.4%	20.0%	80.0%
Grade 10	7.7%	13.0%	22.3%	77.7%
Grade 11	13.5%	18.7%	32.0%	68.0%
Grade 12	15.2%	22.5%	34.3%	65.7%
Marijuana				
All	8.7%	11.0%	16.4%	83.6%
Grade 7	2.0%	2.6%	4.5%	95.5%
Grade 8	5.3%	6.3%	9.3%	90.7%
Grade 9	5.9%	7.9%	11.1%	88.9%
Grade 10	8.4%	11.4%	18.0%	82.0%
Grade 11	15.6%	20.2%	29.4%	70.6%
Grade 12	18.5%	22.1%	32.1%	67.9%
Marijuana Only				
All	4.8%	6.8%	11.4%	88.6%
Grade 7	1.3%	1.7%	3.4%	96.6%
Grade 8	3.0%	3.7%	6.4%	93.6%
Grade 9	2.4%	4.4%	6.4%	93.6%
Grade 10	4.9%	7.1%	13.0%	87.0%
Grade 11	7.6%	11.5%	20.4%	79.6%
Grade 12	11.9%	15.0%	23.2%	76.8%
Cocaine or Crack				
All	1.3%	1.5%	2.2%	97.8%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	1.3%	1.4%	2.1%	97.9%
Grade 9	1.3%	1.7%	2.4%	97.6%
Grade 10	1.1%	1.4%	2.0%	98.0%
Grade 11	2.2%	2.8%	3.9%	96.1%
Grade 12	1.4%	1.4%	2.6%	97.4%
Cocaine				
All	0.9%	1.2%	1.8%	98.2%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.2%	1.3%	1.3%	98.7%
Grade 9	0.7%	1.2%	1.8%	98.2%
Grade 10	0.4%	0.7%	1.3%	98.7%
Grade 11	2.0%	2.6%	3.7%	96.3%
Grade 12	1.3%	1.4%	2.5%	97.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.7%	0.9%	0.9%	99.1%
Grade 11	0.4%	1.0%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.9%	1.5%	2.6%	97.4%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.9%	1.2%	2.0%	98.0%
Grade 10	1.0%	1.7%	3.3%	96.7%
Grade 11	1.5%	3.6%	5.2%	94.8%
Grade 12	2.4%	3.1%	5.5%	94.5%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.7%	99.3%
Steroids				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.7%	0.7%	1.7%	98.3%
Grade 8	0.2%	0.2%	1.1%	98.9%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.3%	0.6%	99.4%
Grade 11	0.1%	0.6%	1.6%	98.4%
Grade 12	0.7%	1.0%	1.7%	98.3%
Ecstasy				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.6%	1.2%	98.8%
Grade 9	0.2%	0.2%	1.8%	98.2%
Grade 10	0.5%	1.0%	1.9%	98.1%
Grade 11	1.1%	1.7%	3.4%	96.6%
Grade 12	1.7%	2.1%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 73 of 120

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.3%	1.0%	99.0%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	1.0%	99.0%
Grade 12	0.1%	0.1%	0.2%	99.8%
Synthetic Marijuana				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.2%	0.5%	0.6%	99.4%
Grade 8	0.7%	1.0%	2.0%	98.0%
Grade 9	1.0%	1.1%	2.9%	97.1%
Grade 10	1.0%	1.2%	2.4%	97.6%
Grade 11	1.1%	1.6%	3.1%	96.9%
Grade 12	0.2%	0.3%	3.5%	96.5%
Methamphetamine				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.2%	0.2%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.3%	0.7%	1.5%	98.5%
Grade 12	0.0%	0.8%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.0%	22.9%	36.8%	63.2%
Grade 7	6.5%	8.5%	20.1%	79.9%
Grade 8	10.9%	15.0%	28.5%	71.5%
Grade 9	17.1%	21.7%	37.7%	62.3%
Grade 10	16.8%	24.7%	39.8%	60.2%
Grade 11	22.0%	29.7%	42.6%	57.4%
Grade 12	30.6%	40.0%	53.4%	46.6%
Any Alcohol Product				
All	32.4%	39.8%	60.6%	39.4%
Grade 7	16.9%	20.0%	41.2%	58.8%
Grade 8	25.2%	31.1%	52.3%	47.7%
Grade 9	32.8%	39.9%	62.2%	37.8%
Grade 10	33.4%	41.2%	65.1%	34.9%
Grade 11	40.9%	51.3%	68.7%	31.3%
Grade 12	46.6%	57.1%	74.8%	25.2%
Any Illicit Drug				
All	17.9%	23.3%	31.0%	69.0%
Grade 7	8.4%	10.2%	13.7%	86.3%
Grade 8	15.3%	18.2%	22.8%	77.2%
Grade 9	15.9%	19.8%	26.1%	73.9%
Grade 10	18.5%	26.4%	35.0%	65.0%
Grade 11	22.1%	31.4%	40.9%	59.1%
Grade 12	28.5%	35.4%	49.7%	50.3%
Any Prescription Drug				
All	12.7%	16.9%	23.0%	77.0%
Grade 7	9.6%	12.1%	16.7%	83.3%
Grade 8	7.6%	9.8%	16.7%	83.3%
Grade 9	11.9%	16.3%	22.3%	77.7%
Grade 10	12.9%	16.5%	23.3%	76.7%
Grade 11	15.9%	21.8%	27.1%	72.9%
Grade 12	19.4%	26.3%	33.3%	66.7%
Any Inhalant				
All	4.8%	6.5%	12.4%	87.6%
Grade 7	6.1%	8.3%	15.7%	84.3%
Grade 8	6.9%	8.5%	15.0%	85.0%
Grade 9	6.3%	9.3%	15.3%	84.7%
Grade 10	3.8%	4.6%	10.8%	89.2%
Grade 11	3.0%	4.3%	9.0%	91.0%
Grade 12	2.4%	3.1%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.6%	16.5%	30.5%	69.5%
Grade 7	4.1%	5.6%	15.4%	84.6%
Grade 8	6.1%	10.1%	21.2%	78.8%
Grade 9	10.9%	16.0%	30.2%	69.8%
Grade 10	12.0%	20.2%	36.5%	63.5%
Grade 11	13.6%	20.1%	35.9%	64.1%
Grade 12	17.3%	28.0%	44.0%	56.0%
Marijuana				
All	17.1%	21.0%	29.3%	70.7%
Grade 7	7.9%	8.9%	12.9%	87.1%
Grade 8	13.0%	14.9%	20.3%	79.7%
Grade 9	15.5%	18.3%	24.8%	75.2%
Grade 10	17.7%	24.9%	33.2%	66.8%
Grade 11	21.6%	27.5%	39.1%	60.9%
Grade 12	28.0%	32.5%	47.6%	52.4%
Marijuana Only				
All	8.8%	11.6%	18.2%	81.8%
Grade 7	4.2%	4.9%	8.5%	91.5%
Grade 8	6.9%	7.6%	11.5%	88.5%
Grade 9	8.8%	10.6%	15.7%	84.3%
Grade 10	8.8%	14.5%	21.6%	78.4%
Grade 11	13.1%	17.5%	26.3%	73.7%
Grade 12	11.0%	14.1%	26.6%	73.4%
Cocaine or Crack				
All	1.9%	2.4%	3.8%	96.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	2.2%	3.2%	3.6%	96.4%
Grade 9	1.8%	2.3%	3.7%	96.3%
Grade 10	2.3%	2.7%	5.4%	94.6%
Grade 11	1.9%	2.7%	3.9%	96.1%
Grade 12	2.8%	3.3%	5.6%	94.4%
Cocaine				
All	1.7%	2.2%	3.5%	96.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	1.5%	2.3%	2.7%	97.3%
Grade 9	1.8%	2.3%	3.6%	96.4%
Grade 10	1.8%	2.3%	5.0%	95.0%
Grade 11	1.9%	2.7%	3.9%	96.1%
Grade 12	2.8%	3.3%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	1.3%	1.9%	2.4%	97.6%
Grade 9	0.3%	1.0%	2.2%	97.8%
Grade 10	0.4%	0.6%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.2%	98.8%
Hallucinogens				
All	1.5%	2.4%	4.9%	95.1%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.6%	1.0%	2.1%	97.9%
Grade 9	1.0%	1.3%	3.1%	96.9%
Grade 10	1.2%	2.4%	5.4%	94.6%
Grade 11	1.4%	2.9%	7.1%	92.9%
Grade 12	4.4%	6.4%	11.9%	88.1%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	0.5%	0.5%	1.0%	99.0%
Grade 12	0.2%	0.4%	1.0%	99.0%
Steroids				
All	0.3%	0.6%	1.8%	98.2%
Grade 7	0.7%	1.1%	2.5%	97.5%
Grade 8	0.2%	0.5%	1.4%	98.6%
Grade 9	0.2%	0.5%	0.6%	99.4%
Grade 10	0.3%	0.8%	1.0%	99.0%
Grade 11	0.4%	0.4%	2.7%	97.3%
Grade 12	0.2%	0.4%	3.5%	96.5%
Ecstasy				
All	0.9%	1.9%	3.9%	96.1%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.3%	1.0%	2.1%	97.9%
Grade 9	1.4%	2.0%	4.0%	96.0%
Grade 10	0.2%	1.3%	4.0%	96.0%
Grade 11	0.8%	2.5%	3.7%	96.3%
Grade 12	2.8%	4.1%	10.0%	90.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.6%	1.0%	1.6%	98.4%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.4%	0.4%	1.3%	98.7%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.2%	0.2%	1.3%	98.7%
Synthetic Marijuana				
All	1.7%	2.5%	6.4%	93.6%
Grade 7	0.9%	0.9%	2.7%	97.3%
Grade 8	2.7%	4.0%	6.7%	93.3%
Grade 9	1.6%	3.0%	6.1%	93.9%
Grade 10	1.8%	2.6%	7.7%	92.3%
Grade 11	0.5%	0.8%	6.0%	94.0%
Grade 12	2.6%	3.5%	8.7%	91.3%
Methamphetamine				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.5%	0.9%	2.2%	97.8%
Grade 9	0.1%	0.4%	1.6%	98.4%
Grade 10	0.5%	0.7%	1.4%	98.6%
Grade 11	0.1%	0.2%	1.2%	98.8%
Grade 12	1.8%	2.5%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 78 of 120

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.9%	15.9%	26.3%	73.7%
Grade 7	3.7%	5.1%	10.4%	89.6%
Grade 8	6.6%	9.1%	18.9%	81.1%
Grade 9	10.9%	14.5%	25.6%	74.4%
Grade 10	11.9%	16.5%	28.3%	71.7%
Grade 11	18.1%	23.2%	36.3%	63.7%
Grade 12	23.7%	31.9%	43.9%	56.1%
Any Alcohol Product				
All	25.7%	31.8%	51.6%	48.4%
Grade 7	12.6%	15.2%	35.5%	64.5%
Grade 8	18.1%	21.9%	42.7%	57.3%
Grade 9	25.1%	30.1%	49.6%	50.4%
Grade 10	25.8%	32.1%	55.8%	44.2%
Grade 11	36.3%	44.9%	62.9%	37.1%
Grade 12	41.5%	53.2%	69.1%	30.9%
Any Illicit Drug				
All	10.5%	14.4%	19.9%	80.1%
Grade 7	3.5%	4.7%	6.7%	93.3%
Grade 8	8.2%	10.2%	13.6%	86.4%
Grade 9	7.4%	10.9%	14.0%	86.0%
Grade 10	11.1%	16.2%	23.2%	76.8%
Grade 11	16.5%	24.0%	32.1%	67.9%
Grade 12	19.0%	24.6%	35.4%	64.6%
Any Prescription Drug				
All	10.2%	13.3%	17.2%	82.8%
Grade 7	8.8%	10.9%	14.7%	85.3%
Grade 8	7.7%	9.9%	13.4%	86.6%
Grade 9	8.7%	12.0%	15.7%	84.3%
Grade 10	9.5%	12.3%	16.9%	83.1%
Grade 11	14.8%	19.8%	23.2%	76.8%
Grade 12	13.0%	16.7%	21.2%	78.8%
Any Inhalant				
All	3.5%	4.6%	9.4%	90.6%
Grade 7	4.4%	5.5%	10.3%	89.7%
Grade 8	5.2%	6.2%	12.0%	88.0%
Grade 9	4.4%	5.8%	11.2%	88.8%
Grade 10	2.0%	2.6%	8.0%	92.0%
Grade 11	2.1%	2.9%	7.6%	92.4%
Grade 12	2.6%	3.6%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	11.9%	22.0%	78.0%
Grade 7	1.6%	2.7%	7.4%	92.6%
Grade 8	4.0%	6.5%	15.0%	85.0%
Grade 9	7.7%	11.5%	21.3%	78.7%
Grade 10	7.6%	13.0%	24.7%	75.3%
Grade 11	12.1%	17.5%	32.1%	67.9%
Grade 12	14.2%	23.6%	35.8%	64.2%
Marijuana				
All	9.8%	12.4%	18.4%	81.6%
Grade 7	2.9%	3.5%	5.5%	94.5%
Grade 8	6.8%	7.7%	11.4%	88.6%
Grade 9	7.0%	9.0%	12.5%	87.5%
Grade 10	10.5%	14.6%	22.0%	78.0%
Grade 11	15.9%	21.1%	30.7%	69.3%
Grade 12	18.7%	22.5%	34.2%	65.8%
Marijuana Only				
All	5.8%	7.8%	13.0%	87.0%
Grade 7	1.9%	2.4%	4.3%	95.7%
Grade 8	3.8%	4.2%	7.4%	92.6%
Grade 9	3.5%	5.0%	7.5%	92.5%
Grade 10	6.4%	9.5%	15.9%	84.1%
Grade 11	9.8%	14.1%	22.8%	77.2%
Grade 12	11.3%	14.2%	24.1%	75.9%
Cocaine or Crack				
All	1.0%	1.3%	2.0%	98.0%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	1.4%	1.6%	1.7%	98.3%
Grade 9	0.9%	1.5%	2.1%	97.9%
Grade 10	1.4%	1.5%	2.3%	97.7%
Grade 11	1.2%	2.0%	3.1%	96.9%
Grade 12	0.7%	0.9%	2.1%	97.9%
Cocaine				
All	0.7%	1.0%	1.6%	98.4%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.1%	1.2%	1.3%	98.7%
Grade 9	0.6%	1.1%	1.8%	98.2%
Grade 10	0.7%	0.8%	1.7%	98.3%
Grade 11	1.1%	1.9%	3.0%	97.0%
Grade 12	0.7%	0.9%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.9%	1.0%	1.2%	98.8%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.7%	0.8%	1.1%	98.9%
Grade 11	0.2%	0.6%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	0.6%	1.2%	2.5%	97.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.6%	0.9%	1.9%	98.1%
Grade 10	0.7%	1.6%	3.2%	96.8%
Grade 11	0.8%	2.6%	4.9%	95.1%
Grade 12	1.6%	2.4%	5.5%	94.5%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.4%	99.6%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.6%	0.7%	1.8%	98.2%
Grade 8	0.2%	0.2%	1.1%	98.9%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.5%	0.8%	99.2%
Grade 11	0.1%	0.5%	2.0%	98.0%
Grade 12	0.5%	0.7%	1.8%	98.2%
Ecstasy				
All	0.5%	1.0%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.7%	1.2%	98.8%
Grade 9	0.2%	0.3%	1.9%	98.1%
Grade 10	0.3%	0.8%	2.1%	97.9%
Grade 11	0.9%	1.8%	3.2%	96.8%
Grade 12	1.5%	2.5%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.2%	99.8%
Synthetic Marijuana				
All	0.8%	1.2%	2.9%	97.1%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	1.5%	2.1%	3.1%	96.9%
Grade 9	0.8%	1.3%	3.4%	96.6%
Grade 10	1.3%	1.5%	4.1%	95.9%
Grade 11	0.4%	0.7%	2.7%	97.3%
Grade 12	0.2%	0.6%	3.8%	96.2%
Methamphetamine				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.6%	1.1%	98.9%
Grade 12	0.0%	0.9%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	25.8%	32.6%	44.3%	55.7%
Grade 7	12.3%	13.2%	27.9%	72.1%
Grade 8	22.4%	27.3%	36.6%	63.4%
Grade 9	19.0%	24.6%	40.1%	59.9%
Grade 10	23.1%	35.2%	45.7%	54.3%
Grade 11	32.9%	41.6%	51.5%	48.5%
Grade 12	46.6%	52.1%	62.5%	37.5%
Any Alcohol Product				
All	41.6%	48.5%	64.1%	35.9%
Grade 7	30.7%	33.7%	52.2%	47.8%
Grade 8	36.8%	40.7%	62.6%	37.4%
Grade 9	35.9%	42.5%	58.1%	41.9%
Grade 10	41.8%	54.7%	66.6%	33.4%
Grade 11	45.1%	50.7%	64.0%	36.0%
Grade 12	60.2%	66.6%	81.2%	18.8%
Any Illicit Drug				
All	23.9%	30.5%	38.2%	61.8%
Grade 7	12.6%	18.5%	22.1%	77.9%
Grade 8	16.8%	22.3%	27.5%	72.5%
Grade 9	21.7%	27.3%	35.5%	64.5%
Grade 10	19.8%	31.0%	38.2%	61.8%
Grade 11	28.6%	33.0%	43.1%	56.9%
Grade 12	45.5%	51.3%	62.8%	37.2%
Any Prescription Drug				
All	13.1%	18.9%	27.5%	72.5%
Grade 7	10.6%	14.8%	17.7%	82.3%
Grade 8	8.2%	12.6%	21.1%	78.9%
Grade 9	10.3%	15.3%	24.8%	75.2%
Grade 10	16.7%	22.0%	31.2%	68.8%
Grade 11	14.6%	19.9%	29.2%	70.8%
Grade 12	17.2%	28.5%	39.3%	60.7%
Any Inhalant				
All	6.5%	8.8%	17.4%	82.6%
Grade 7	12.0%	13.7%	24.6%	75.4%
Grade 8	9.1%	12.4%	21.2%	78.8%
Grade 9	6.0%	11.5%	17.5%	82.5%
Grade 10	6.4%	6.5%	14.6%	85.4%
Grade 11	3.9%	4.9%	13.3%	86.7%
Grade 12	2.4%	5.0%	15.3%	84.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	17.1%	23.5%	37.1%	62.9%
Grade 7	7.1%	7.1%	18.1%	81.9%
Grade 8	10.7%	16.5%	27.2%	72.8%
Grade 9	13.8%	19.4%	36.1%	63.9%
Grade 10	18.0%	29.9%	42.1%	57.9%
Grade 11	22.6%	29.6%	41.8%	58.2%
Grade 12	29.6%	34.8%	53.9%	46.1%
Marijuana				
All	22.5%	27.3%	35.2%	64.8%
Grade 7	11.4%	13.7%	20.2%	79.8%
Grade 8	16.3%	19.8%	23.5%	76.5%
Grade 9	20.4%	25.1%	34.0%	66.0%
Grade 10	17.6%	25.7%	31.7%	68.3%
Grade 11	27.7%	31.6%	42.4%	57.6%
Grade 12	43.5%	48.2%	59.8%	40.2%
Marijuana Only				
All	9.0%	12.7%	19.0%	81.0%
Grade 7	5.2%	5.8%	11.2%	88.8%
Grade 8	7.4%	10.2%	13.3%	86.7%
Grade 9	10.9%	15.5%	21.7%	78.3%
Grade 10	6.5%	12.3%	17.9%	82.1%
Grade 11	8.3%	11.3%	19.6%	80.4%
Grade 12	16.5%	20.8%	30.4%	69.6%
Cocaine or Crack				
All	4.3%	4.8%	7.3%	92.7%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	4.1%	5.3%	8.3%	91.7%
Grade 9	4.3%	4.3%	6.8%	93.2%
Grade 10	2.1%	3.2%	7.1%	92.9%
Grade 11	7.2%	7.2%	7.9%	92.1%
Grade 12	7.9%	8.6%	13.0%	87.0%
Cocaine				
All	4.1%	4.6%	6.7%	93.3%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	3.3%	4.5%	5.2%	94.8%
Grade 9	4.3%	4.3%	6.6%	93.4%
Grade 10	1.9%	3.0%	6.9%	93.1%
Grade 11	7.2%	7.2%	8.0%	92.0%
Grade 12	7.5%	8.2%	12.6%	87.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	1.0%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.7%	2.5%	5.2%	94.8%
Grade 9	0.0%	1.5%	2.8%	97.2%
Grade 10	0.2%	0.8%	2.3%	97.7%
Grade 11	0.8%	0.8%	1.5%	98.5%
Grade 12	0.4%	0.4%	3.2%	96.8%
Hallucinogens				
All	4.1%	5.6%	8.4%	91.6%
Grade 7	1.7%	2.2%	2.4%	97.6%
Grade 8	1.7%	2.7%	4.7%	95.3%
Grade 9	3.5%	3.5%	4.8%	95.2%
Grade 10	2.3%	3.8%	7.6%	92.4%
Grade 11	4.8%	6.7%	10.2%	89.8%
Grade 12	11.4%	15.8%	21.8%	78.2%
Synthetic Cathinones				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	2.0%	2.4%	3.7%	96.3%
Steroids				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	2.0%	2.0%	3.8%	96.2%
Grade 8	0.5%	1.3%	2.8%	97.2%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.8%	0.8%	1.6%	98.4%
Grade 12	0.4%	1.4%	5.3%	94.7%
Ecstasy				
All	2.1%	3.0%	5.7%	94.3%
Grade 7	1.2%	2.3%	2.3%	97.7%
Grade 8	0.0%	0.8%	3.5%	96.5%
Grade 9	3.3%	4.1%	5.8%	94.2%
Grade 10	1.1%	2.6%	6.2%	93.8%
Grade 11	1.3%	2.3%	4.7%	95.3%
Grade 12	6.1%	6.5%	11.5%	88.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.8%	2.7%	97.3%
Grade 7	0.6%	0.6%	2.2%	97.8%
Grade 8	0.5%	2.1%	5.7%	94.3%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	1.3%	1.3%	2.8%	97.2%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	0.3%	0.3%	3.1%	96.9%
Synthetic Marijuana				
All	2.5%	3.9%	8.2%	91.8%
Grade 7	0.0%	0.6%	5.1%	94.9%
Grade 8	1.3%	2.8%	6.2%	93.8%
Grade 9	2.8%	4.2%	6.7%	93.3%
Grade 10	1.4%	3.2%	6.4%	93.6%
Grade 11	3.6%	5.7%	11.9%	88.1%
Grade 12	6.2%	6.9%	13.3%	86.7%
Methamphetamine				
All	0.9%	1.4%	3.2%	96.8%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.5%	1.6%	3.1%	96.9%
Grade 9	0.3%	1.1%	3.5%	96.5%
Grade 10	0.0%	0.0%	2.3%	97.7%
Grade 11	0.0%	0.2%	2.4%	97.6%
Grade 12	4.6%	5.8%	7.1%	92.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	222,918	50.7%
Female	216,730	49.3%
Frequency Missing	2,540	

Hispanic or Latino

Q5a	Frequency	Percent
No	198,966	45.8%
Yes	235,181	54.2%
Frequency Missing	8,040	

Grade

Q2	Frequency	Percent
Grade 7	76,416	17.3%
Grade 8	75,456	17.1%
Grade 9	83,307	18.9%
Grade 10	76,505	17.3%
Grade 11	68,754	15.6%
Grade 12	60,863	13.8%
Frequency Missing	885	

Ethnicity

Q5b	Frequency	Percent
American Indian	8,241	2.1%
Asian American	9,209	2.4%
African American	41,598	10.6%
Pacific Islander	1,296	0.3%
White	206,981	52.9%
Other	69,086	17.7%
More Than One Race	54,686	14.0%
Frequency Missing	51,091	

Live with Both Parents

Q3	Frequency	Percent
No	154,750	35.3%
Yes	283,133	64.7%
Frequency Missing	4,305	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	2,145	0.5%
Mostly D's	5,944	1.5%
Mostly C's	52,642	13.3%
Mostly B's	187,139	47.4%
Mostly A's	147,289	37.3%
Frequency Missing	47,028	

Age

Q4	Frequency	Percent
11 Or Younger	459	0.1%
12	26,821	6.1%
13	71,033	16.1%
14	77,015	17.5%
15	79,394	18.0%
16	74,094	16.8%
17	68,102	15.4%
18	40,230	9.1%
19 Or Older	4,018	0.9%
Frequency Missing	1,022	

Do You Have a Job

Q7	Frequency	Percent
No	308,674	77.8%
Yes	88,144	22.2%
Frequency Missing	45,369	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	173,598	43.9%
Yes	141,492	35.8%
Don't Know	80,386	20.3%
Frequency Missing	46,710	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	317,745	93.1%
Yes	23,663	6.9%
Frequency Missing	100,779	

Participate in School Athletics (UTL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	178,531	47.7%
Yes	196,012	52.3%
Frequency Missing	67,644	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	261,776	74.9%
Yes	87,555	25.1%
Frequency Missing	92,856	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	269,579	76.5%
Yes	82,822	23.5%
Frequency Missing	89,786	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	249,098	72.3%
Yes	95,596	27.7%
Frequency Missing	97,494	

Participate in School Choir

Q9c	Frequency	Percent
No	307,828	90.2%
Yes	33,326	9.8%
Frequency Missing	101,034	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	227,816	64.6%
Yes	125,028	35.4%
Frequency Missing	89,343	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	312,439	90.9%
Yes	31,286	9.1%
Frequency Missing	98,462	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	254,093	73.3%
Yes	92,531	26.7%
Frequency Missing	95,563	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	383,146	87.2%
Somewhat Safe	48,593	11.1%
Not Very Safe	2,933	0.7%
Not Safe At All	1,329	0.3%
Don't Know	3,432	0.8%
Frequency Missing	2,754	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School Or Less	29,369	7.0%
Some High School	38,741	9.2%
Finished High School	77,963	18.5%
Some College	64,410	15.3%
Finished College	113,340	26.9%
Post-Secondary	61,061	14.5%
Don't Know Or N/A	36,230	8.6%
Frequency Missing	21,074	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	215,007	49.2%
Somewhat Safe	186,955	42.8%
Not Very Safe	21,407	4.9%
Not Safe At All	3,886	0.9%
Don't Know	9,371	2.1%
Frequency Missing	5,561	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	246,600	62.7%
Yes	146,515	37.3%
Frequency Missing	49,073	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	179,031	40.9%
Somewhat Safe	203,018	46.4%
Not Very Safe	30,462	7.0%
Not Safe At All	13,636	3.1%
Don't Know	11,460	2.6%
Frequency Missing	4,580	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	20,013	4.6%
A Few	81,560	18.8%
Some	99,336	22.9%
Most	175,603	40.5%
All	57,095	13.2%
Frequency Missing	8,579	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School Or Less	30,721	7.4%
Some High School	38,495	9.2%
Finished High School	82,592	19.8%
Some College	56,328	13.5%
Finished College	89,528	21.5%
Post-Secondary	62,761	15.0%
Don't Know Or N/A	56,640	13.6%
Frequency Missing	25,122	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	6,862	1.6%
A Few	43,430	10.0%
Some	94,235	21.7%
Most	201,513	46.3%
All	88,785	20.4%
Frequency Missing	7,362	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	240,509	56.3%
A Few	119,306	27.9%
Some	42,363	9.9%
Most	14,694	3.4%
All	10,610	2.5%
Frequency Missing	14,705	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	417,534	96.0%
In Your Lifetime	11,709	2.7%
Since School Began	2,050	0.5%
In The Past Month	3,438	0.8%
Frequency Missing	7,456	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	327,883	76.1%
A Few	66,768	15.5%
Some	21,443	5.0%
Most	9,868	2.3%
All	4,675	1.1%
Frequency Missing	11,550	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	428,060	99.2%
In Your Lifetime	1,668	0.4%
Since School Began	636	0.1%
In The Past Month	1,194	0.3%
Frequency Missing	10,630	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	377,897	87.3%
A Few	38,605	8.9%
Some	9,961	2.3%
Most	3,649	0.8%
All	2,807	0.6%
Frequency Missing	9,268	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	410,238	94.4%
In Your Lifetime	14,287	3.3%
Since School Began	3,761	0.9%
In The Past Month	6,499	1.5%
Frequency Missing	7,401	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	427,948	98.3%
In Your Lifetime	4,897	1.1%
Since School Began	973	0.2%
In The Past Month	1,724	0.4%
Frequency Missing	6,644	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	428,697	99.0%
In Your Lifetime	2,364	0.5%
Since School Began	534	0.1%
In The Past Month	1,311	0.3%
Frequency Missing	9,281	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	429,891	99.1%
In Your Lifetime	1,927	0.4%
Since School Began	624	0.1%
In The Past Month	1,281	0.3%
Frequency Missing	8,464	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	399,158	92.3%
In Your Lifetime	15,349	3.6%
Since School Began	4,870	1.1%
In The Past Month	12,913	3.0%
Frequency Missing	9,898	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	428,435	98.6%
In Your Lifetime	3,410	0.8%
Since School Began	725	0.2%
In The Past Month	1,857	0.4%
Frequency Missing	7,760	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	274,598	64.2%
In Your Lifetime	74,048	17.3%
Since School Began	26,660	6.2%
In The Past Month	52,627	12.3%
Frequency Missing	14,254	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	311,403	72.0%
In Your Lifetime	50,572	11.7%
Since School Began	24,156	5.6%
In The Past Month	46,076	10.7%
Frequency Missing	9,981	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	428,966	98.6%
In Your Lifetime	2,986	0.7%
Since School Began	861	0.2%
In The Past Month	2,128	0.5%
Frequency Missing	7,247	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	297,790	69.8%
In Your Lifetime	69,923	16.4%
Since School Began	22,568	5.3%
In The Past Month	36,553	8.6%
Frequency Missing	15,353	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	373,816	85.8%
In Your Lifetime	33,730	7.7%
Since School Began	9,395	2.2%
In The Past Month	18,778	4.3%
Frequency Missing	6,469	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	294,431	68.0%
In Your Lifetime	59,843	13.8%
Since School Began	28,491	6.6%
In The Past Month	50,151	11.6%
Frequency Missing	9,272	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	424,826	97.8%
In Your Lifetime	4,909	1.1%
Since School Began	2,322	0.5%
In The Past Month	2,130	0.5%
Frequency Missing	8,001	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	421,320	96.8%
In Your Lifetime	8,939	2.1%
Since School Began	1,105	0.3%
In The Past Month	3,714	0.9%
Frequency Missing	7,109	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	430,032	99.3%
In Your Lifetime	1,902	0.4%
Since School Began	503	0.1%
In The Past Month	650	0.2%
Frequency Missing	9,100	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	331,476	76.0%
In Your Lifetime	45,898	10.5%
Since School Began	20,057	4.6%
In The Past Month	38,461	8.8%
Frequency Missing	6,296	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	419,591	96.6%
In Your Lifetime	6,753	1.6%
Since School Began	3,143	0.7%
In The Past Month	4,799	1.1%
Frequency Missing	7,901	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	350,439	80.5%
In Your Lifetime	38,599	8.9%
Since School Began	15,981	3.7%
In The Past Month	30,435	7.0%
Frequency Missing	6,734	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	433,305	99.7%
In Your Lifetime	832	0.2%
Since School Began	99	0.0%
In The Past Month	521	0.1%
Frequency Missing	7,430	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	428,788	98.8%
In Your Lifetime	3,000	0.7%
Since School Began	866	0.2%
In The Past Month	1,140	0.3%
Frequency Missing	8,393	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	419,560	96.5%
In Your Lifetime	10,164	2.3%
Since School Began	1,887	0.4%
In The Past Month	3,068	0.7%
Frequency Missing	7,507	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	422,678	97.7%
In Your Lifetime	5,525	1.3%
Since School Began	1,841	0.4%
In The Past Month	2,791	0.6%
Frequency Missing	9,352	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	383,320	88.6%
In Your Lifetime	14,851	3.4%
Since School Began	10,218	2.4%
In The Past Month	24,407	5.6%
Frequency Missing	9,392	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	432,239	99.5%
In Your Lifetime	1,576	0.4%
Since School Began	187	0.0%
In The Past Month	510	0.1%
Frequency Missing	7,675	

Recent Prescription Drug Use - Percocets Etc

Q17b	Frequency	Percent
Never Heard/Used	410,756	94.9%
In Your Lifetime	6,593	1.5%
Since School Began	5,048	1.2%
In The Past Month	10,371	2.4%
Frequency Missing	9,419	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	430,229	99.0%
In Your Lifetime	2,937	0.7%
Since School Began	915	0.2%
In The Past Month	596	0.1%
Frequency Missing	7,510	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	411,210	95.4%
In Your Lifetime	6,639	1.5%
Since School Began	4,004	0.9%
In The Past Month	9,250	2.1%
Frequency Missing	11,085	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	408,817	94.8%
In Your Lifetime	8,090	1.9%
Since School Began	5,507	1.3%
In The Past Month	8,910	2.1%
Frequency Missing	10,864	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	326,644	76.5%
1-2 Times	66,440	15.6%
3-10 Times	25,469	6.0%
11+ Times	8,587	2.0%
Frequency Missing	15,047	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	393,108	91.2%
In Your Lifetime	14,133	3.3%
Since School Began	6,403	1.5%
In The Past Month	17,441	4.0%
Frequency Missing	11,102	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	425,187	98.6%
1-2 Times	4,479	1.0%
3-10 Times	1,190	0.3%
11+ Times	375	0.1%
Frequency Missing	10,955	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	416,585	96.7%
In Your Lifetime	5,341	1.2%
Since School Began	2,172	0.5%
In The Past Month	6,599	1.5%
Frequency Missing	11,491	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	383,849	89.1%
1-2 Times	20,936	4.9%
3-10 Times	11,753	2.7%
11+ Times	14,490	3.4%
Frequency Missing	11,159	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	397,329	92.2%
1-2 Times	17,728	4.1%
3-10 Times	6,966	1.6%
11+ Times	8,755	2.0%
Frequency Missing	11,409	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	427,740	99.0%
1-2 Times	3,179	0.7%
3-10 Times	940	0.2%
11+ Times	364	0.1%
Frequency Missing	9,963	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	430,126	99.7%
1-2 Times	887	0.2%
3-10 Times	70	0.0%
11+ Times	317	0.1%
Frequency Missing	10,787	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never Heard/None	243,627	56.8%
A Few	85,848	20.0%
Some	52,374	12.2%
Most	35,057	8.2%
All	12,105	2.8%
Frequency Missing	13,176	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never Heard/None	296,053	68.9%
A Few	86,339	20.1%
Some	29,799	6.9%
Most	14,615	3.4%
All	3,086	0.7%
Frequency Missing	12,296	

Difficult to Get Tobacco

Q21a	Frequency	Percent
Never Heard Of	100,479	23.5%
Impossible	93,966	22.0%
Very Difficult	37,691	8.8%
Somewhat Diff	47,318	11.1%
Somewhat Easy	64,314	15.0%
Very Easy	83,687	19.6%
Frequency Missing	14,731	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never Heard/None	209,156	48.7%
A Few	106,131	24.7%
Some	63,750	14.9%
Most	39,376	9.2%
All	10,757	2.5%
Frequency Missing	13,018	

Difficult to Get Alcohol

Q21b	Frequency	Percent
Never Heard Of	81,764	19.2%
Impossible	59,893	14.0%
Very Difficult	28,068	6.6%
Somewhat Diff	48,131	11.3%
Somewhat Easy	85,528	20.1%
Very Easy	122,958	28.8%
Frequency Missing	15,846	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never Heard/None	399,759	93.1%
A Few	21,870	5.1%
Some	4,928	1.1%
Most	2,038	0.5%
All	1,002	0.2%
Frequency Missing	12,590	

Difficult to Get Inhalants

Q21c	Frequency	Percent
Never Heard Of	148,342	34.9%
Impossible	74,574	17.6%
Very Difficult	21,852	5.1%
Somewhat Diff	31,077	7.3%
Somewhat Easy	43,672	10.3%
Very Easy	105,315	24.8%
Frequency Missing	17,356	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Marijuana

Q21d	Frequency	Percent
Never Heard Of	96,407	22.7%
Impossible	100,528	23.6%
Very Difficult	37,171	8.7%
Somewhat Diff	42,658	10.0%
Somewhat Easy	62,009	14.6%
Very Easy	86,857	20.4%
Frequency Missing	16,559	

Difficult to Get Ecstasy

Q21i	Frequency	Percent
Never Heard Of	176,744	41.6%
Impossible	125,594	29.5%
Very Difficult	54,338	12.8%
Somewhat Diff	31,308	7.4%
Somewhat Easy	21,580	5.1%
Very Easy	15,802	3.7%
Frequency Missing	16,822	

Difficult to Get Cocaine

Q21e	Frequency	Percent
Never Heard Of	130,883	30.7%
Impossible	150,653	35.4%
Very Difficult	67,152	15.8%
Somewhat Diff	40,184	9.4%
Somewhat Easy	19,481	4.6%
Very Easy	17,320	4.1%
Frequency Missing	16,516	

Difficult to Get Heroin

Q21j	Frequency	Percent
Never Heard Of	164,324	38.5%
Impossible	159,211	37.3%
Very Difficult	61,683	14.5%
Somewhat Diff	23,173	5.4%
Somewhat Easy	8,509	2.0%
Very Easy	9,437	2.2%
Frequency Missing	15,850	

Difficult to Get Crack

Q21f	Frequency	Percent
Never Heard Of	138,426	32.5%
Impossible	156,061	36.7%
Very Difficult	69,713	16.4%
Somewhat Diff	34,431	8.1%
Somewhat Easy	13,608	3.2%
Very Easy	13,107	3.1%
Frequency Missing	16,841	

Difficult to Get Methamphetamine

Q21k	Frequency	Percent
Never Heard Of	170,801	40.0%
Impossible	151,021	35.4%
Very Difficult	58,065	13.6%
Somewhat Diff	24,136	5.7%
Somewhat Easy	11,812	2.8%
Very Easy	10,812	2.5%
Frequency Missing	15,540	

Difficult to Get Steroids

Q21h	Frequency	Percent
Never Heard Of	142,875	33.7%
Impossible	152,261	35.9%
Very Difficult	64,488	15.2%
Somewhat Diff	35,346	8.3%
Somewhat Easy	16,584	3.9%
Very Easy	12,851	3.0%
Frequency Missing	17,782	

Difficult to Get Synthetic Marijuana

Q21l	Frequency	Percent
Never Heard Of	173,869	40.7%
Impossible	122,078	28.6%
Very Difficult	49,716	11.7%
Somewhat Diff	31,957	7.5%
Somewhat Easy	24,673	5.8%
Very Easy	24,410	5.7%
Frequency Missing	15,484	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Tobacco

Q22a	Frequency	Percent
Every Day	5,716	1.3%
Several Times/Wk	4,297	1.0%
Several Times/Mo	7,244	1.7%
About Once/Month	11,304	2.6%
About Once/Year	10,272	2.4%
Less than Once/Year	17,746	4.1%
Never Used	372,747	86.8%
Frequency Missing	12,861	

How Often Normally Use Marijuana

Q22d	Frequency	Percent
Every Day	5,919	1.4%
Several Times/Wk	9,474	2.2%
Several Times/Mo	11,756	2.7%
About Once/Month	15,366	3.6%
About Once/Year	15,627	3.6%
Less than Once/Year	18,598	4.3%
Never Used	352,163	82.1%
Frequency Missing	13,284	

How Often Normally Use Alcohol

Q22b	Frequency	Percent
Every Day	687	0.2%
Several Times/Wk	6,032	1.4%
Several Times/Mo	29,131	6.8%
About Once/Month	47,731	11.2%
About Once/Year	42,668	10.0%
Less than Once/Year	35,529	8.3%
Never Used	265,020	62.1%
Frequency Missing	15,388	

How Often Normally Use Cocaine

Q22e	Frequency	Percent
Every Day	352	0.1%
Several Times/Wk	476	0.1%
Several Times/Mo	527	0.1%
About Once/Month	1,633	0.4%
About Once/Year	2,735	0.6%
Less than Once/Year	1,989	0.5%
Never Used	421,741	98.2%
Frequency Missing	12,734	

How Often Normally Use Inhalants

Q22c	Frequency	Percent
Every Day	351	0.1%
Several Times/Wk	406	0.1%
Several Times/Mo	1,008	0.2%
About Once/Month	1,565	0.4%
About Once/Year	1,533	0.4%
Less than Once/Year	5,625	1.3%
Never Used	418,432	97.6%
Frequency Missing	13,268	

How Often Normally Use Crack

Q22f	Frequency	Percent
Every Day	105	0.0%
Several Times/Wk	40	0.0%
Several Times/Mo	112	0.0%
About Once/Month	550	0.1%
About Once/Year	823	0.2%
Less than Once/Year	1,425	0.3%
Never Used	426,052	99.3%
Frequency Missing	13,080	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Steroids

Q22h	Frequency	Percent
Every Day	46	0.0%
Several Times/Wk	444	0.1%
Several Times/Mo	305	0.1%
About Once/Month	381	0.1%
About Once/Year	535	0.1%
Less than Once/Year	1,596	0.4%
Never Used	425,552	99.2%
Frequency Missing	13,328	

How Often Normally Use Methamphetamine

Q22k	Frequency	Percent
Every Day	130	0.0%
Several Times/Wk	245	0.1%
Several Times/Mo	405	0.1%
About Once/Month	588	0.1%
About Once/Year	729	0.2%
Less than Once/Year	1,493	0.3%
Never Used	425,899	99.2%
Frequency Missing	12,699	

How Often Normally Use Ecstasy

Q22i	Frequency	Percent
Every Day	133	0.0%
Several Times/Wk	26	0.0%
Several Times/Mo	708	0.2%
About Once/Month	2,113	0.5%
About Once/Year	3,232	0.8%
Less than Once/Year	3,566	0.8%
Never Used	418,812	97.7%
Frequency Missing	13,597	

How Often Normally Use Synthetic Marijuana

Q22l	Frequency	Percent
Every Day	334	0.1%
Several Times/Wk	318	0.1%
Several Times/Mo	1,379	0.3%
About Once/Month	1,723	0.4%
About Once/Year	2,298	0.5%
Less than Once/Year	4,150	1.0%
Never Used	418,620	97.6%
Frequency Missing	13,366	

How Often Normally Use Heroin

Q22j	Frequency	Percent
Every Day	135	0.0%
Several Times/Wk	148	0.0%
Several Times/Mo	92	0.0%
About Once/Month	101	0.0%
About Once/Year	268	0.1%
Less than Once/Year	1,111	0.3%
Never Used	427,618	99.6%
Frequency Missing	12,714	

Amount of Beer at One Time

Q23a	Frequency	Percent
Never Drink This	268,532	63.7%
12+ Drinks	7,044	1.7%
9-11 Drinks	5,429	1.3%
5-8 Drinks	12,669	3.0%
3-4 Drinks	20,034	4.8%
2 Drinks	22,335	5.3%
1 Drink	28,299	6.7%
Less than 1 Drink	57,119	13.6%
Frequency Missing	20,726	

Percentages and frequencies have been weighted to reflect proportions within the population.

Amount of Wine Coolers at One Time

Q23b	Frequency	Percent
Never Drink This	296,474	69.4%
12+ Drinks	5,270	1.2%
9-11 Drinks	3,921	0.9%
5-8 Drinks	12,859	3.0%
3-4 Drinks	20,780	4.9%
2 Drinks	23,139	5.4%
1 Drink	27,330	6.4%
Less than 1 Drink	37,348	8.7%
Frequency Missing	15,066	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q24a	Frequency	Percent
Never 5+ At Time	258,794	61.6%
0 Days	115,095	27.4%
1 Day	18,933	4.5%
2 Days	10,439	2.5%
3 To 5 Days	8,570	2.0%
6 To 9 Days	2,795	0.7%
10 Or More Days	5,199	1.2%
Frequency Missing	22,362	

Amount of Wine at One Time

Q23c	Frequency	Percent
Never Drink This	290,817	68.8%
12+ Drinks	2,504	0.6%
9-11 Drinks	1,468	0.3%
5-8 Drinks	5,888	1.4%
3-4 Drinks	11,853	2.8%
2 Drinks	15,957	3.8%
1 Drink	31,215	7.4%
Less than 1 Drink	62,882	14.9%
Frequency Missing	19,603	

Get Alcoholic Beverages from Home

Q25a	Frequency	Percent
Do Not Drink	249,015	58.4%
Never	75,621	17.7%
Seldom	71,373	16.7%
Most Of The Time	20,081	4.7%
Always	10,132	2.4%
Frequency Missing	15,965	

Amount of Liquor at One Time

Q23d	Frequency	Percent
Never Drink This	283,871	66.3%
12+ Drinks	9,206	2.2%
9-11 Drinks	7,138	1.7%
5-8 Drinks	18,467	4.3%
3-4 Drinks	25,126	5.9%
2 Drinks	22,845	5.3%
1 Drink	20,212	4.7%
Less than 1 Drink	41,270	9.6%
Frequency Missing	14,052	

Get Alcoholic Beverages from Friends

Q25b	Frequency	Percent
Do Not Drink	251,153	59.1%
Never	74,769	17.6%
Seldom	50,855	12.0%
Most Of The Time	36,226	8.5%
Always	12,090	2.8%
Frequency Missing	17,094	

Get Alcoholic Beverages from a Store

Q25c	Frequency	Percent
Do Not Drink	260,106	61.4%
Never	135,539	32.0%
Seldom	15,336	3.6%
Most Of The Time	7,741	1.8%
Always	4,871	1.1%
Frequency Missing	18,595	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Get Alcoholic Beverages at Parties

Q25d	Frequency	Percent
Do Not Drink	241,044	56.8%
Never	71,123	16.7%
Seldom	42,205	9.9%
Most Of The Time	36,682	8.6%
Always	33,661	7.9%
Frequency Missing	17,472	

Dangerous for Kids to Use Inhalants

Q26c	Frequency	Percent
Very	312,647	72.9%
Somewhat	64,656	15.1%
Not Very	17,947	4.2%
Not At All	5,201	1.2%
Don't Know	28,587	6.7%
Frequency Missing	13,150	

Get Alcoholic Beverages from Other Sources

Q25e	Frequency	Percent
Do Not Drink	260,283	62.0%
Never	97,619	23.3%
Seldom	31,485	7.5%
Most Of The Time	17,355	4.1%
Always	12,909	3.1%
Frequency Missing	22,536	

Dangerous for Kids to Use Marijuana

Q26d	Frequency	Percent
Very	228,449	53.2%
Somewhat	64,497	15.0%
Not Very	60,476	14.1%
Not At All	61,532	14.3%
Don't Know	14,594	3.4%
Frequency Missing	12,641	

Dangerous for Kids to Use Tobacco

Q26a	Frequency	Percent
Very	259,550	60.3%
Somewhat	108,744	25.3%
Not Very	35,524	8.3%
Not At All	7,653	1.8%
Don't Know	19,005	4.4%
Frequency Missing	11,712	

Dangerous for Kids to Use Cocaine

Q26e	Frequency	Percent
Very	377,106	87.6%
Somewhat	29,557	6.9%
Not Very	3,900	0.9%
Not At All	2,936	0.7%
Don't Know	16,879	3.9%
Frequency Missing	11,810	

Dangerous for Kids to Use Alcohol

Q26b	Frequency	Percent
Very	215,417	50.2%
Somewhat	136,983	31.9%
Not Very	53,711	12.5%
Not At All	9,060	2.1%
Don't Know	14,120	3.3%
Frequency Missing	12,897	

Dangerous for Kids to Use Crack

Q26f	Frequency	Percent
Very	383,958	89.2%
Somewhat	23,431	5.4%
Not Very	2,670	0.6%
Not At All	1,980	0.5%
Don't Know	18,275	4.2%
Frequency Missing	11,873	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Ecstasy

Q26g	Frequency	Percent
Very	345,396	80.5%
Somewhat	39,314	9.2%
Not Very	11,193	2.6%
Not At All	2,989	0.7%
Don't Know	30,270	7.1%
Frequency Missing	13,025	

Dangerous for Kids to Use Synthetic Marijuana

Q26k	Frequency	Percent
Very	344,865	80.4%
Somewhat	37,268	8.7%
Not Very	11,055	2.6%
Not At All	5,907	1.4%
Don't Know	30,070	7.0%
Frequency Missing	13,022	

Dangerous for Kids to Use Steroids

Q26h	Frequency	Percent
Very	319,780	74.5%
Somewhat	63,999	14.9%
Not Very	16,245	3.8%
Not At All	3,775	0.9%
Don't Know	25,371	5.9%
Frequency Missing	13,017	

Dangerous for Kids to Use Any Prescription

Q26l	Frequency	Percent
Very	304,851	70.8%
Somewhat	71,349	16.6%
Not Very	19,415	4.5%
Not At All	6,277	1.5%
Don't Know	28,457	6.6%
Frequency Missing	11,838	

Dangerous for Kids to Use Heroin

Q26i	Frequency	Percent
Very	385,709	89.6%
Somewhat	18,080	4.2%
Not Very	2,316	0.5%
Not At All	1,585	0.4%
Don't Know	22,746	5.3%
Frequency Missing	11,752	

Dangerous for Kids to Use Electronic Vapor Products

Q26m	Frequency	Percent
Very	212,050	49.2%
Somewhat	60,286	14.0%
Not Very	70,893	16.4%
Not At All	64,624	15.0%
Don't Know	23,225	5.4%
Frequency Missing	11,109	

Dangerous for Kids to Use Methamphetamine

Q26j	Frequency	Percent
Very	385,406	89.5%
Somewhat	18,360	4.3%
Not Very	2,305	0.5%
Not At All	1,557	0.4%
Don't Know	23,184	5.4%
Frequency Missing	11,375	

Days Skipped Since September

Q27a	Frequency	Percent
None	341,160	79.7%
1-3 Days	65,614	15.3%
4-9 Days	13,737	3.2%
10+ Days	7,719	1.8%
Frequency Missing	13,957	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Days Ill Since September

Q27b	Frequency	Percent
None	136,965	32.0%
1-3 Days	222,506	52.0%
4-9 Days	52,453	12.3%
10+ Days	15,745	3.7%
Frequency Missing	14,518	

Trouble with Friends Because of Drinking

Q28a	Frequency	Percent
None	410,928	96.1%
1-3 Times	14,730	3.4%
4-9 Times	1,183	0.3%
10+ Times	780	0.2%
Frequency Missing	14,566	

Other Reason For Days Missed Since September

Q27c	Frequency	Percent
None	167,452	39.4%
1-3 Days	207,039	48.8%
4-9 Days	37,584	8.9%
10+ Days	12,492	2.9%
Frequency Missing	17,621	

Driven a Car After a Good Bit to Drink

Q28b	Frequency	Percent
None	415,206	97.3%
1-3 Times	9,399	2.2%
4-9 Times	1,217	0.3%
10+ Times	1,063	0.2%
Frequency Missing	15,303	

Sent to Principal/Dean Since September

Q27d	Frequency	Percent
None	382,930	89.4%
1-3 Days	35,238	8.2%
4-9 Days	6,086	1.4%
10+ Days	3,893	0.9%
Frequency Missing	14,041	

Trouble with Friends Because of Drug Use

Q28c	Frequency	Percent
None	413,352	96.7%
1-3 Times	12,064	2.8%
4-9 Times	1,412	0.3%
10+ Times	491	0.1%
Frequency Missing	14,868	

Someone Called Home Since September

Q27e	Frequency	Percent
None	393,414	92.1%
1-3 Days	26,538	6.2%
4-9 Days	4,203	1.0%
10+ Days	3,039	0.7%
Frequency Missing	14,993	

Driven a Car While High from Drugs

Q28d	Frequency	Percent
None	408,803	95.9%
1-3 Times	11,228	2.6%
4-9 Times	2,460	0.6%
10+ Times	3,834	0.9%
Frequency Missing	15,862	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days Drunk on Alcohol Since Sept

Q29a	Frequency	Percent
None	410,440	96.3%
1-3 Days	13,308	3.1%
4-9 Days	1,743	0.4%
10+ Days	864	0.2%
Frequency Missing	15,833	

Alcohol Use at Parties This School Year

Q30a	Frequency	Percent
Never	216,429	50.9%
Seldom	31,266	7.3%
Half The Time	21,641	5.1%
Most Of The Time	34,361	8.1%
Always	41,301	9.7%
Don't Know	9,047	2.1%
Didn't Attend	71,374	16.8%
Frequency Missing	16,768	

Class Days High on Marijuana Since Sept

Q29b	Frequency	Percent
None	398,197	93.7%
1-3 Days	14,682	3.5%
4-9 Days	4,823	1.1%
10+ Days	7,306	1.7%
Frequency Missing	17,179	

Drug Use at Parties This School Year

Q30b	Frequency	Percent
Never	256,771	60.2%
Seldom	23,406	5.5%
Half The Time	17,121	4.0%
Most Of The Time	23,034	5.4%
Always	25,852	6.1%
Don't Know	8,899	2.1%
Didn't Attend	71,480	16.8%
Frequency Missing	15,624	

Class Days High on Inhalants Since Sept

Q29c	Frequency	Percent
None	421,271	99.3%
1-3 Days	2,392	0.6%
4-9 Days	290	0.1%
10+ Days	393	0.1%
Frequency Missing	17,841	

Sought Help for Drug/Alcohol Problem

Q31	Frequency	Percent
No	364,141	94.3%
Yes	21,857	5.7%
Frequency Missing	56,189	

Class Days High on Other Drug(s)

Q29d	Frequency	Percent
None	411,652	96.9%
1-3 Days	8,567	2.0%
4-9 Days	2,379	0.6%
10+ Days	2,365	0.6%
Frequency Missing	17,225	

Would Seek Help from School Counselor

Q32a	Frequency	Percent
No	254,670	60.9%
Yes	163,826	39.1%
Frequency Missing	23,691	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Seek Help from School Nurse

Q32b	Frequency	Percent
No	321,252	77.2%
Yes	95,084	22.8%
Frequency Missing	25,852	

Would Seek Help from Another Adult

Q32g	Frequency	Percent
No	162,346	38.8%
Yes	255,678	61.2%
Frequency Missing	24,164	

Would Seek Help from Another Adult in School

Q32c	Frequency	Percent
No	245,785	59.0%
Yes	170,805	41.0%
Frequency Missing	25,598	

Would Seek Help from Counselor or Program Outside School

Q32h	Frequency	Percent
No	244,325	58.5%
Yes	173,229	41.5%
Frequency Missing	24,633	

Would Seek Help from Parents

Q32d	Frequency	Percent
No	123,799	29.5%
Yes	295,845	70.5%
Frequency Missing	22,544	

Would Not Seek Help

Q32i	Frequency	Percent
No	339,709	83.1%
Yes	68,967	16.9%
Frequency Missing	33,511	

Would Seek Help from a Medical Doctor

Q32e	Frequency	Percent
No	179,000	43.0%
Yes	236,963	57.0%
Frequency Missing	26,225	

Drug/Alcohol Info–School Health Class

Q33a	Frequency	Percent
No	245,052	60.2%
Yes	162,117	39.8%
Frequency Missing	35,019	

Would Seek Help from Friends

Q32f	Frequency	Percent
No	140,700	33.7%
Yes	276,428	66.3%
Frequency Missing	25,059	

Drug/Alcohol Info–School Assembly Program

Q33b	Frequency	Percent
No	235,293	58.1%
Yes	169,923	41.9%
Frequency Missing	36,972	

Percentages and frequencies have been weighted to reflect proportions within the population.

Drug/Alcohol Info–School Guidance Counselor

Q33c	Frequency	Percent
No	302,954	74.9%
Yes	101,582	25.1%
Frequency Missing	37,651	

Drug/Alcohol Info–Another School Source

Q33h	Frequency	Percent
No	296,523	73.6%
Yes	106,172	26.4%
Frequency Missing	39,492	

Drug/Alcohol Info–School Nurse

Q33d	Frequency	Percent
No	345,290	85.8%
Yes	57,373	14.2%
Frequency Missing	39,524	

Parents Feel About Kids Using Tobacco

Q34a	Frequency	Percent
Strongly Disapprove	335,566	79.0%
Mild Disapprove	35,375	8.3%
Neither	23,246	5.5%
Mildly Approve	4,060	1.0%
Strongly Approve	2,795	0.7%
Don't Know	23,820	5.6%
Frequency Missing	17,325	

Drug/Alcohol Info–Science or Social Studies Class

Q33e	Frequency	Percent
No	294,354	73.1%
Yes	108,483	26.9%
Frequency Missing	39,350	

Parents Feel About Kids Drinking Alcohol

Q34b	Frequency	Percent
Strongly Disapprove	271,072	63.8%
Mild Disapprove	64,426	15.2%
Neither	47,375	11.2%
Mildly Approve	13,882	3.3%
Strongly Approve	4,773	1.1%
Don't Know	23,078	5.4%
Frequency Missing	17,582	

Drug/Alcohol Info–School Student Group or Club

Q33f	Frequency	Percent
No	346,647	86.1%
Yes	55,915	13.9%
Frequency Missing	39,625	

Parents Feel About Kids Using Marijuana

Q34c	Frequency	Percent
Strongly Disapprove	329,628	77.6%
Mild Disapprove	31,609	7.4%
Neither	27,973	6.6%
Mildly Approve	7,578	1.8%
Strongly Approve	5,513	1.3%
Don't Know	22,408	5.3%
Frequency Missing	17,478	

Drug/Alcohol Info–Invited School Guest

Q33g	Frequency	Percent
No	281,510	69.7%
Yes	122,137	30.3%
Frequency Missing	38,540	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

